

## **Bidder Profile**

# Bid 17222 – Scrap Metal Collection & Recycling Services

#### COMPANY INFORMATION

Company name and address: <u>Calbag Tacoma LLC</u>	Authorized representative:	Roy Inglemon
<u>1602 Marine View Dr</u> Tacoma, WA 98422	Phone:	<u>253-572-6800</u>
	Email:	roy.inglemon@calbag.com
Ordering contact/Address:	Sales reporting	contact information:
Name: Roy Inglemon Email: roy.inglemon@calbag.com Address: 1602 Marine View Dr Tacoma, WA 98422 Phone: 253-572-6800	Name: Roy Inglemon Email: roy.inglemon@calbag.com Phone:253-572-6800	
Management fee contact:	Address to send management fee invoices:	
Name: Roy Inglemon	Company name: Calbag Tacoma LLC	
Email: roy.inglemon@calbag.com Phone:253-572-6800	Attn: Roy Inglemon	
	Address:1602 Marine View Dr	
	City/State/Zip: Tacoma, WA 98422	
Federal Tax ID number	91-2080830	
Wash. Dept. of Revenue Registration	602072958	
Subcontractor	D.M. Disposal Co., INC dba D.M. Recycling 4822 70 <sup>th</sup> Ave E Fife, WA 98424 TIN # 91-1080874	

#### PRICES

## Southwest

Full Service				
Metal Type	Minimum Poundage for Pick-up Weight (lbs)	Standard Reimbursement Percentage (%)	Short Load Reimbursement Percentage (%)	
Ferrous	0	35%	35%	
Clean Aluminum	0	35%	35%	
Insulated Aluminum (Aluminum Core Steel				
Reinforced (ACSR))	0	35%	35%	
Clean Copper	0	35%	35%	
Insulated Copper	0	35%	35%	
Brass	0	35%	35%	

Temporary Placement for Construction Projects			
Metal Type	Minimum Poundage for Pick-up Weight (lbs)	Standard Reimburseme	Short Load Reimburseme
		nt Percentage (%)	nt Percentage (%)
Ferrous	0	35%	35%
Clean	0		
Aluminum		35%	35%
Insulated			
Aluminum			
(Aluminum			
Core Steel			
Reinforced			
(ACSR))	0	35%	35%
Clean Copper	0	35%	35%
Insulated	0		
Copper		35%	35%
Brass	0	35%	35%

	Single Use		
Metal Type	Minimum Poundage for Pick-up Weight	Standard	Short Load
	(lbs)	Reimburseme	Reimburseme
		nt Percentage	nt Percentage
		(%)	(%)
Ferrous	0	35%	35%

Clean	0		
Aluminum		35%	35%
Insulated			
Aluminum			
(Aluminum			
Core Steel			
Reinforced			
(ACSR))	0	35%	35%
Clean Copper	0	35%	35%
Insulated	0		
Copper		35%	35%
Brass	0	35%	35%

Will Call			
Metal Type	Minimum Poundage for Pick-up Weight (Ibs)	Standard Reimburseme nt Percentage (%)	Short Load Reimburseme nt Percentage (%)
Ferrous	0	35%	35%
Clean	0		
Aluminum		35%	35%
Insulated			
Aluminum			
(Aluminum			
Core Steel			
Reinforced			
(ACSR))	0	35%	35%
Clean Copper	0	35%	35%
Insulated	0		
Copper		35%	35%
Brass	0	35%	35%

Freight Allowance					
Weight in Pounds					
Miles From/To: 100 to 500 501 to 5000 5001 to 10,000 10,001 to 15,000					
35 to 75	0%	0%	0%	0%	
76 to 116	0%	0%	0%	0%	
117 to 167	0%	0%	0%	0%	
131 to 208	0%	0%	0%	0%	
209 to 249	0%	0%	0%	0%	
250 to 290	0%	0%	0%	0%	

291 to 400+ 0% 0% 0% 0%
-------------------------

Collection Unit Rental Rate		
Collection Unit Size Rental Rate per Day		
30 yard roll off	0	
40 yard roll off	0	

## **North Central**

Full Service				
• •	for Pick-up Weight (lbs)	Reimbursement	Short Load Reimbursement Percentage (%)	
Ferrous	0	35%	35%	
Clean Aluminum	0	35%	35%	
Insulated Aluminum (Aluminum Core Steel				
Reinforced (ACSR))	0	35%	35%	
Clean Copper	0	35%	35%	
Insulated Copper	0	35%	35%	
Brass	0	35%	35%	

Temporary Placement for Construction Projects			
Metal Type	Minimum Poundage for Pick-up Weight (lbs)	Standard Reimburseme	Short Load Reimburseme
		nt Percentage (%)	nt Percentage (%)
Ferrous	0	35%	35%
Clean	0		
Aluminum		35%	35%
Insulated			
Aluminum			
(Aluminum			
Core Steel			
Reinforced			
(ACSR))	0	35%	35%
Clean Copper	0	35%	35%
Insulated	0		
Copper		35%	35%

		1	
Brass	0	35%	35%

Single Use					
Metal Type	Minimum Poundage for Pick-up Weight (lbs)	Standard Reimburseme nt Percentage (%)	Short Load Reimburseme nt Percentage (%)		
Ferrous	0	35%	35%		
Clean Aluminum	0	35%	35%		
Insulated Aluminum (Aluminum Core Steel Reinforced					
(ACSR))	0	35%	35%		
Clean Copper	0	35%	35%		
Insulated Copper	0	35%	35%		
Brass	0	35%	35%		

Will Call					
Metal Type	Minimum Poundage for Pick-up Weight (Ibs)	Standard Reimburseme nt Percentage (%)	Short Load Reimburseme nt Percentage (%)		
Ferrous	0	35%	35%		
Clean	0				
Aluminum		35%	35%		
Insulated					
Aluminum					
(Aluminum					
Core Steel					
Reinforced					
(ACSR))	0	35%	35%		
Clean Copper	0	35%	35%		
Insulated	0				
Copper		35%	35%		
Brass	0	35%	35%		

## **Freight Allowance**

Weight in Pounds						
Miles From/To:	100 to 500	501 to 5000	5001 to 10,000	10,001 to 15,000		
35 to 75	0%	0%	0%	0%		
76 to 116	0%	0%	0%	0%		
117 to 167	0%	0%	0%	0%		
131 to 208	0%	0%	0%	0%		
209 to 249	0%	0%	0%	0%		
250 to 290	0%	0%	0%	0%		
291 to 400+	0%	0%	0%	0%		

Collection Unit Rental Rate			
Collection Unit Size	Rental Rate per Day		
30 yard roll off	0		
40 yard roll off	0		