



Bidder Profile

Bid 17222 Scrap Metal Collection & Recycling Services

COMPANY INFORMATION

Company name and address: <u>Binford Metals, LLC</u> <u>26133 78th Ave S</u> <u>Kent, WA 98032</u>	Authorized representative: <u>Kimberly Iverson</u>	
	Phone/Cell:	<u>253-205-6466</u>
	Email:	<u>kimberly@binfordmetals.com</u>
Ordering contact/Address: <u>Name/Email: Donna Berry</u> <u>Email: donna@binfordmetals.com</u> <u>Phone: 253-854-8000 ex 211</u>	Sales reporting contact information: <u>Name: Donna Berry</u> <u>Email: donna@binfordmetals.com</u> <u>Phone: 253-854-8000 ex 211</u>	
Management fee contact: <u>Name: Donna Berry</u> <u>Email: donna@binfordmetals.com</u> <u>Phone: 253-854-8000 ex 211</u>	Address to send management fee invoices: <u>Company name: Binford Metals, LLC</u> <u>Attn: Kimberly Iverson</u> <u>Address: 26133 78th Ave S</u> <u>City/State/Zip: Kent, WA 98032</u>	
Federal Tax ID number	47-0930848	
Wash. Dept. of Revenue Registration No.	602-289-939	

PRICES

Northwest

Full Service			
Metal Type	Minimum Poundage (lbs)	Standard Reimbursement Percentage (%)	Short Load Reimbursement Percentage (%)
Ferrous	5000	70%	25%
Clean Aluminum	5000	100%	25%
Insulated Aluminum (Aluminum Core Steel Reinforced (ACSR))	5000	50%	25%
Clean Copper	5000	100%	25%
Insulated Copper	5000	60%	25%
Brass	5000	100%	25%

Temporary Placement for Construction Projects			
Metal Type	Minimum Poundage (lbs)	Standard Reimbursement Percentage (%)	Short Load Reimbursement Percentage (%)
Ferrous	5000	70%	25%
Clean Aluminum	5000	100%	25%
Insulated Aluminum (Aluminum Core Steel Reinforced (ACSR))	5000	50%	25%
Clean Copper	5000	100%	25%
Insulated Copper	5000	60%	25%
Brass	5000	100%	25%

Single Use			
Metal Type	Minimum Poundage (lbs)	Standard Reimbursement Percentage (%)	Short Load Reimbursement Percentage (%)
Ferrous	5000	70%	25%
Clean Aluminum	5000	100%	25%
Insulated Aluminum (Aluminum Core Steel Reinforced (ACSR))	5000	50%	25%
Clean Copper	5000	100%	25%
Insulated Copper	5000	60%	25%
Brass	5000	100%	25%

Will Call			
Metal Type	Minimum Poundage (lbs)	Standard Reimbursement Percentage (%)	Short Load Reimbursement Percentage (%)
Ferrous	5000	70%	25%
Clean Aluminum	5000	100%	25%
Insulated Aluminum (Aluminum Core Steel Reinforced (ACSR))	5000	50%	25%
Clean Copper	5000	100%	25%
Insulated Copper	5000	60%	25%
Brass	5000	100%	25%

Freight Allowance				
Weight in Pounds				
Miles From/To:	100 to 500	501 to 5000	5001 to 10,000	10,001 to 15,000
35 to 75	100%	100%	0%	0%
76 to 116	100%	100%	50%	50%
117 to 167	100%	100%	50%	50%
131 to 208	100%	100%	50%	50%
209 to 249	100%	100%	50%	50%
250 to 290	100%	100%	50%	50%
291 to 400+	100%	100%	50%	50%

Olympic

Full Service			
Metal Type	Minimum Poundage for Pick-up Weight (lbs)	Standard Reimbursement Percentage (%)	Short Load Reimbursement Percentage (%)
Ferrous	7000	50%	25%
Clean Aluminum	0	50%	25%
Insulated Aluminum (Aluminum Core Steel Reinforced (ACSR))	1000	50%	25%
Clean Copper	0	50%	25%
Insulated Copper	0	50%	25%
Brass	0	50%	25%

Temporary Placement for Construction Projects			
Metal Type	Minimum Poundage for Pick-up Weight (lbs)	Standard Reimbursemen	Short Load Reimbursemen

		t Percentage (%)	t Percentage (%)
Ferrous	7000	50%	25%
Clean Aluminum	0	50%	25%
Insulated Aluminum (Aluminum Core Steel Reinforced (ACSR))	1000	50%	25%
Clean Copper	0	50%	25%
Insulated Copper	0	50%	25%
Brass	0	50%	25%

Single Use			
Metal Type	Minimum Poundage for Pick-up Weight (lbs)	Standard Reimbursement Percentage (%)	Short Load Reimbursement Percentage (%)
Ferrous	7000	50%	25%
Clean Aluminum	0	50%	25%
Insulated Aluminum (Aluminum Core Steel Reinforced (ACSR))	1000	50%	25%
Clean Copper	0	50%	25%
Insulated Copper	0	50%	25%
Brass	0	50%	25%

Will Call			
Metal Type	Minimum Poundage for Pick-up Weight (lbs)	Standard Reimbursement Percentage (%)	Short Load Reimbursement Percentage (%)
Ferrous	7000	50%	25%
Clean Aluminum	0	50%	25%
Insulated Aluminum (Aluminum Core Steel Reinforced (ACSR))	1000	50%	25%
Clean Copper	0	50%	25%

Insulated Copper	0	50%	25%
Brass	0	50%	25%

Freight Allowance				
Weight in Pounds				
Miles From/To:	100 to 500	501 to 5000	5001 to 10,000	10,001 to 15,000
35 to 75	100%	100%	75%	50%
76 to 116	100%	100%	75%	50%
117 to 167	100%	100%	75%	50%
131 to 208	100%	100%	75%	50%
209 to 249	100%	100%	75%	50%
250 to 290	100%	100%	75%	50%
291 to 400+	100%	100%	75%	50%

Southwest

Full Service			
Metal Type	Minimum Poundage for Pick-up Weight (lbs)	Standard Reimbursement Percentage (%)	Short Load Reimbursement Percentage (%)
Ferrous	7000	50%	25%
Clean Aluminum	0	50%	25%
Insulated Aluminum (Aluminum Core Steel Reinforced (ACSR))	1000	50%	25%
Clean Copper	0	50%	25%
Insulated Copper	0	50%	25%
Brass	0	50%	25%

Temporary Placement for Construction Projects			
Metal Type	Minimum Poundage for Pick-up Weight (lbs)	Standard Reimbursement Percentage (%)	Short Load Reimbursement Percentage (%)
Ferrous	7000	50%	25%
Clean Aluminum	0	50%	25%
Insulated Aluminum (Aluminum Core Steel Reinforced (ACSR))	1000	50%	25%

Clean Copper	0	50%	25%
Insulated Copper	0	50%	25%
Brass	0	50%	25%

Single Use			
Metal Type	Minimum Poundage for Pick-up Weight (lbs)	Standard Reimbursement Percentage (%)	Short Load Reimbursement Percentage (%)
Ferrous	7000	50%	25%
Clean Aluminum	0	50%	25%
Insulated Aluminum (Aluminum Core Steel Reinforced (ACSR))	1000	50%	25%
Clean Copper	0	50%	25%
Insulated Copper	0	50%	25%
Brass	0	50%	25%

Will Call			
Metal Type	Minimum Poundage for Pick-up Weight (lbs)	Standard Reimbursement Percentage (%)	Short Load Reimbursement Percentage (%)
Ferrous	7000	50%	25%
Clean Aluminum	1000	50%	25%
Insulated Aluminum (Aluminum Core Steel Reinforced (ACSR))	0	50%	25%
Clean Copper	0	50%	25%
Insulated Copper	0	50%	25%
Brass	0	50%	25%

Freight Allowance				
Weight in Pounds				
Miles From/To:	100 to 500	501 to 5000	5001 to 10,000	10,001 to 15,000
35 to 75	100%	100%	75%	50%

76 to 116	100%	100%	75%	50%
117 to 167	100%	100%	75%	50%
131 to 208	100%	100%	75%	50%
209 to 249	100%	100%	75%	50%
250 to 290	100%	100%	75%	50%
291 to 400+	100%	100%	75%	50%

South Central

Full Service			
Metal Type	Minimum Poundage for Pick-up Weight (lbs)	Standard Reimbursement Percentage (%)	Short Load Reimbursement Percentage (%)
Ferrous	7000	30%	25%
Clean Aluminum	1000	100%	25%
Insulated Aluminum (Aluminum Core Steel Reinforced (ACSR))	1000	55%	25%
Clean Copper	1000	100%	25%
Insulated Copper	1000	65%	25%
Brass	1000	100%	25%

Temporary Placement for Construction Projects			
Metal Type	Minimum Poundage for Pick-up Weight (lbs)	Standard Reimbursement Percentage (%)	Short Load Reimbursement Percentage (%)
Ferrous	7000	30%	25%
Clean Aluminum	1000	100%	25%
Insulated Aluminum (Aluminum Core Steel Reinforced (ACSR))	1000	55%	25%
Clean Copper	1000	100%	25%
Insulated Copper	1000	65%	25%
Brass	1000	100%	25%

Single Use			
Metal Type	Minimum Poundage for Pick-up Weight (lbs)	Standard Reimbursement Percentage (%)	Short Load Reimbursement Percentage (%)

Ferrous	7000	30%	25%
Clean Aluminum	1000	100%	25%
Insulated Aluminum (Aluminum Core Steel Reinforced (ACSR))	1000	55%	25%
Clean Copper	1000	100%	25%
Insulated Copper	1000	65%	25%
Brass	1000	100%	25%

Will Call			
Metal Type	Minimum Poundage for Pick-up Weight (lbs)	Standard Reimbursement Percentage (%)	Short Load Reimbursement Percentage (%)
Ferrous	7000	30%	25%
Clean Aluminum	1000	100%	25%
Insulated Aluminum (Aluminum Core Steel Reinforced (ACSR))	1000	55%	25%
Clean Copper	1000	100%	25%
Insulated Copper	1000	65%	25%
Brass	1000	100%	25%

Freight Allowance				
Weight in Pounds				
Miles From/To:	100 to 500	501 to 5000	5001 to 10,000	10,001 to 15,000
35 to 75	100%	100%	75%	50%
76 to 116	100%	100%	75%	50%
117 to 167	100%	100%	75%	50%
131 to 208	100%	100%	75%	50%
209 to 249	100%	100%	75%	50%
250 to 290	100%	100%	75%	50%
291 to 400+	100%	100%	75%	50%