

State of Washington
 Contracts & Procurement Division
 Department of Enterprise Services
 P.O. Box 41411
 Olympia, WA 98504-1411

Solid Waste Systems, Inc. dba SWS Equipment,
 Inc.
 PO Box 13040
 Spokane Valley, WA 99213

**FIRST AMENDMENT
 TO
 CONTRACT No. 00120
 CATCH BASIN CLEANERS AND JET RODDER TRUCKS (VARIOUS SIZES)**

This First Amendment (“Amendment”) to Master Contract No. 00120 is made and entered into by and between the State of Washington acting by and through the Department of Enterprise Services, a Washington State governmental agency (“State”) and Solid Waste Systems, Inc. dba SWS Equipment, Inc., a Washington Profit Corporation (“Contractor”) and is dated and effective as of February 1, 2021.

RECITALS

- A. State and Contractor (collectively the “Parties”) entered into that certain Master Contract No. 00120 for Catch Basin Cleaners and Jet Rodder Trucks (Various Sizes) dated effective as of October 1, 2020 (“Master Contract”).
- B. The parties intend to amend the Master Contract to amend *Exhibit B-Prices* “Category Discounts” for Chassis, add a new *Exhibit E –Chassis*, and add Section 3.6 Product Additions and Deletions to the Master Contract.
- C. The amendment set forth herein is within the scope of the Master Contract.
- D. The Parties now desire to amend the Master Contract as set forth herein.

AGREEMENT

NOW THEREFORE, in consideration of the mutual covenants and agreements set forth herein, the Parties hereby agree to amend the Master Contract, as follows:

- 1. PRICING. EXHIBIT B-PRICES is hereby amended by deleting the existing section on Chassis (shown below), and replacing it with *Exhibit E- Chassis*(attached). This will allow for additional chassis models with various discounts.

| Category Discounts | | | | |
|--------------------|----------|---|-------------------------|---|
| Payment Option | Category | Definition (Each category includes but is not limited to:) | Manufacturer | % Discount off MSRP |
| | Chassis | Chassis, including but not limited to 2 axle, 3 axle, 4 axle or 5 axle, of which Catch Basin and or Jet Rodder Equipment is mounted upon. | International | 48% Model: HV613 |
| | - | - | Kenworth | 44.5% on T880 & 33.5% on T370 |
| | - | - | Freightliner | 38% Model: 114 SD |
| | - | - | Peterbuilt | 35.5% Model: 567 |
| | - | - | Western Star | 39% Model: 4700SB |
| | - | - | Freightliner | 33% Model: M2-106 & M2-112 (CNG) |
| | | | Ford | 4% Model: F550 |

2. NEW EXHIBIT. *EXHIBIT E – CHASSIS* is hereby added to the Master Contract as attached on page 4.
3. NEW SECTION 3.6 – PRODUCT ADDITIONS AND DELETIONS. Section 3.6 - Product Additions and Deletions is hereby added to the Master Contract as follows:

3.6 Product Additions and Deletions

- *Exhibit E - Chassis*: Contractor may request to add Chassis models to, and delete Chassis models from *Exhibit E - Chassis* by sending an updated *Exhibit E - Chassis* to the Master Contract Administrator for approval. Chassis Models added to the Master Contract must be commercially available at the time they are added to the Master Contract and fall within the original scope and intent of the Master Contract. Contractor may delete Chassis Models no longer available for purchase from Chassis Manufacturers. Contractor shall notify any Purchaser with pending orders, the reason for a Chassis Model deletion. Contractor shall maintain service obligations for deleted Chassis Models as defined in *Exhibit A- Included Goods/Services*. All requested additions and deletions shall be clearly identified and include the business justification and supporting documentation.
 - MSRP CATALOG IN *EXHIBIT B - PRICES*: Contractor may request to add products to, and delete products from the MSRP Catalog in *Exhibit B* by sending an updated MSRP Catalog to the Master Contract Administrator for approval. Products added to the Master Contract must be commercially available at the time they are added and fall within the original scope and intent of the Master Contract. Contractor may delete products no longer available for purchase with Catch Basin Cleaners and Jet Rodder Trucks Manufacturers. Contractor shall notify any Purchaser with pending orders, the reason for a product deletion in MSRP Catalog. Contractor shall maintain service obligations for deleted products as defined in *Exhibit A – Included Goods/Services*. Changes in MSRP Catalog may be updated annually on the anniversary of this Master Contract beginning twelve (12) months after the effective date of this Master Contract and for every annual anniversary thereafter. All requested additions and deletions shall be clearly identified and include the business justification and supporting documentation.
4. NO CHANGE OTHER THAN AMENDMENT. Except as amended herein, the Contract is unaffected and remains in full force and effect.
 5. INTEGRATED AGREEMENT; MODIFICATION. This Amendment constitutes the entire agreement and understanding of the Parties with respect to the subject matter and supersedes all prior negotiations and representations. In the event of any conflict between this Amendment and the Contract or any earlier amendment, this Amendment shall control and govern. This Amendment may not be modified except in writing signed by the Parties.
 6. AUTHORITY. Each party to this Amendment, and each individual signing on behalf of each party, hereby represents and warrants to the other that it has full power and authority to enter into this Amendment and that its execution, delivery, and performance of this Amendment has been fully authorized and approved, and that no further approvals or consents are required to bind such party.
 7. ELECTRONIC SIGNATURES. A signed copy of this Amendment or any other ancillary agreement transmitted by facsimile, email, or other means of electronic transmission shall be deemed to have the same legal

effect as delivery of an original executed copy of this Amendment or such other ancillary agreement for all purposes.

8. COUNTERPARTS. This Amendment may be executed in one or more counterparts, each of which shall be deemed an original, and all of which counterparts together shall constitute the same instrument which may be sufficiently evidenced by one counterpart. Execution of this Amendment at different times and places by the parties shall not affect the validity thereof so long as all the parties hereto execute a counterpart of this Amendment.

EXECUTED AND EFFECTIVE as of the day and date first above written.

**SOLID WASTE SYSTEMS, INC DBA
SWS EQUIPMENT, INC.
A WASHINGTON PROFIT CORPORATION**

By: Paul B. Cochran
Name: Paul Cochran
Title: President
Date: 1-26-2021

**STATE OF WASHINGTON
DEPARTMENT OF ENTERPRISE SERVICES**

By: Kelli Carmony
Name: Kelli Carmony
Title: Contract Specialist 2
Date: 01/27/2021

| | | |
|---------------------------|---|--|
| Exhibit E- Chassis | 00120 Catch Basin Cleaners and Jet Rodder Trucks (Various Sizes) Amendment No. 1 Effective 2-01-2021 | Solid Waste Systems, Inc. dba SWS Equipment, Inc. |
|---------------------------|---|--|

Note: Original % off MSRP posted in Exhibit B will carry over for those models as stated in Exhibit B.

Chassis Category Discounts

| Payment Option | Mfg | Model Name | % off MSRP*** | Axle Options | |
|--|--------------------------|-------------------|---------------|----------------------|--|
| Funds Transfer (EFT) only | International | HV613 | 48.0% | 2-5 axle total axles | |
| | | HV Series | 48.0% | 2-5 axle total axles | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | Kenworth | T880 | 44.5% | 2-5 axle total axles | |
| | | T370 | 33.5% | ex. 2-3 axle | |
| | | | | | |
| | | | | | |
| | Freightliner | 114-SD | 38.0% | 2-5 axle total axles | |
| | | M2-106 | 33.0% | 2-5 axle total axles | |
| | | M2-112 (CNG) | 33.0% | 2-5 axle total axles | |
| | | | | | |
| | Peterbilt | 567 | 35.5% | 2-5 axle total axles | |
| | | | | | |
| | | | | | |
| | | | | | |
| | Western Star | 4700SB | 39.0% | 2-5 axle total axles | |
| | | | | | |
| | | | | | |
| | | | | | |
| Ford | F550 | 4.0% | 2 total axles | | |
| | | | | | |
| | | | | | |
| | | | | | |
| other(define) | Insert Model Name/# here | insert % off MSRP | ex. 2-3 axle | | |
| | Insert Model Name/# here | insert % off MSRP | ex. 2-3 axle | | |
| | Insert Model Name/# here | insert % off MSRP | ex. 2-3 axle | | |
| | Insert Model Name/# here | insert % off MSRP | ex. 2-3 axle | | |
| *** MSRP price must be available at purchaser request. | | | | | |

State of Washington
Contracts & Procurement Division
Department of Enterprise Services
P.O. Box 41411
Olympia, WA 98504-1411

SWS EQUIPMENT, LLC
dba SOLID WASTE SYSTEMS, INC.
6515 E. Nixon Ave
Spokane Valley, WA 99212-1062

SECOND AMENDMENT
TO
CONTRACT No.00120
CATCH BASIN CLEANERS AND JET RODDER TRUCKS (VARIOUS SIZES)

This Second Amendment (“Amendment”) to Master Contract No. 00120 is made and entered into by and between the State of Washington acting by and through the Department of Enterprise Services, a Washington State governmental agency (“State”) and SWS Equipment, LLC dba Solid Waste Systems, Inc., a Washington Limited Liability Company (“Contractor”) and is dated as of January 15, 2022.

RECITALS

- A. State and Contractor (collectively the “Parties”) entered into that certain Master Contract No. 00120 for Catch Basin Cleaners and Jet Rodder Trucks (Various Sizes) on Manufacturer OR Customer Provided Chassis, with Options, Parts and Operator and Mechanic Training dated effective as of October 1, 2020 (“Contract”).
- B. The Parties previously amended the Contract one time.
 - a. First Amendment: Effective February 1, 2021. Exhibit B-Prices for Goods/Services was amended by deleting the existing section on Chassis and replacing with Exhibit E-Chassis. This allowed for additional chassis models with various discounts.
- C. The amendment set forth herein is within the scope of the Contract.
- D. The Parties now desire to amend the Contract as set forth herein.

AGREEMENT


NOW THEREFORE, in consideration of the mutual covenants and agreements set forth herein, the Parties hereby agree to amend the Contract, as previously amended, as follows:

- 1. **PRICE ADJUSTMENT.** Exhibit B- Prices for Goods/Services is hereby amended by deleting Catalog pricing (pgs. 23-167 in Master Contract 00120-in its entirety and replacing with the attached catalog pricing. Category Discounts (as listed in Exhibit B, pg. 22) stay the same..
- 2. **NO CHANGE OTHER THAN AMENDMENT.** Except as amended herein, the Contract is unaffected and remains in full force and effect.
- 3. **INTEGRATED AGREEMENT; MODIFICATION.** This Amendment constitutes the entire agreement and understanding of the Parties with respect to the subject matter and supersedes all prior negotiations and representations. In the event of any conflict between this Amendment and the Contract or any earlier amendment, this Amendment shall control and govern. This Amendment may not be modified except in writing signed by the Parties.

4. AUTHORITY. Each party to this Amendment, and each individual signing on behalf of each party, hereby represents and warrants to the other that it has full power and authority to enter into this Amendment and that its execution, delivery, and performance of this Amendment has been fully authorized and approved, and that no further approvals or consents are required to bind such party.
5. ELECTRONIC SIGNATURES. A signed copy of this Amendment or any other ancillary agreement transmitted by facsimile, email, or other means of electronic transmission shall be deemed to have the same legal effect as delivery of an original executed copy of this Amendment or such other ancillary agreement for all purposes.
6. COUNTERPARTS. This Amendment may be executed in one or more counterparts, each of which shall be deemed an original, and all of which counterparts together shall constitute the same instrument which may be sufficiently evidenced by one counterpart. Execution of this Amendment at different times and places by the parties shall not affect the validity thereof so long as all the parties hereto execute a counterpart of this Amendment.

EXECUTED AND EFFECTIVE as of the day and date first above written.

SWS EQUIPMENT, LLC , A LIMITED LIABILITY COMPANY

By: 
 Name: Paul B. Cochran
 Title: CEO
 Date: 01/06/2022

**STATE OF WASHINGTON
 DEPARTMENT OF ENTERPRISE SERVICES**

By: 
 Name: Kelli Carmony
 Title: Contract Specialist 3
 Date: 01/07/2022



PO Box 13040 Spokane Valley, WA 99213

p (800) 892-7831 www.swsequipment.com

www.SewerEquipment.com



www.SWSEquipment.com

| | | |
|--|-----------------------|--|
| October 11, 2021 | PO# | |
| Payment Terms: | Product Class: | |
| Distributor: SWS Equipment (800) 892-7831 | REV: | |
| Salesman: | WO# | |
| End User: | | |
| Address: | | |
| City, State, Zip: | | |
| Phone: | | |
| Contact: | | |
| Email: | | |

900-ECO-6 Truck Mounted Combination Sewer Cleaner

| | | |
|---|---|--|
| <p><u>Vacuum System:</u> 4400 CFM Blower 8" Vacuum Hose system 18" Hg vacuum rating Dual Cyclone Separator Dual Element 10 Micron Final Filter Remote Vacuum Relief Analog Vacuum Display (6) Tube / Tube Rack</p> <p><u>Boom:</u> Telescoping Boom System Telescoping Reach 17' 2" to 27' 2" Hydraulic Powered Boom 180° Working Radius Boom Joystick Control</p> <p><u>Debris Tank:</u> 6 Cubic Yard Capacity Exten Steel Construction Debris Level Indicator Hydraulic Dump, 50° Dump Angle (LIFT CLYINDI Dual Ported Rear Door w/ Knife Valve Dump Height 60" Hydraulic Open/Close/Lock Door</p> | <p><u>Water System:</u> 600 Gallon Capacity Water Tank Giant plunger style triplex 65 gpm @ 2000 psi w/ 30 min run dry Black Duraprolene™ Water Tank Construction w/ 10 Year Warranty Cold Weather Recirculation System 2.5" Hydrant Fill system Air Purge Valve Variable Volume Delivery Low Water Warning Light Analog Pressure Display Front and Mid Ship Hand Gun Ports</p> <p><u>Electrical:</u> NEMA 4 Control Panel Hour Meter (Blower & Water Pump) Military Spec. Sealed Switches</p> <p><u>Truck:</u> Mounting to Approved Chassis (1) Alum Toolbox 24"x42"x100" - Behind Cab LED D.O.T. Approved Lighting (2) Tow Hooks Front Bumper</p> | <p><u>Hose Reel & Hose:</u> Front Mounted Telescoping & Rotating 800' X 1" Hose Capacity 10' Leader Hose Single Side Controls</p> <p><u>Accessories:</u> (3) 8" x 6' Extension Tube (1) 8" X 3' Extension Tube (1) 8" x 6' Crowned Suction Nozzle (1) 6" x 10' Flat Discharge Hose (6) Quick Clamps BB Hose Guide Tri-Star (chisel point) nozzle DD (high flow) nozzle Finned Nozzle extension Nozzle Rack (Mounted midship toolbox) 25' Fill Hose Upstream Pulley Guide Washdown gun Cleaner, Tip,Torch,Small (1) Hydrant Wrench (1) Paper Owner's Manual</p> |
|---|---|--|

| | | | |
|------------------------------------|--|---|-----------------------|
| BASE UNIT AS OUTLINED ABOVE | \$287,578.31 | 1 | \$287,578.31 |
| | LIST PRICE OF SELECTED OPTIONS: | | \$0.00 |
| | LESS PERCENTAGE DISCOUNT (enter % →) 5% | | \$ (14,378.92) |
| | NET PRICE OF UNIT: | | \$273,199.40 |
| Select -----> | Select -----> | | |
| | ESTIMATED FREIGHT: | | |
| | ESTIMATED TOTAL: | | \$ 273,199.40 |

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

STANDARD OPTIONS:

| <u>HOSE REEL ASSEMBLY:</u> | <u>LIST PRICE</u> | <u>TOTAL</u> |
|---|--------------------------|---------------------|
| AUTOMATIC LEVEL WIND WITH HYDRAULIC UP/DOWN ACTION | \$8,988.78 | \$0.00 |
| DIGITAL "SMART COUNTER" FOOTAGE METER | \$3,589.96 | \$0.00 |
| FOOTAGE METER (mounted on jet hose reel) | \$910.80 | \$0.00 |
| SECONDARY OPERATORS STATION (controls include analog water and vacuum pressure gauges and reel payout/retrieve) | \$1,558.89 | \$0.00 |
| PINCH ROLLER (air strut powered sewer hose retention) | \$2,644.44 | \$0.00 |
| TESTING FEE (for units with customer supplied sewer hose) | \$549.72 | \$0.00 |
| SEWER HOSE (1" I.D., 2500 P.S.I. OPERATING PRESSURE) PER FT | \$5.44 | \$0.00 |

| | | | |
|---|-------------|--|--------|
| SEWER HOSE (3/4" I.D., 3000 P.S.I. OPERATING PRESSURE) PER FT | \$5.34 | | \$0.00 |
| SEWER HOSE (1-1/4" I.D., 2500 P.S.I. OPERATING PRESSURE) PER FT (Requires addition of high capacity hose reel option) | \$8.44 | | \$0.00 |
| 25' LEADER HOSE (in lieu of standard 10') | \$425.89 | | \$0.00 |
| HIGH CAPACITY HOSE REEL IN LIEU OF STANDARD CAPACITY (Increases capacity to 1000' of 1" hose or 600' of 1-1/4" hose) (Consult factory for weight distribution) | \$4,446.36 | | \$0.00 |
| <u>WATER PUMPS:</u> | | | |
| TRIPLEX PLUNGER STYLE GIANT WATER PUMP RATED AT 80 GPM @ 2000 PSI (includes drain valves) (Confirm chassis horsepower requirements) | \$11,232.79 | | \$0.00 |
| TRIPLEX PLUNGER STYLE GIANT WATER PUMP RATED AT 80 GPM @ 2500 PSI (includes drain valves) (Confirm chassis horsepower requirements) | \$12,561.37 | | \$0.00 |
| TRIPLEX PLUNGER STYLE WATER PUMP RATED AT 55 GPM @ 3000 PSI (includes drain valves) (Confirm chassis horsepower requirements) | \$10,216.67 | | \$0.00 |
| TRIPLEX PLUNGER STYLE WATER PUMP RATED AT 100 GPM @ 2500 PSI (includes drain valves) (Confirm chassis horsepower requirements) | \$19,668.37 | | \$0.00 |
| TRIPLEX PLUNGER STYLE WATER PUMP RATED AT 120 GPM @ 2000 PSI (includes drain valves) (Confirm chassis horsepower requirements) | \$23,244.44 | | \$0.00 |
| GIANT PUMP PULSATION SYSTEM | \$339.09 | | \$0.00 |
| SINGLE PISTON 65 GPM @ 2500 PSI WATER PUMP (includes drain valves) Note #1: N/A, with 18"x18"x30" aluminum toolbox option. | \$19,181.15 | | \$0.00 |
| SINGLE PISTON 80 GPM @ 2500 PSI WATER PUMP (includes drain valves) Note #1: N/A, with 18"x18"x30" aluminum toolbox option. (Confirm chassis horsepower requirements) | \$29,189.51 | | \$0.00 |
| SINGLE PISTON 100 GPM @ 2500 PSI WATER PUMP (includes drain valves) Note #1: N/A, with 18"x18"x30" aluminum toolbox option. (Confirm chassis horsepower requirements) | \$32,765.57 | | \$0.00 |
| ACCUMULATOR FOR SINGLE PISTON PUMP | \$3,734.62 | | \$0.00 |
| <u>WATER TANKS:</u> | | | |
| ADDITIONAL 200 GALLON DURAPROLENE™ WATER TANK W/ 10 YEAR WARRANTY- (driver side rail) Note #1: Subject to chassis load capacity specifications. | \$8,339.00 | | \$0.00 |
| DIGITAL WATER TANK LEVEL GAUGE | \$8,339.00 | | \$0.00 |
| WATER TANK LOW LEVEL AUDIBLE ALARM (level set point is fixed at 150 gallons) | \$8,339.00 | | \$0.00 |
| CONTINUOUS FILL SYSTEM | \$8,339.00 | | \$0.00 |
| <u>WATER SYSTEM ATTACHMENTS:</u> | | | |
| FILL HOSE STORAGE RACK | \$255.76 | | \$0.00 |
| STANDARD HYDROEXCAVATION CLEANING KIT 20 GPM @ 2000 PSI (8" x 6' digging tube, 8gpm rotary digging wand, 10gpm linear nozzle (shipped loose), (2) 5' Extension wands and automatic reel w/ 75' of 3/8" hose) (Confirm chassis horsepower requirements) | \$7,554.88 | | \$0.00 |
| COLD WEATHER HYDROEXCAVATION CLEANING KIT 10 GPM @ 2000 PSI (includes 400,000 BTU diesel fired boiler in enclosed aluminum cabinet, 8" x 6' digging tube, 8gpm rotary digging wand, 10gpm linear nozzle (shipped loose), (2) 5' Extension wands and automatic reel w/ 75' of 3/8" hose) (Confirm chassis horsepower requirements) Note #1: Replaces the (2) standard 18"x18"x30" aluminum toolboxes on passenger side. | \$17,194.06 | | \$0.00 |
| COLD WEATHER HYDROEXCAVATION CLEANING KIT 20 GPM @ 2000 PSI (includes 800,000 BTU diesel fired boiler in enclosed aluminum cabinet, 8" x 6' digging tube, 8gpm rotary digging wand, 10gpm linear nozzle (shipped loose), (2) 5' Extension wands and automatic reel w/ 75' of 3/8" hose) (Confirm chassis horsepower requirements) Note #1: Replaces the (2) standard 18"x18"x30" aluminum toolboxes on passenger side. | \$22,403.08 | | \$0.00 |
| VANGUARD SANITIZING SYSTEM - (Includes sewer hose clamp on sanitizer nozzle and separate washdown system with 50ft of hose and spray nozzle mounted on a retractable reel) | \$13,827.46 | | \$0.00 |
| 2" Y-STRAINER ON INLET FILL SYSTEM | \$880.71 | | \$0.00 |
| ANTI-FREEZE SYSTEM (66 gallon tank complete with isolation valve, Includes additional 130 gallons of water storage. Mounted drivers side rail) | \$13,480.27 | | \$0.00 |
| LATERAL LINE CLEANING KIT (200' X 1/2" hose with nozzle; includes addition of auxiliary cleaning circuit and mounting on front bumper drivers side) | \$5,734.44 | | \$0.00 |
| LATERAL LINE CLEANING KIT W/ ELECTRONIC VARIABLE REWIND SPEED (200' X 1/2" hose with nozzle; includes addition of auxiliary cleaning circuit and mounting on front bumper drivers side) | \$7,722.69 | | \$0.00 |
| CENTRAL WASHDOWN SYSTEM (includes 50' of 1/2" hose on a spring retracting hose reel mounted mid-ship) | \$1,697.76 | | \$0.00 |
| Additional Extension Wand w/ High Flow Quick Connect | \$405.06 | | \$0.00 |
| Additional Rotary Digging Wand w/ High Flow Quick Connect & Rotary Digging Tip - (Must Select Flow Rate) | \$583.28 | | \$0.00 |
| Linear Digging Wand w/ High Flow Quick Connect & Linear Digging Tip w/ 4 Orifices- (Must Select Flow Rate) | \$674.71 | | \$0.00 |
| <u>TOOLBOX CONFIGURATIONS:</u> | | | |
| (2) 30"x18"x18" passenger side toolboxes with retractable two-step ladder Note #1: N/A WITH COLD WEATHER HYDROEXCAVATION CLEANING KITS | \$2,753.22 | | \$0.00 |

| | | | |
|--|--------------|--|--------|
| ADDITIONAL 18"x18"x30" ALUMINUM TOOLBOX - (1 maximum mounted passenger side rail) Note: Not available with single piston pump option. | \$1,152.67 | | \$0.00 |
| LOCKING ACCESS COVER FOR DRIVER'S SIDE BUMPER (located driver side front bumper) | \$387.70 | | \$0.00 |
| DRIVERS SIDE TUBE STORAGE RACK (Not Available with Extra DS Water Tank) | \$1,350.57 | | \$0.00 |
| LONG HANDLED TOOL STORAGE (TWO (2) 4" TUBES) WITH RETAINING SPRINGS - Confirm rear suspension | \$923.53 | | \$0.00 |
| EXPANDED METAL STORAGE BASKET DS FRAME RAIL (N/A, with DS water tank or anti freeze system) | \$2,156.06 | | \$0.00 |
| DEBRIS BOX & BOOM: | | | |
| DEBRIS BODY PUMP OFF SYSTEM (4" hydraulic driven pump rated @ 800 gpm located on rear door of debris box, includes swing out decant screen) | \$15,308.81 | | \$0.00 |
| DEBRIS BODY POSITIVE PRESSURE DECANTING SYSTEM (Includes 6" diameter discharge port with cam-lock fitting and cap.) | \$8,016.64 | | \$0.00 |
| UPGRADE TO ROOTS 827 BLOWER (5000CFM @ 18"HG) (Confirm chassis horsepower requirements) | \$10,132.19 | | \$0.00 |
| DEBRIS LIQUID LEVEL AUDIBLE ALARM (level set point is adjustable) Note: Tied to vacuum relief and opens vacuum relief valve. | \$1,047.36 | | \$0.00 |
| NON-TELESCOPING BOOM SYSTEM WITH 17' 2" to 25' 2" REACH | \$0.00 | | \$0.00 |
| MANUAL/ELECTRIC BOOM CONTROL VALVE (Control valves have built-in levers for manual boom control) (Located at midship control panel) | \$506.90 | | \$0.00 |
| VARIABLE VACUUM CONTROL VALVE (Located at Hose Reel Station) - Recommended for simultaneous use of Vacuum System and 4" Debris Body Pump Off System | \$1,281.13 | | \$0.00 |
| VARIABLE VACUUM CONTROLL VALVE (Located at midship station) - Recommended for Hydroexcavation Operation | \$1,281.13 | | \$0.00 |
| DUAL VARIABLE VACUUM CONTROL VALVE (Located at both hose reel & midship stations) | \$3,010.15 | | \$0.00 |
| DEBRIS BODY VIBRATOR SYSTEM (12v electric with switch near dump control area) | \$3,491.58 | | \$0.00 |
| DEBRIS BODY WASH OUT SYSTEM (includes dual nozzles in debris box) | \$1,436.21 | | \$0.00 |
| ADDITIONAL 6" KNIFE VALVE ON REAR DOOR COMPLETE (in addition to standard valve) | \$1,558.89 | | \$0.00 |
| DECANT SCREEN ON REAR DOOR PORT (swing out perforated shield) | \$1,694.29 | | \$0.00 |
| ELECTRICAL & LIGHTING: | | | |
| WIRELESS REMOTE CONTROL PENDANT (controls include hose reel payout/retrieve, water pump on/off, vacuum relief open/close, boom up/down, boom left/right, boom extend/retract and module kill switch) | \$5,471.73 | | \$0.00 |
| WIRELESS REMOTE ALARM (Buzzer alarm sounds off when truck is taken out of neutral with remote not in docking station) | \$298.58 | | \$0.00 |
| ENHANCED VISIBILITY CAMERA SYSTEM (includes front and rear mounted camera heads with monitor in cab) | \$1,845.90 | | \$0.00 |
| ENHANCED VISIBILITY CAMERA SYSTEM WITH BLIND SPOT CAMERAS (includes front and rear mounted camera heads with monitor in cab) | \$3,456.87 | | \$0.00 |
| (2) LED FLUSH MOUNTED STROBES: FRONT FACING (factory standard) | \$996.44 | | \$0.00 |
| (4) LED FLUSH MOUNTED STROBES: (2) FRONT & (2) SIDE FACING (factory standard) | \$1,271.88 | | \$0.00 |
| (6) LED FLUSH MOUNTED STROBES: (2) FRONT, (2) SIDE & (2) REAR FACING (factory standard) | \$1,788.03 | | \$0.00 |
| LED ARROW BOARD (factory standard) | \$1,536.90 | | \$0.00 |
| LED ARROW STICK (factory standard) | \$1,293.87 | | \$0.00 |
| LED MANHOLE AREA WORK LIGHT | \$546.25 | | \$0.00 |
| LED CURBSIDE BODY MOUNTED WORK LIGHT | \$546.25 | | \$0.00 |
| LED BOOM MOUNTED WORK LIGHTS (2) (complete with limb guard) | \$1,126.06 | | \$0.00 |
| LED REAR MOUNTED WORK LIGHTS (2) : LOCATED ABOVE REAR DOOR | \$1,126.06 | | \$0.00 |
| LED HANDHELD WIRELESS 12v/110v RECHARGABLE LED SPOTLIGHT W/ STORAGE | \$406.21 | | \$0.00 |
| CHASSIS: | | | |
| (DEDUCT) FOR REMOVAL OF "BEHIND THE CAB TOOLBOX" (Not available with Single Piston Pumps) (Decreases Boom Reach 15' 2" to 23' 2") | (\$2,276.42) | | \$0.00 |
| NON-STOCK CHASSIS MOUNTING ALTERATIONS | \$4,297.07 | | \$0.00 |
| AIR PURGE WINTERIZATION SYSTEM (supplied by chassis air system) | \$1,654.94 | | \$0.00 |
| COMBINATION HEAVY DUTY BALL/PINTLE HITCH (20,000# capacity complete with electric brake controller in cab) | \$1,308.91 | | \$0.00 |
| HIGH CAPACITY HYDRO-DRIVE SUBSTITUTE - 80 gpm @ 2,500 psi pumps (Confirm chassis horsepower requirements) - Requires FEPTO on chassis & related 24" frame extension - Trash pump option is NOT compatible - Water recirculation available on a limited duty cycle basis - Requires Allison 3000 or greater transmission - Must have access to both PTO windows - Contact factory for chassis compatibility | \$10,420.36 | | \$0.00 |

| | | | |
|--|-----------------|--|--------|
| STANDARD HYDRO-DRIVE SUBSTITUTE - 80 gpm @ 2,000 psi / 65 gpm @ 2000 psi / 55 gpm @ 3,000 psi pumps (Confirm chassis horsepower requirements) - Requires FEPTO on chassis & related 24" frame extension - Water recirculation available on a limited duty cycle basis - Requires Allison 30000 or greater automatic transmission - Must have access to both PTO windows if used in conjunction with trash pump option - Contact factory for chassis compatibility | \$5,210.18 | | \$0.00 |
| (4) RUBBER BUMPERS MOUNTED ON REAR BUMPER - (Recommended for use when dumping into containers) | \$327.52 | | \$0.00 |
| SIX (6) 28" D.O.T. SAFETY CONES AND HOLDER | \$453.66 | | \$0.00 |
| CENTRAL LUBRICATION SYSTEM | \$3,401.31 | | \$0.00 |
| HYDRAULIC TOOL CIRCUIT (rated @ 9.5gpm, system engaged via manual diverter valve and supplied with Parker 60 series connectors) | \$3,999.64 | | \$0.00 |
| ON-BOARD SCALE SYSTEM - DISPLAY MOUNTED IN CAB | \$8,194.87 | | \$0.00 |
| ON-BOARD SCALE SYSTEM - DISPLAY MOUNTED IN CAB W/ SECONDARY DISPLAY ON WIRELESS REMOTE (Requires upgrade to wireless remote control pendant) | \$8,940.17 | | \$0.00 |
| PAINT: | | | |
| DEBRIS BOOM: STANDARD STERLING WHITE (FDG91327) | STANDARD | | |
| DEBRIS TANK: STANDARD STERLING WHITE (FDG91327) | STANDARD | | |
| HOSE REEL - UPRIGHT STANDARD • SEWER BLUE (PAN 287) | STANDARD | | |
| FRAME: • STANDARD BLACK (FDG9000) | STANDARD | | |
| SLIDE FRAME: • STANDARD BLACK (FDG9000) | STANDARD | | |
| SPECIAL PAINT: SOLID COLORS | \$3,289.06 | | \$0.00 |
| SPECIAL PAINT: METALLIC OR CLEAR COAT | CONTACT FACTORY | | |
| MANUALS & TRAINING: | | | |
| ADDITIONAL PAPER OPERATORS MANUAL | \$96.06 | | \$0.00 |
| USB OPERATORS MANUAL | \$107.63 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - SEWER EQUIPMENT UNIVERSITY (DIXON, IL) (2 DAYS) **INCLUDES HOTEL & MEALS** | \$2,750.00 | | \$0.00 |
| SPECIAL ITEMS: | | | |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| ENZ STANDARD CLEANING NOZZLE 30.100 | \$470.00 | | \$0.00 |
| ENZ BULLDOG 400.060BS | \$3,265.00 | | \$0.00 |
| ENZ BULLDOG 404.080HS | \$3,400.00 | | \$0.00 |
| ENZ BULLDOG 400.101AB | \$3,900.00 | | \$0.00 |
| ENZ ROTODRILL 36.075 | \$425.00 | | \$0.00 |
| ENZ ROTODRILL 36.100 | \$615.00 | | \$0.00 |
| ENZ GRENADE 40.100A | \$1,040.00 | | \$0.00 |
| ENZ GRENADE 40.100B | \$1,299.00 | | \$0.00 |
| ENZ BULLDOG ANTI-BLAST 600.080 | \$3,560.00 | | \$0.00 |
| ENZ BULLDOG ANTI-BLAST 600.100AB | \$4,025.00 | | \$0.00 |
| ENZ BULLDOZER 50.075G | \$3,100.00 | | \$0.00 |
| ENZ BULLDOZER 50.100G | \$4,900.00 | | \$0.00 |
| ENZ ROTATING TURBINE CHAIN SCRAPER 6"-12" 10.125TR_6-12_SET | \$3,825.00 | | \$0.00 |
| ENZ RECYCLING ROTATING CHAIN SCRAPER 8"-20" 10.300R | \$8,425.00 | | \$0.00 |
| ENZ ROTOJET-RGS LIFT STATION NOZZLE 01.100A-LS | \$2,530.00 | | \$0.00 |
| ENZ KBR ROTATING NOZZLE 04.060 | \$1,055.00 | | \$0.00 |
| HYDRAFLEX RIPSAW | \$273.00 | | \$0.00 |
| HYDRAFLEX RIPSAW HD | \$316.00 | | \$0.00 |
| HYDRAFLEX SWITCHBLADE DUECE | \$267.00 | | \$0.00 |
| HYDRAFLEX SWITCHBLADE QUAD | \$320.00 | | \$0.00 |
| HYDRAFLEX MACHETTE | \$850.00 | | \$0.00 |

SIGNATURE

DATE

Please return a signed copy to bigequipment@SewerEquipment.com



PO Box 13040 Spokane Valley, WA 99213
 p (800) 892-7831 www.swsequipment.com
www.SewerEquipment.com



www.SWSEquipment.com

| | |
|--|-----------------------|
| October 11, 2021 | PO# |
| | Product Class: |
| Payment Terms: | REV: |
| Distributor: SWS Equipment (800) 892-7831 | WO# |
| Salesman: | |
| End User: | |
| Address: | |
| City, State, Zip: | |
| Phone: | |
| Contact: | |
| Email: | |

900-ECO 9 Yard Truck Mounted Combination Sewer Cleaner

| | | |
|---|--|---|
| Vacuum System: 4400 CFM Blower 8" Vacuum Hose system 18" Hg vacuum rating Dual Cyclone Separator Dual Element 10 Micron Final Filter Remote Vacuum Relief Analog Vacuum Display (6) Tube / Tube Rack Boom: Telescoping Boom System Telescoping Reach 17' 2" to 27' 2" Hydraulic Powered Boom 180° Working Radius Boom Joystick Control Debris Tank: 9 Cubic Yard Capacity Hydraulic Dump, 50° Dump Angle Dual Ported Rear Door w/ Knife Valve Dump Height 60" Hydraulic Open/Close/Lock Door | Water System: 1000 Gallon Capacity Water Tank Giant plunger style triplex 65 gpm @ 2000 psi w/ 30 min run dry Black Duraprolene™ Water Tank Construction w/ 10 Year Warranty Cold Weather Recirculation System 2.5" Hydrant Fill system Air Purge Valve Variable Volume Delivery Low Water Warning Light Analog Pressure Display Front and Mid Ship Hand Gun Ports Electrical: NEMA 4 Control Panel Hour Meter (Blower & Water Pump) Military Spec. Sealed Switches Truck: Mounting to Approved Chassis (1) Alum Toolbox 24"x42"x100" - Behind Cab LED D.O.T. Approved Lighting (2) TOW HOOKS FRONT BUMPER | Hose Reel & Hose: Front Mounted Telescoping & Rotating 800' X 1" Hose Capacity 10' Leader Hose Single Side Controls Accessories: (3) 8" x 6' Extension Tube (1) 8" X 3' Extension Tube (1) 8" x 6' Crowned Suction Nozzle (1) 6" x 10' Flat Discharge Hose BB Hose Guide Tri-Star (chisel point) nozzle DD (high flow) nozzle Finned Nozzle extension Nozzle Rack (Mounted midship toolbox) 25' Fill Hose Upstream Pulley Guide Washdown gun Cleaner, Tip, Torch, Small (1) Hydrant Wrench (1) Paper Owner's Manual |
|---|--|---|

| | | | |
|------------------------------------|--|---------------|----------------------|
| BASE UNIT AS OUTLINED ABOVE | \$294,556.85 | 1 | \$294,556.85 |
| | LIST PRICE OF SELECTED OPTIONS: | | \$0.00 |
| | LESS PERCENTAGE DISCOUNT (enter % →) 5% | | \$ (14,727.84) |
| | NET PRICE OF UNIT: | | \$279,829.01 |
| Select -----> | | Select -----> | |
| ESTIMATED FREIGHT: | | | |
| ESTIMATED TOTAL: | | | \$ 279,829.01 |

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

STANDARD OPTIONS:

| HOSE REEL ASSEMBLY: | LIST PRICE | TOTAL |
|---|-------------------|--------------|
| AUTOMATIC LEVEL WIND WITH HYDRAULIC UP/DOWN ACTION | \$8,988.78 | \$0.00 |
| DIGITAL "SMART COUNTER" FOOTAGE METER | \$3,589.96 | \$0.00 |
| FOOTAGE METER (mounted on jet hose reel) | \$910.80 | \$0.00 |
| SECONDARY OPERATORS STATION (controls include analog water and vacuum pressure gauges and reel payout/retrieve) | \$1,558.89 | \$0.00 |
| PINCH ROLLER (air strut powered sewer hose retention) | \$2,644.44 | \$0.00 |
| TESTING FEE (for units with customer supplied sewer hose) | \$549.72 | \$0.00 |
| SEWER HOSE (1" I.D., 2500 P.S.I. OPERATING PRESSURE) PER FT | \$5.44 | \$0.00 |

| | | | |
|---|-------------|--|--------|
| SEWER HOSE (3/4" I.D., 3000 P.S.I. OPERATING PRESSURE) PER FT | \$5.34 | | \$0.00 |
| SEWER HOSE (1-1/4" I.D., 2500 P.S.I. OPERATING PRESSURE) PER FT (Requires addition of high capacity hose reel option) | \$8.44 | | \$0.00 |
| 25' LEADER HOSE (in lieu of standard 10') | \$425.89 | | \$0.00 |
| HIGH CAPACITY HOSE REEL IN LIEU OF STANDARD CAPACITY (Increases capacity to 1000' of 1" hose or 600' of 1-1/4" hose) (Consult factory for weight distribution) | \$4,446.36 | | \$0.00 |
| WATER PUMPS: | | | |
| TRIPLEX PLUNGER STYLE GIANT WATER PUMP RATED AT 80 GPM @ 2000 PSI (includes drain valves) (Confirm chassis horsepower requirements) | \$11,232.79 | | \$0.00 |
| TRIPLEX PLUNGER STYLE GIANT WATER PUMP RATED AT 80 GPM @ 2500 PSI (includes drain valves) (Confirm chassis horsepower requirements) | \$12,561.37 | | \$0.00 |
| TRIPLEX PLUNGER STYLE WATER PUMP RATED AT 55 GPM @ 3000 PSI (includes drain valves) (Confirm chassis horsepower requirements) | \$10,216.67 | | \$0.00 |
| TRIPLEX PLUNGER STYLE WATER PUMP RATED AT 100 GPM @ 2500 PSI (includes drain valves) (Confirm chassis horsepower requirements) | \$19,668.37 | | \$0.00 |
| TRIPLEX PLUNGER STYLE WATER PUMP RATED AT 120 GPM @ 2000 PSI (includes drain valves) (Confirm chassis horsepower requirements) | \$23,244.44 | | \$0.00 |
| GIANT PUMP PULSATION SYSTEM | \$339.09 | | \$0.00 |
| SINGLE PISTON 65 GPM @ 2500 PSI WATER PUMP (includes drain valves) Note #1: N/A, with 18"x18"x30" aluminum toolbox option. | \$19,181.15 | | \$0.00 |
| SINGLE PISTON 80 GPM @ 2500 PSI WATER PUMP (includes drain valves) Note #1: N/A, with 18"x18"x30" aluminum toolbox option. (Confirm chassis horsepower requirements) | \$29,189.51 | | \$0.00 |
| SINGLE PISTON 100 GPM @ 2500 PSI WATER PUMP (includes drain valves) Note #1: N/A, with 18"x18"x30" aluminum toolbox option. (Confirm chassis horsepower requirements) | \$32,765.57 | | \$0.00 |
| ACCUMULATOR FOR SINGLE PISTON PUMP | \$3,734.62 | | \$0.00 |
| WATER TANKS: | | | |
| ADDITIONAL 200 GALLON DURAPROLENE™ WATER TANK W/ 10 YEAR WARRANTY- (driver side rail) Note #1: Subject to chassis load capacity specifications. | \$9,650.75 | | \$0.00 |
| DIGITAL WATER TANK LEVEL GAUGE | \$1,119.11 | | \$0.00 |
| ADDITIONAL 150 GALLON DURAPROLENE™ WATER TANK W/ 10 YEAR WARRANTY - (between rails) Note #1: Subject to chassis load capacity specifications. | \$5,308.55 | | \$0.00 |
| WATER TANK LOW LEVEL AUDIBLE ALARM (level set point is fixed at 150 gallons) | \$622.63 | | \$0.00 |
| CONTINUOUS FILL SYSTEM | \$1,818.12 | | \$0.00 |
| WATER SYSTEM ATTACHMENTS: | | | |
| FILL HOSE STORAGE RACK | \$255.76 | | \$0.00 |
| STANDARD HYDROEXCAVATION CLEANING KIT 20 GPM @ 2000 PSI (8" x 6' digging tube, 8gpm rotary digging wand, 10gpm linear nozzle (shipped loose), (2) 5' Extension wands and automatic reel w/ 75' of 3/8" hose) (Confirm chassis horsepower requirements) | \$7,554.88 | | \$0.00 |
| COLD WEATHER HYDROEXCAVATION CLEANING KIT 10 GPM @ 2000 PSI (includes 400,000 BTU diesel fired boiler in enclosed aluminum cabinet, 8" x 6' digging tube, 8gpm rotary digging wand, 10gpm linear nozzle (shipped loose), (2) 5' Extension wands and automatic reel w/ 75' of 3/8" hose), Includes retractable two-step ladder (Confirm chassis horsepower requirements) Note #1: N/A with 18"x18"x30" aluminum toolbox options with retractable step ladder on passenger side. | \$17,194.06 | | \$0.00 |
| COLD WEATHER HYDROEXCAVATION CLEANING KIT 20 GPM @ 2000 PSI (includes 800,000 BTU diesel fired boiler in enclosed aluminum cabinet, 8" x 6' digging tube, 8gpm rotary digging wand, 10gpm linear nozzle (shipped loose), (2) 5' Extension wands and automatic reel w/ 75' of 3/8" hose), Includes retractable two-step ladder (Confirm chassis horsepower requirements) Note #1: N/A with 18"x18"x30" aluminum toolbox options with retractable step ladder on passenger side. | \$22,403.08 | | \$0.00 |
| VANGUARD SANITIZING SYSTEM - (Includes sewer hose clamp on sanitizer nozzle and separate washdown system with 50ft of hose and spray nozzle mounted on a retractable reel) | \$13,827.46 | | \$0.00 |
| 2" Y-STRAINER ON INLET FILL SYSTEM | \$880.71 | | \$0.00 |
| ANTI-FREEZE SYSTEM (66 gallon tank complete with isolation valve, Includes additional 130 gallons of water storage. Mounted drivers side rail) | \$13,480.27 | | \$0.00 |
| LATERAL LINE CLEANING KIT (200' X 1/2" hose with nozzle; includes addition of auxiliary cleaning circuit and mounting on front bumper drivers side) | \$5,734.44 | | \$0.00 |
| LATERAL LINE CLEANING KIT W/ ELECTRONIC VARIABLE REWIND SPEED (200' X 1/2" hose with nozzle; includes addition of auxiliary cleaning circuit and mounting on front bumper drivers side) | \$7,722.69 | | \$0.00 |
| CENTRAL WASHDOWN SYSTEM (includes 50' of 1/2" hose on a spring retracting hose reel mounted mid-ship) | \$1,697.76 | | \$0.00 |
| Additional Extension Wand w/ High Flow Quick Connect | \$405.06 | | \$0.00 |
| Additional Rotary Digging Wand w/ High Flow Quick Connect & Rotary Digging Tip - (Must Select Flow Rate) | \$583.28 | | \$0.00 |
| Linear Digging Wand w/ High Flow Quick Connect & Linear Digging Tip w/ 4 Orifices- (Must Select Flow Rate) | \$674.71 | | \$0.00 |
| TOOLBOX CONFIGURATIONS: | | | |

| | | | |
|---|--------------|--|--------|
| REAR TOOLBOX GROUP (includes (2) 24"x18"x18" boxes and (1) 63.75"x17.25"x12" center section with pass-thru opening) (Only available with single axle chassis) | \$2,675.69 | | \$0.00 |
| REAR TOOLBOX GROUP w/ (2) long handle tool storage tubes (includes (2) 24"x18"x18" boxes, (1) 63.75"x17.25"x12" cabinet and (2) 4" tubes) - Confirm rear suspension (Only available with single axle chassis) | \$3,599.21 | | \$0.00 |
| LONG HANDLED TOOL STORAGE (Includes (2) 4" TUBES & 63.75"x17.25"x12" CABINET) - Confirm rear suspension | \$1,757.94 | | \$0.00 |
| LONG HANDLED TOOL STORAGE (TWO (2) 4" TUBES) WITH RETAINING SPRINGS - Confirm rear suspension | \$923.53 | | \$0.00 |
| (1) 30"x18"x18" passenger side toolbox with retractable two-step ladder Note #1: N/A WITH COLD WEATHER HYDROEXCAVATION CLEANING KITS | \$1,939.64 | | \$0.00 |
| (2) 30"x18"x18" passenger side toolboxes with retractable two-step ladder Note #1: N/A WITH COLD WEATHER HYDROEXCAVATION CLEANING KITS | \$2,753.22 | | \$0.00 |
| ADDITIONAL 18"x18"x30" ALUMINUM TOOLBOX - (1 maximum mounted passenger side rail) Note: Not available with single piston pump option. | \$1,152.67 | | \$0.00 |
| LOCKING ACCESS COVER FOR DRIVER'S SIDE BUMPER (located driver side front bumper) | \$387.70 | | \$0.00 |
| DRIVERS SIDE TUBE STORAGE RACK (Not Available with Extra DS Water Tank) | \$1,350.57 | | \$0.00 |
| EXPANDED METAL STORAGE BASKET DS FRAME RAIL (N/A, with DS water tank or anti freeze system) | \$2,156.06 | | \$0.00 |
| DEBRIS BOX & BOOM: | | | |
| DEBRIS BODY PUMP OFF SYSTEM (4" hydraulic driven pump rated @ 800 gpm located on rear door of debris box, includes swing out decant screen) | \$15,308.81 | | \$0.00 |
| DEBRIS BODY POSITIVE PRESSURE DECANTING SYSTEM (Includes 6" diameter discharge port with cam-lock fitting and cap.) | \$8,016.64 | | \$0.00 |
| UPGRADE TO ROOTS 827 BLOWER (5000CFM @ 18"HG) (Confirm chassis horsepower requirements) | \$10,132.19 | | \$0.00 |
| DEBRIS LIQUID LEVEL AUDIBLE ALARM (level set point is adjustable) Note: Tied to vacuum relief and opens vacuum relief valve. | \$1,047.36 | | \$0.00 |
| NON-TELESCOPING BOOM SYSTEM WITH 17' 2" to 25' 2" REACH | \$0.00 | | \$0.00 |
| MANUAL/ELECTRIC BOOM CONTROL VALVE (Control valves have built-in levers for manual boom control) (Located at midship control panel) | \$506.90 | | \$0.00 |
| VARIABLE VACUUM CONTROL VALVE (Located at Hose Reel Station) - Recommended for simultaneous use of Vacuum System and 4" Debris Body Pump Off System | \$1,281.13 | | \$0.00 |
| VARIABLE VACUUM CONTROL VALVE (Located at midship station) - Recommended for Hydroexcavation Operation | \$1,281.13 | | \$0.00 |
| DUAL VARIABLE VACUUM CONTROL VALVE (Located at both hose reel & midship stations) | \$3,010.15 | | \$0.00 |
| DEBRIS BODY VIBRATOR SYSTEM (12v electric with switch near dump control area) | \$3,491.58 | | \$0.00 |
| DEBRIS BODY WASH OUT SYSTEM (includes dual nozzles in debris box) | \$1,436.21 | | \$0.00 |
| ADDITIONAL 6" KNIFE VALVE ON REAR DOOR COMPLETE (in addition to standard valve) | \$1,558.89 | | \$0.00 |
| DECANT SCREEN ON REAR DOOR PORT (swing out perforated shield) | \$1,694.29 | | \$0.00 |
| ELECTRICAL & LIGHTING: | | | |
| WIRELESS REMOTE CONTROL PENDANT (controls include hose reel payout/retrieve, water pump on/off, vacuum relief open/close, boom up/down, boom left/right, boom extend/retract and module kill switch) | \$5,471.73 | | \$0.00 |
| WIRELESS REMOTE ALARM (Buzzer alarm sounds off when truck is taken out of neutral with remote not in docking station) | \$298.58 | | \$0.00 |
| ENHANCED VISIBILITY CAMERA SYSTEM (includes front and rear mounted camera heads with monitor in cab) | \$1,845.90 | | \$0.00 |
| ENHANCED VISIBILITY CAMERA SYSTEM WITH BLIND SPOT CAMERAS (includes front and rear mounted camera heads with monitor in cab) | \$3,456.87 | | \$0.00 |
| (2) LED FLUSH MOUNTED STROBES: FRONT FACING (factory standard) | \$996.44 | | \$0.00 |
| (4) LED FLUSH MOUNTED STROBES: (2) FRONT & (2) SIDE FACING (factory standard) | \$1,271.88 | | \$0.00 |
| (6) LED FLUSH MOUNTED STROBES: (2) FRONT, (2) SIDE & (2) REAR FACING (factory standard) | \$1,788.03 | | \$0.00 |
| LED ARROW BOARD (factory standard) | \$1,536.90 | | \$0.00 |
| LED ARROW STICK (factory standard) | \$1,293.87 | | \$0.00 |
| LED MANHOLE AREA WORK LIGHT | \$546.25 | | \$0.00 |
| LED CURBSIDE BODY MOUNTED WORK LIGHT | \$546.25 | | \$0.00 |
| LED BOOM MOUNTED WORK LIGHTS (2) (complete with limb guard) | \$1,126.06 | | \$0.00 |
| LED REAR MOUNTED WORK LIGHTS (2) : LOCATED ABOVE REAR DOOR | \$1,126.06 | | \$0.00 |
| LED HANDHELD WIRELESS 12v/110v RECHARGABLE LED SPOTLIGHT W/ STORAGE | \$406.21 | | \$0.00 |
| CHASSIS: | | | |
| (DEDUCT) FOR REMOVAL OF "BEHIND THE CAB TOOLBOX" (Not available with Single Piston Pumps) (Decreases Boom Reach 15' 2" to 23' 2") | (\$2,276.42) | | \$0.00 |
| NON-STOCK CHASSIS MOUNTING ALTERATIONS | \$4,297.07 | | \$0.00 |
| AIR PURGE WINTERIZATION SYSTEM (supplied by chassis air system) | \$1,654.94 | | \$0.00 |

| | | | |
|--|--------------------|--|--------|
| COMBINATION HEAVY DUTY BALL/PINTLE HITCH (20,000# capacity complete with electric brake controller in cab) | \$1,308.91 | | \$0.00 |
| HIGH CAPACITY HYDRO-DRIVE SUBSTITUTE - 80 gpm @ 2,500 psi pumps (Confirm chassis horsepower requirements) - Requires FEPTO on chassis & related 24" frame extension - Trash pump option is NOT compatible - Water recirculation available on a limited duty cycle basis - Requires Allison 3000 or greater transmission - Must have access to both PTO windows - Contact factory for chassis compatibility | \$10,420.36 | | \$0.00 |
| STANDARD HYDRO-DRIVE SUBSTITUTE - 80 gpm @ 2,000 psi / 65 gpm @ 2000 psi / 55 gpm @ 3,000 psi pumps (Confirm chassis horsepower requirements) - Requires FEPTO on chassis & related 24" frame extension - Water recirculation available on a limited duty cycle basis - Requires Allison 30000 or greater automatic transmission - Must have access to both PTO windows if used in conjunction with trash pump option - Contact factory for chassis compatibility | \$5,210.18 | | \$0.00 |
| (4) RUBBER BUMPERS MOUNTED ON REAR BUMPER - (Recommended for use when dumping into containers) | \$327.52 | | \$0.00 |
| SIX (6) 28" D.O.T. SAFETY CONES AND HOLDER | \$453.66 | | \$0.00 |
| CENTRAL LUBRICATION SYSTEM | \$3,401.31 | | \$0.00 |
| HYDRAULIC TOOL CIRCUIT (rated @ 9.5gpm, system engaged via manual diverter valve and supplied with Parker 60 series connectors) | \$3,999.64 | | \$0.00 |
| ON-BOARD SCALE SYSTEM - DISPLAY MOUNTED IN CAB | \$8,194.87 | | \$0.00 |
| ON-BOARD SCALE SYSTEM - DISPLAY MOUNTED IN CAB W/ SECONDARY DISPLAY ON WIRELESS REMOTE (Requires upgrade to wireless remote control pendant) | \$8,940.17 | | \$0.00 |
| (2) TOW HOOKS REAR BUMPER | \$881.87 | | \$0.00 |
| PAINT: | | | |
| DEBRIS BOOM: STERLING WHITE (FDG91327) | STANDARD | | |
| DEBRIS TANK: STERLING WHITE (FDG91327) | STANDARD | | |
| HOSE REEL - UPRIGHT STANDARD • SEWER BLUE (PAN 287) | STANDARD | | |
| FRAME: • STANDARD BLACK (FDG9000) | STANDARD | | |
| SLIDE FRAME: • STANDARD BLACK (FDG9000) | STANDARD | | |
| SPECIAL PAINT: SOLID COLORS | \$3,289.06 | | \$0.00 |
| SPECIAL PAINT: METALLIC OR CLEAR COAT | CONTACT FACTORY | | |
| MANUALS & TRAINING: | | | |
| ADDITIONAL PAPER OPERATORS MANUAL | \$96.06 | | \$0.00 |
| USB OPERATORS MANUAL | \$107.63 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - SEWER EQUIPMENT UNIVERSITY (DIXON, IL) (2 DAYS) **INCLUDES HOTEL & MEALS** | \$2,750.00 | | \$0.00 |
| SPECIAL ITEMS: | | | |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| ENZ STANDARD CLEANING NOZZLE 30.100 | \$470.00 | | \$0.00 |
| ENZ BULLDOG 400.060BS | \$3,265.00 | | \$0.00 |
| ENZ BULLDOG 404.080HS | \$3,400.00 | | \$0.00 |
| ENZ BULLDOG 400.101AB | \$3,900.00 | | \$0.00 |
| ENZ ROTODRILL 36.075 | \$425.00 | | \$0.00 |
| ENZ ROTODRILL 36.100 | \$615.00 | | \$0.00 |
| ENZ GRENADE 40.100A | \$1,040.00 | | \$0.00 |
| ENZ GRENADE 40.100B | \$1,299.00 | | \$0.00 |
| ENZ BULLDOG ANTI-BLAST 600.080 | \$3,560.00 | | \$0.00 |
| ENZ BULLDOG ANTI-BLAST 600.100AB | \$4,025.00 | | \$0.00 |
| ENZ BULLDOZER 50.075G | \$3,100.00 | | \$0.00 |
| ENZ BULLDOZER 50.100G | \$4,900.00 | | \$0.00 |
| ENZ ROTATING TURBINE CHAIN SCRAPER 6"-12" 10.125TR_6-12_SET | \$3,825.00 | | \$0.00 |
| ENZ RECYCLING ROTATING CHAIN SCRAPER 8"-20" 10.300R | \$8,425.00 | | \$0.00 |
| ENZ ROTOJET-RGS LIFT STATION NOZZLE 01.100A-LS | \$2,530.00 | | \$0.00 |

| | | | |
|--------------------------------|------------|--|--------|
| ENZ KBR ROTATING NOZZLE 04.060 | \$1,055.00 | | \$0.00 |
| HYDRAFLEX RIPSAW | \$273.00 | | \$0.00 |
| HYDRAFLEX RIPSAW HD | \$316.00 | | \$0.00 |
| HYDRAFLEX SWITCHBLADE DUECE | \$267.00 | | \$0.00 |
| HYDRAFLEX SWITCHBLADE QUAD | \$320.00 | | \$0.00 |
| HYDRAFLEX MACHETTE | \$850.00 | | \$0.00 |

| | |
|--|------|
| SIGNATURE | DATE |
| Please return a signed copy to bigequipment@SewerEquipment.com | |



PO Box 13040 Spokane Valley, WA 99213
 p (800) 892-7831 www.swsequipment.com
www.SewerEquipment.com



www.SWSEquipment.com

| | | |
|--|-----------------------|--|
| October 11, 2021 | PO# | |
| | Product Class: | |
| Payment Terms: | REV: | |
| Distributor: SWS Equipment (800) 892-7831 | WO# | |
| Salesman: | | |
| End User: | | |
| Address: | | |
| City, State, Zip: | | |
| Phone: | | |
| Contact: | | |
| Email: | | |

900-ECO-CB-9 Yard Truck Mounted Catch Basin Sewer Cleaner

| | | |
|--|--|---|
| <p><u>Vacuum System:</u> 4400 CFM Blower 8" Vacuum Hose system 18" Hg vacuum rating Dual Cyclone Separator Dual Element 10 Micron Final Filter Remote Vacuum Relief Analog Vacuum Display (6) Tube / Tube Rack</p> <p><u>Boom:</u> Telescoping Boom System Telescoping Reach 17' 2" to 27' 2" Hydraulic Powered Boom 180° Working Radius Manual Boom Controls</p> <p><u>Hose Reel & Hose:</u> Midship Mount Spring Retractable Reel 3/8" x 75' of hose</p> | <p><u>Water System:</u> Giant Plunger Style Triplex 40 gpm @ 2000 psi w/ 30 min run dry 1000 Gallon Capacity Water Tank Black Duraprolene™ Water Tank Construction w/ 10 Year Warranty Cold Weather Recirculation System 2.5" Hydrant Fill system Air Purge Valve Variable Volume Delivery Low Water Warning Light Analog Pressure Display</p> <p><u>Debris Tank:</u> 9 Cubic Yard Capacity Exten Steel Construction Debris Level Indicator Hydraulic Dump, 50° Dump Angle (LIFT CLYINDER) Dual Ported Rear Door w/ Knife Valve Dump Height 60" Hydraulic Open/Close/Lock Door</p> | <p><u>Electrical:</u> NEMA 4 Control Panel Hour Meter (Blower & Water Pump) Military Spec. Sealed Switches</p> <p><u>Truck:</u> Mounting to Approved Chassis LED D.O.T. Approved Lighting (2) Tow Ho Behind the Cab Toolbox</p> <p><u>Accessories:</u> (3) 8" x 6' Extension Tube (1) 8" X 4' Extension Tube (1) 8" x 6' Crowned Suction Nozzle (1) 6" x 10' Flat Discharge Hose (6) Quick Clamps High Pressure Hand Gun 25' Fill Hose (1) Hydrant Wrench (1) Paper Owner's Manual</p> |
|--|--|---|

| | | | |
|------------------------------------|--|---|-----------------------|
| BASE UNIT AS OUTLINED ABOVE | \$273,725.39 | 1 | \$273,725.39 |
| | LIST PRICE OF SELECTED OPTIONS: | | \$0.00 |
| | LESS PERCENTAGE DISCOUNT (enter % →) 5% | | \$ (13,686.27) |
| | NET PRICE OF UNIT: | | \$260,039.12 |
| Select -----> | Select -----> | | |
| <i>ESTIMATED FREIGHT:</i> | | | |
| ESTIMATED TOTAL: | | | \$260,039.12 |

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

STANDARD OPTIONS:

| <u>WATER TANKS:</u> | Price | Qty | Total |
|--|------------|-----|------------|
| ADDITIONAL 200 GALLON DURAPROLENE™ WATER TANK W/ 10 YEAR WARRANTY- (driver side rail) Note #1: Subject to chassis load capacity specifications. | \$9,650.75 | 1 | \$9,650.75 |
| ADDITIONAL 200 GALLON DURAPROLENE™ WATER TANK W/ 10 YEAR WARRANTY - (between rails) Note #1: Subject to chassis load capacity specifications. | \$6,553.81 | 1 | \$6,553.81 |
| DIGITAL WATER TANK LEVEL GAUGE | \$1,119.11 | 1 | \$1,119.11 |
| WATER TANK LOW LEVEL AUDIBLE ALARM (level set point is fixed at 150 gallons) | \$622.63 | 1 | \$622.63 |
| CONTINUOUS FILL SYSTEM | \$1,818.12 | 1 | \$1,818.12 |

WATER SYSTEM ATTACHMENTS:

| | | | |
|---|-------------|--|--------|
| FILL HOSE STORAGE RACK | \$255.76 | | \$0.00 |
| STANDARD HYDROEXCAVATION CLEANING KIT 20 GPM @ 2000 PSI (8" x 6' digging tube, 8gpm rotary digging wand, 10gpm linear nozzle (shipped loose), (2) 5' Extension wands and automatic reel w/ 75' of 3/8" hose) (Confirm chassis horsepower requirements) | \$7,554.88 | | \$0.00 |
| VANGUARD SANITIZING SYSTEM - (Includes sewer hose clamp on sanitizer nozzle and separate washdown system with 50ft of hose and spray nozzle mounted on a retractable reel) | \$13,827.46 | | \$0.00 |
| 2" Y-STRAINER ON INLET FILL SYSTEM | \$880.71 | | \$0.00 |
| ANTI-FREEZE SYSTEM (66 gallon tank complete with isolation valve, Includes additional 130 gallons of water storage. Mounted drivers side rail) | \$13,480.27 | | \$0.00 |
| LATERAL LINE CLEANING KIT (200' X 1/2" hose with nozzle; includes addition of auxiliary cleaning circuit and moun) | \$5,734.44 | | \$0.00 |
| LATERAL LINE CLEANING KIT W/ ELECTRONIC VARIABLE REWIND SPEED (200' X 1/2" hose with nozzle; includes addition of auxiliary cleaning circuit and mounting on front bumper drivers side) | \$7,722.69 | | \$0.00 |
| CENTRAL WASHDOWN SYSTEM (includes 50' of 1/2" hose on a spring retracting hose reel mounted mid-ship) | \$1,697.76 | | \$0.00 |
| Additional Extension Wand w/ High Flow Quick Connect | \$405.06 | | \$0.00 |
| Additional Rotary Digging Wand w/ High Flow Quick Connect & Rotary Digging Tip - (Must Select Flow Rate) | \$583.28 | | \$0.00 |
| Linear Digging Wand w/ High Flow Quick Connect & Linear Digging Tip w/ 4 Orifices- (Must Select Flow Rate) | \$674.71 | | \$0.00 |

TOOLBOX CONFIGURATIONS:

| | | | |
|---|------------|--|--------|
| REAR TOOLBOX GROUP (includes (2) 24"x18"x18" boxes and (1) 63.75"x17.25"x12" center section with pass-thru opening) (Only available with single axle chassis) | \$2,675.69 | | \$0.00 |
| REAR TOOLBOX GROUP w/ (2) long handle tool storage tubes (includes (2) 24"x18"x18" boxes, (1) 63.75"x17.25"x12" cabinet and (2) 4" tubes) - Confirm rear suspension (Only available with single axle chassis) | \$3,599.21 | | \$0.00 |
| LONG HANDLED TOOL STORAGE (Includes (2) 4" TUBES & 63.75"x17.25"x12" CABINET) - Confirm rear suspension | \$1,757.94 | | \$0.00 |
| (1) 30"x18"x18" passenger side toolbox with retractable two-step ladder | \$1,939.64 | | \$0.00 |
| (2) 30"x18"x18" passenger side toolboxes with retractable two-step ladder | \$2,753.22 | | \$0.00 |
| LOCKING ACCESS COVER FOR DRIVER'S SIDE BUMPER (located driver side front bumper) | \$387.70 | | \$0.00 |
| DRIVERS SIDE TUBE STORAGE RACK (Not Available with Extra DS Water Tank) | \$1,350.57 | | \$0.00 |

DEBRIS BOX & BOOM:

| | | | |
|---|-------------|--|--------|
| DEBRIS BODY PUMP OFF SYSTEM (4" hydraulic driven pump rated @ 800 gpm located on rear door of debris box, includes swing out decant screen) | \$15,768.26 | | \$0.00 |
| DEBRIS BODY POSITIVE PRESSURE DECANTING SYSTEM (Includes 6" diameter discharge port with cam-lock fitting and cap.) | \$8,016.64 | | \$0.00 |
| UPGRADE TO ROOTS 827 BLOWER (5000CFM @ 18"HG) (Confirm chassis horsepower requirements) | \$10,132.19 | | \$0.00 |
| DEBRIS LIQUID LEVEL AUDIBLE ALARM (level set point is adjustable) Note: Tied to vacuum relief and opens vacuum relief valve. | \$1,047.36 | | \$0.00 |
| NON-TELESCOPING BOOM SYSTEM WITH 17' 2" to 25' 2" REACH | \$0.00 | | \$0.00 |
| VARIABLE VACUUM CONTROL VALVE (Located at Hose Reel Station) - Recommended for simultaneous use of Vacuum System and 4" Debris Body Pump Off System | \$1,281.13 | | \$0.00 |
| VARIABLE VACUUM CONTROLL VALVE (Located at midship station) - Recommended for Hydroexcavation Operation | \$1,281.13 | | \$0.00 |
| DUAL VARIABLE VACUUM CONTROL VALVE (Located at both hose reel & midship stations) | \$3,010.15 | | \$0.00 |
| DEBRIS BODY VIBRATOR SYSTEM (12v electric with switch near dump control area) | \$3,491.58 | | \$0.00 |
| DEBRIS BODY WASH OUT SYSTEM (includes dual nozzles in debris box) | \$1,436.21 | | \$0.00 |
| ADDITIONAL 6" KNIFE VALVE ON REAR DOOR COMPLETE (in addition to standard valve) | \$1,558.89 | | \$0.00 |
| DECANT SCREEN ON REAR DOOR PORT (swing out perforated shield) | \$1,694.29 | | \$0.00 |

ELECTRICAL & LIGHTING:

| | | | |
|--|------------|--|--------|
| WIRELESS REMOTE CONTROL PENDANT (controls include hose reel payout/retrieve, water pump on/off, vacuum relief open/close, boom up/down, boom left/right, boom extend/retract and module kill switch) | \$5,471.73 | | \$0.00 |
| WIRELESS REMOTE ALARM (Buzzer alarm sounds off when truck is taken out of neutral with remote not in docking station) | \$298.58 | | \$0.00 |
| ENHANCED VISIBILITY CAMERA SYSTEM (includes front and rear mounted camera heads with monitor in cab) | \$1,845.90 | | \$0.00 |
| ENHANCED VISIBILITY CAMERA SYSTEM WITH BLIND SPOT CAMERAS (includes front and rear mounted camera heads with monitor in cab) | \$3,456.87 | | \$0.00 |
| (2) LED FLUSH MOUNTED STROBES: FRONT FACING (factory standard) | \$996.44 | | \$0.00 |
| (4) LED FLUSH MOUNTED STROBES: (2) FRONT & (2) SIDE FACING (factory standard) | \$1,271.88 | | \$0.00 |
| (6) LED FLUSH MOUNTED STROBES: (2) FRONT, (2) SIDE & (2) REAR FACING (factory standard) | \$1,788.03 | | \$0.00 |
| LED ARROW BOARD (factory standard) | \$1,536.90 | | \$0.00 |
| LED ARROW STICK (factory standard) | \$1,293.87 | | \$0.00 |

| | | | |
|---|------------|--|--------|
| LED CURBSIDE BODY MOUNTED WORK LIGHT | \$546.25 | | \$0.00 |
| LED BOOM MOUNTED WORK LIGHTS (2) (complete with limb guard) | \$1,126.06 | | \$0.00 |
| LED REAR MOUNTED WORK LIGHTS (2) : LOCATED ABOVE REAR DOOR | \$1,126.06 | | \$0.00 |
| LED HANDHELD WIRELESS 12v/110v RECHARGABLE LED SPOTLIGHT W/ STORAGE | \$406.21 | | \$0.00 |

CHASSIS:

| | | | |
|---|--------------|--|--------|
| (DEDUCT) FOR REMOVAL OF "BEHIND THE CAB TOOLBOX" (Not available with Single Piston Pumps) (Decreases Boom Reach 15' 2" to 23' 2") | (\$2,276.42) | | \$0.00 |
| NON-STOCK CHASSIS MOUNTING ALTERATIONS | \$4,297.07 | | \$0.00 |
| AIR PURGE WINTERIZATION SYSTEM (supplied by chassis air system) | \$1,654.94 | | \$0.00 |
| COMBINATION HEAVY DUTY BALL/PINTLE HITCH (20,000# capacity complete with electric brake controller in cab) | \$1,308.91 | | \$0.00 |
| HIGH CAPACITY HYDRO-DRIVE SUBSTITUTE - 80 gpm @ 2,500 psi pumps (Confirm chassis horsepower requirements) - Requires FEPTO on chassis & related 24" frame extension - Trash pump option is NOT compatible - Water recirculation available on a limited duty cycle basis - Requires Allison 3000 or greater transmission - Must have access to both PTO windows - Contact factory for chassis compatibility | \$10,420.36 | | \$0.00 |
| STANDARD HYDRO-DRIVE SUBSTITUTE - 80 gpm @ 2,000 psi / 65 gpm @ 2000 psi / 55 gpm @ 3,000 psi pumps (Confirm chassis horsepower requirements) - Requires FEPTO on chassis & related 24" frame extension - Water recirculation available on a limited duty cycle basis - Requires Allison 3000 or greater automatic transmission - Must have access to both PTO windows if used in conjunction with trash pump option - Contact factory for chassis compatibility | \$5,210.18 | | \$0.00 |
| (4) RUBBER BUMPERS MOUNTED ON REAR BUMPER - (Recommended for use when dumping into containers) | \$327.52 | | \$0.00 |
| SIX (6) 28" D.O.T. SAFETY CONES AND HOLDER | \$453.66 | | \$0.00 |
| CENTRAL LUBRICATION SYSTEM | \$3,401.31 | | \$0.00 |
| HYDRAULIC TOOL CIRCUIT (rated @ 9.5gpm, system engaged via manual diverter valve and supplied with Parker 60 series connectors) | \$3,999.64 | | \$0.00 |
| ON-BOARD SCALE SYSTEM - DISPLAY MOUNTED IN CAB | \$8,194.87 | | \$0.00 |
| ON-BOARD SCALE SYSTEM - DISPLAY MOUNTED IN CAB W/ SECONDARY DISPLAY ON WIRELESS REMOTE (Requires upgrade to wireless remote control pendant) | \$8,940.17 | | \$0.00 |
| (2) TOW HOOKS REAR BUMPER | \$881.87 | | \$0.00 |

PAINT:

| | | | |
|--|-----------------|--|--------|
| DEBRIS BOOM: STANDARD STERLING WHITE (FDG91327) | STANDARD | | |
| DEBRIS TANK: STANDARD STERLING WHITE (FDG91327) | STANDARD | | |
| HOSE REEL - UPRIGHT STANDARD • SEWER BLUE (PAN 287) | STANDARD | | |
| FRAME: • STANDARD BLACK (FDG9000) | STANDARD | | |
| SLIDE FRAME: • STANDARD BLACK (FDG9000) | STANDARD | | |
| SPECIAL PAINT: SOLID COLORS | \$3,289.06 | | \$0.00 |
| SPECIAL PAINT: METALLIC OR CLEAR COAT | CONTACT FACTORY | | |

MANUALS & TRAINING:

| | | | |
|--|------------|--|--------|
| ADDITIONAL PAPER OPERATORS MANUAL | \$96.06 | | \$0.00 |
| USB OPERATORS MANUAL | \$107.63 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - SEWER EQUIPMENT UNIVERSITY (DIXON, IL) (2 DAYS) **INCLUDES HOTEL & MEALS** | \$2,750.00 | | \$0.00 |

SPECIAL ITEMS:

| | | | |
|--|------------|--|--------|
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| ENZ STANDARD CLEANING NOZZLE 30.100 | \$470.00 | | \$0.00 |
| ENZ BULLDOG 400.060BS | \$3,265.00 | | \$0.00 |
| ENZ BULLDOG 404.080HS | \$3,400.00 | | \$0.00 |
| ENZ BULLDOG 400.101AB | \$3,900.00 | | \$0.00 |
| ENZ ROTODRILL 36.075 | \$425.00 | | \$0.00 |

| | | | |
|---|------------|--|--------|
| ENZ ROTODRILL 36.100 | \$615.00 | | \$0.00 |
| ENZ GRENADE 40.100A | \$1,040.00 | | \$0.00 |
| ENZ GRENADE 40.100B | \$1,299.00 | | \$0.00 |
| ENZ BULLDOG ANTI-BLAST 600.080 | \$3,560.00 | | \$0.00 |
| ENZ BULLDOG ANTI-BLAST 600.100AB | \$4,025.00 | | \$0.00 |
| ENZ BULLDOZER 50.075G | \$3,100.00 | | \$0.00 |
| ENZ BULLDOZER 50.100G | \$4,900.00 | | \$0.00 |
| ENZ ROTATING TURBINE CHAIN SCRAPER 6"-12" 10.125TR_6-12_SET | \$3,825.00 | | \$0.00 |
| ENZ RECYCLING ROTATING CHAIN SCRAPER 8"-20" 10.300R | \$8,425.00 | | \$0.00 |
| ENZ ROTOJET-RGS LIFT STATION NOZZLE 01.100A-LS | \$2,530.00 | | \$0.00 |
| ENZ KBR ROTATING NOZZLE 04.060 | \$1,055.00 | | \$0.00 |
| HYDRAFLEX RIPS AW | \$273.00 | | \$0.00 |
| HYDRAFLEX RIPS AW HD | \$316.00 | | \$0.00 |
| HYDRAFLEX SWITCHBLADE DUECE | \$267.00 | | \$0.00 |
| HYDRAFLEX SWITCHBLADE QUAD | \$320.00 | | \$0.00 |
| HYDRAFLEX MACHETTE | \$850.00 | | \$0.00 |

| | | |
|--|--|------|
| SIGNATURE | | DATE |
| return a signed copy to bigequipment@SewerEquipment.com | | |



PO Box 13040 Spokane Valley, WA 99213

p (800) 892-7831 www.swsequipment.com

www.SewerEquipment.com



www.SWSEquipment.com

| | | |
|--|-----------------------|--|
| October 11, 2021 | PO# | |
| | Product Class: | |
| Payment Terms: | REV: | |
| Distributor: SWS Equipment (800) 892-7831 | WO# | |
| Salesman: | | |
| End User: | | |
| Address: | | |
| City, State, Zip: | | |
| Phone: | | |
| Contact: | | |
| Email: | | |

900-ECO 12 Yard Truck Mounted Combination Sewer Cleaner

| | | |
|--|---|---|
| Vacuum System: 4400 CFM Blower 8" Vacuum Hose system 18" Hg vacuum rating Dual Cyclone Separator Dual Element 10 Micron Final Filter Remote Vacuum Relief Analog Vacuum Display (6) Tube / Tube Rack | Water System: 1300 Gallon Capacity Water Tank Giant plunger style triplex 65 gpm @ 2000 psi w/ 30 min run dry Black Duraprolene™ Water Tank Construction w/ 10 Year Warranty Cold Weather Recirculation System 2.5" Hydrant Fill system Air Purge Valve Variable Volume Delivery Low Water Warning Light Analog Pressure Display Front and Mid Ship Hand Gun Ports | Hose Reel & Hose: Front Mounted Telescoping & Rotating 800' X 1" Hose Capacity 10' Leader Hose Single Side Controls |
| Boom: Telescoping Boom System Telescoping Reach 17' 2" to 27' 2" Hydraulic Powered Boom 180° Working Radius Boom Joystick Control | Electrical: NEMA 4 Control Panel Hour Meter (Blower & Water Pump) Military Spec. Sealed Switches | Accessories: (3) 8" x 6' Extension Tube (1) 8" X 3' Extension Tube (1) 8" x 6' Crowned Suction Nozzle (1) 6" x 10' Flat Discharge Hose (6) Quick Clamps BB Hose Guide Tri-Star (chisel point) nozzle DD (high flow) nozzle Finned Nozzle extension Nozzle Rack (Mounted midship toolbox) 25' Fill Hose Upstream Pulley Guide Washdown gun Cleaner, Tip, Torch, Small (1) Hydrant Wrench (1) Paper Owner's Manual |
| Debris Tank: 12 Cubic Yard Capacity Exten Steel Construction Debris Level Indicator Hydraulic Dump, 50° Dump Angle (LIFT CLYINDER) Dual Ported Rear Door w/ Knife Valve Dump Height 60" Hydraulic Open/Close/Lock Door | Truck: Mounting to Approved Chassis (1) Alum Toolbox 24"x42"x100" - Behind Cab LED D.O.T. Approved Lighting (2) Tow Hooks Front Bumper | |

BASE UNIT AS OUTLINED ABOVE **\$304,329.12** 1 **\$304,329.12**

| | |
|--|-----------------------|
| LIST PRICE OF SELECTED OPTIONS: | \$0.00 |
| LESS PERCENTAGE DISCOUNT (enter % →) 5% | \$ (15,216.46) |
| NET PRICE OF UNIT: | \$289,112.67 |

ESTIMATED FREIGHT:
ESTIMATED TOTAL: **\$289,112.67**

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

STANDARD OPTIONS:

| HOSE REEL ASSEMBLY: | LIST PRICE | TOTAL |
|---|-------------------|--------------|
| AUTOMATIC LEVEL WIND WITH HYDRAULIC UP/DOWN ACTION | \$8,988.78 | \$0.00 |
| DIGITAL "SMART COUNTER" FOOTAGE METER | \$3,589.96 | \$0.00 |
| FOOTAGE METER (mounted on jet hose reel) | \$910.80 | \$0.00 |
| SECONDARY OPERATORS STATION (controls include analog water and vacuum pressure gauges and reel payout/retrieve) | \$1,558.89 | \$0.00 |
| PINCH ROLLER (air strut powered sewer hose retention) | \$2,644.44 | \$0.00 |

| | | | |
|---|-------------|--|--------|
| TESTING FEE (for units with customer supplied sewer hose) | \$549.72 | | \$0.00 |
| SEWER HOSE (1" I.D., 2500 P.S.I. OPERATING PRESSURE) PER FT | \$5.44 | | \$0.00 |
| SEWER HOSE (3/4" I.D., 3000 P.S.I. OPERATING PRESSURE) PER FT | \$5.34 | | \$0.00 |
| SEWER HOSE (1-1/4" I.D., 2500 P.S.I. OPERATING PRESSURE) PER FT (Requires addition of high capacity hose reel option) | \$8.44 | | \$0.00 |
| 25' LEADER HOSE (in lieu of standard 10') | \$425.89 | | \$0.00 |
| HIGH CAPACITY HOSE REEL IN LIEU OF STANDARD CAPACITY (Increases capacity to 1000' of 1" hose or 600' of 1-1/4" hose) (Consult factory for weight distribution) | \$4,446.36 | | \$0.00 |
| WATER PUMPS: | | | |
| TRIPLEX PLUNGER STYLE GIANT WATER PUMP RATED AT 80 GPM @ 2000 PSI (includes drain valves) (Confirm chassis horsepower requirements) | \$11,232.79 | | \$0.00 |
| TRIPLEX PLUNGER STYLE GIANT WATER PUMP RATED AT 80 GPM @ 2500 PSI (includes drain valves) (Confirm chassis horsepower requirements) | \$12,561.37 | | \$0.00 |
| TRIPLEX PLUNGER STYLE WATER PUMP RATED AT 55 GPM @ 3000 PSI (includes drain valves) (Confirm chassis horsepower requirements) | \$10,216.67 | | \$0.00 |
| TRIPLEX PLUNGER STYLE WATER PUMP RATED AT 100 GPM @ 2500 PSI (includes drain valves) (Confirm chassis horsepower requirements) | \$19,668.37 | | \$0.00 |
| TRIPLEX PLUNGER STYLE WATER PUMP RATED AT 120 GPM @ 2000 PSI (includes drain valves) (Confirm chassis horsepower requirements) | \$23,244.44 | | \$0.00 |
| GIANT PUMP PULSATION SYSTEM | \$339.09 | | \$0.00 |
| SINGLE PISTON 65 GPM @ 2500 PSI WATER PUMP (includes drain valves) Note #1: N/A, with 18"x18"x30" aluminum toolbox option. | \$19,181.15 | | \$0.00 |
| SINGLE PISTON 80 GPM @ 2500 PSI WATER PUMP (includes drain valves) Note #1: N/A, with 18"x18"x30" aluminum toolbox option. (Confirm chassis horsepower requirements) | \$29,189.51 | | \$0.00 |
| SINGLE PISTON 100 GPM @ 2500 PSI WATER PUMP (includes drain valves) Note #1: N/A, with 18"x18"x30" aluminum toolbox option. (Confirm chassis horsepower requirements) | \$32,765.57 | | \$0.00 |
| ACCUMULATOR FOR SINGLE PISTON PUMP | \$3,734.62 | | \$0.00 |
| WATER TANKS: | | | |
| ADDITIONAL 200 GALLON DURAPROLENE™ WATER TANK W/ 10 YEAR WARRANTY- (driver side rail) Note #1: Subject to chassis load capacity specifications. | \$9,650.75 | | \$0.00 |
| ADDITIONAL 200 GALLON DURAPROLENE™ WATER TANK W/ 10 YEAR WARRANTY - (between rails) Note #1: Subject to chassis load capacity specifications. | \$6,553.81 | | \$0.00 |
| DIGITAL WATER TANK LEVEL GAUGE | \$1,119.11 | | \$0.00 |
| WATER TANK LOW LEVEL AUDIBLE ALARM (level set point is fixed at 150 gallons) | \$622.63 | | \$0.00 |
| CONTINUOUS FILL SYSTEM | \$1,818.12 | | \$0.00 |
| WATER SYSTEM ATTACHMENTS: | | | |
| FILL HOSE STORAGE RACK | \$255.76 | | \$0.00 |
| STANDARD HYDROEXCAVATION CLEANING KIT 20 GPM @ 2000 PSI (8" x 6' digging tube, 8gpm rotary digging wand, 10gpm linear nozzle (shipped loose), (2) 5' Extension wands and automatic reel w/ 75' of 3/8" hose) (Confirm chassis horsepower requirements) | \$7,554.88 | | \$0.00 |
| COLD WEATHER HYDROEXCAVATION CLEANING KIT 10 GPM @ 2000 PSI (includes 400,000 BTU diesel fired boiler in enclosed aluminum cabinet, 8" x 6' digging tube, 8gpm rotary digging wand, 10gpm linear nozzle (shipped loose), (2) 5' Extension wands and automatic reel w/ 75' of 3/8" hose), Includes retractable two-step ladder (Confirm chassis horsepower requirements) Note #1: N/A with 18"x18"x30" aluminum toolbox options with retractable step ladder on passenger side. | \$17,194.06 | | \$0.00 |
| COLD WEATHER HYDROEXCAVATION CLEANING KIT 20 GPM @ 2000 PSI (includes 800,000 BTU diesel fired boiler in enclosed aluminum cabinet, 8" x 6' digging tube, 8gpm rotary digging wand, 10gpm linear nozzle (shipped loose), (2) 5' Extension wands and automatic reel w/ 75' of 3/8" hose), Includes retractable two-step ladder (Confirm chassis horsepower requirements) Note #1: N/A with 18"x18"x30" aluminum toolbox options with retractable step ladder on passenger side. | \$22,403.08 | | \$0.00 |
| VANGUARD SANITIZING SYSTEM - (Includes sewer hose clamp on sanitizer nozzle and separate washdown system with 50ft of hose and spray nozzle mounted on a retractable reel) | \$13,827.46 | | \$0.00 |
| 2" Y-STRAINER ON INLET FILL SYSTEM | \$880.71 | | \$0.00 |
| ANTI-FREEZE SYSTEM (66 gallon tank complete with isolation valve, Includes additional 130 gallons of water storage. Mounted drivers side rail) | \$13,480.27 | | \$0.00 |
| LATERAL LINE CLEANING KIT (200' X 1/2" hose with nozzle; includes addition of auxiliary cleaning circuit and mounting on front bumper drivers side) | \$5,734.44 | | \$0.00 |
| LATERAL LINE CLEANING KIT W/ ELECTRONIC VARIABLE REWIND SPEED (200' X 1/2" hose with nozzle; includes addition of auxiliary cleaning circuit and mounting on front bumper drivers side) | \$7,722.69 | | \$0.00 |
| CENTRAL WASHDOWN SYSTEM (includes 50' of 1/2" hose on a spring retracting hose reel mounted mid-ship) | \$1,697.76 | | \$0.00 |
| Additional Extension Wand w/ High Flow Quick Connect | \$405.06 | | \$0.00 |
| Additional Rotary Digging Wand w/ High Flow Quick Connect & Rotary Digging Tip - (Must Select Flow Rate) | \$583.28 | | \$0.00 |
| Linear Digging Wand w/ High Flow Quick Connect & Linear Digging Tip w/ 4 Orifices- (Must Select Flow Rate) | \$674.71 | | \$0.00 |

| TOOLBOX CONFIGURATIONS: | | | |
|--|--------------|--|--------|
| REAR TOOLBOX GROUP (includes (2) 24"x18"x18" boxes and (1) 63.75"x17.25"x12" center section with pass-thru opening) (Not available with tandem/tag axle chassis) | \$2,675.69 | | \$0.00 |
| REAR TOOLBOX GROUP w/ (2) long handle tool storage tubes (includes (2) 24"x18"x18" boxes, (1) 63.75"x17.25"x12" cabinet and (2) 4" tubes) - Confirm rear suspension (Not available with tandem/tag axle chassis) | \$3,599.21 | | \$0.00 |
| LONG HANDLED TOOL STORAGE (Includes (2) 4" TUBES & 63.75"x17.25"x12" CABINET) - Confirm rear suspension | \$1,757.94 | | \$0.00 |
| (1) 30"x18"x18" passenger side toolbox with retractable two-step ladder Note #1: N/A WITH COLD WEATHER HYDROEXCAVATION CLEANING KITS | \$1,939.64 | | \$0.00 |
| (2) 30"x18"x18" passenger side toolboxes with retractable two-step ladder Note #1: N/A WITH COLD WEATHER HYDROEXCAVATION CLEANING KITS | \$2,753.22 | | \$0.00 |
| ADDITIONAL 18"x18"x30" ALUMINUM TOOLBOX - (1 maximum mounted passenger side rail) Note: Not available with single piston pump option. | \$1,152.67 | | \$0.00 |
| LOCKING ACCESS COVER FOR DRIVER'S SIDE BUMPER (located driver side front bumper) | \$387.70 | | \$0.00 |
| DRIVERS SIDE TUBE STORAGE RACK (Not Available with Extra DS Water Tank) | \$1,350.57 | | \$0.00 |
| EXPANDED METAL STORAGE BASKET DS FRAME RAIL (N/A, with DS water tank or anti freeze system) | \$2,156.06 | | \$0.00 |
| DEBRIS BOX & BOOM: | | | |
| DEBRIS BODY PUMP OFF SYSTEM (4" hydraulic driven pump rated @ 800 gpm located on rear door of debris box, includes swing out decant screen) | \$15,308.81 | | \$0.00 |
| DEBRIS BODY POSITIVE PRESSURE DECANTING SYSTEM (Includes 6" diameter discharge port with cam-lock fitting and cap.) | \$8,016.64 | | \$0.00 |
| UPGRADE TO ROOTS 827 BLOWER (5000CFM @ 18"HG) (Confirm chassis horsepower requirements) | \$10,132.19 | | \$0.00 |
| UPGRADE TO ROOTS 1024 BLOWER (5400CFM @ 18"HG) - N/A WITH DEBRIS BODY POSITIVE PRESSURE DECANTING SYSTEM (Confirm chassis horsepower requirements) | \$33,079.20 | | \$0.00 |
| DEBRIS LIQUID LEVEL AUDIBLE ALARM (level set point is adjustable) Note: Tied to vacuum relief and opens vacuum relief valve. | \$1,047.36 | | \$0.00 |
| NON-TELESCOPING BOOM SYSTEM WITH 17' 2" to 25' 2" REACH | \$0.00 | | \$0.00 |
| MANUAL/ELECTRIC BOOM CONTROL VALVE (Control valves have built-in levers for manual boom control) (Located at midship control panel) | \$506.90 | | \$0.00 |
| VARIABLE VACUUM CONTROL VALVE (Located at Hose Reel Station) - Recommended for simultaneous use of Vacuum System and 4" Debris Body Pump Off System | \$1,281.13 | | \$0.00 |
| VARIABLE VACUUM CONTROL VALVE (Located at midship station) - Recommended for Hydroexcavation Operation | \$1,281.13 | | \$0.00 |
| DUAL VARIABLE VACUUM CONTROL VALVE (Located at both hose reel & midship stations) | \$3,010.15 | | \$0.00 |
| DEBRIS BODY VIBRATOR SYSTEM (12v electric with switch near dump control area) | \$3,491.58 | | \$0.00 |
| DEBRIS BODY WASH OUT SYSTEM (includes dual nozzles in debris box) | \$1,436.21 | | \$0.00 |
| ADDITIONAL 6" KNIFE VALVE ON REAR DOOR COMPLETE (in addition to standard valve) | \$1,558.89 | | \$0.00 |
| DECANT SCREEN ON REAR DOOR PORT (swing out perforated shield) | \$1,694.29 | | \$0.00 |
| ELECTRICAL & LIGHTING: | | | |
| WIRELESS REMOTE CONTROL PENDANT (controls include hose reel payout/retrieve, water pump on/off, vacuum relief open/close, boom up/down, boom left/right, boom extend/retract and module kill switch) | \$5,471.73 | | \$0.00 |
| WIRELESS REMOTE ALARM (Buzzer alarm sounds off when truck is taken out of neutral with remote not in docking station) | \$298.58 | | \$0.00 |
| ENHANCED VISIBILITY CAMERA SYSTEM (includes front and rear mounted camera heads with monitor in cab) | \$1,845.90 | | \$0.00 |
| ENHANCED VISIBILITY CAMERA SYSTEM WITH BLIND SPOT CAMERAS (includes front and rear mounted camera heads with monitor in cab) | \$3,456.87 | | \$0.00 |
| (2) LED FLUSH MOUNTED STROBES: FRONT FACING (factory standard) | \$996.44 | | \$0.00 |
| (4) LED FLUSH MOUNTED STROBES: (2) FRONT & (2) SIDE FACING (factory standard) | \$1,271.88 | | \$0.00 |
| (6) LED FLUSH MOUNTED STROBES: (2) FRONT, (2) SIDE & (2) REAR FACING (factory standard) | \$1,788.03 | | \$0.00 |
| LED ARROW BOARD (factory standard) | \$1,536.90 | | \$0.00 |
| LED ARROW STICK (factory standard) | \$1,293.87 | | \$0.00 |
| LED MANHOLE AREA WORK LIGHT | \$546.25 | | \$0.00 |
| LED CURBSIDE BODY MOUNTED WORK LIGHT | \$546.25 | | \$0.00 |
| LED BOOM MOUNTED WORK LIGHTS (2) (complete with limb guard) | \$1,126.06 | | \$0.00 |
| LED REAR MOUNTED WORK LIGHTS (2) : LOCATED ABOVE REAR DOOR | \$1,126.06 | | \$0.00 |
| LED HANDHELD WIRELESS 12v/110v RECHARGABLE LED SPOTLIGHT W/ STORAGE | \$406.21 | | \$0.00 |
| CHASSIS: | | | |
| (DEDUCT) FOR REMOVAL OF "BEHIND THE CAB TOOLBOX" (Not available with Single Piston Pumps) (Decreases Boom Reach 15' 2" to 23' 2") | (\$2,276.42) | | \$0.00 |
| NON-STOCK CHASSIS MOUNTING ALTERATIONS | \$4,297.07 | | \$0.00 |
| AIR PURGE WINTERIZATION SYSTEM (supplied by chassis air system) | \$1,654.94 | | \$0.00 |

| | | | |
|--|-----------------|--|--------|
| COMBINATION HEAVY DUTY BALL/PINTLE HITCH (20,000# capacity complete with electric brake controller in cab) | \$1,308.91 | | \$0.00 |
| HIGH CAPACITY HYDRO-DRIVE SUBSITUTE - 80 gpm @ 2,500 psi pumps (Confirm chassis horsepower requirements) - Requires FEPTO on chassis & related 24" frame extension - Trash pump option is NOT compatible - Water recirculation available on a limited duty cycle basis - Requires Allison 3000 or greater transmission - Must have access to both PTO windows - Contact factory for chassis compatibility | \$10,420.36 | | \$0.00 |
| STANDARD HYDRO-DRIVE SUBSTITUTE - 80 gpm @ 2,000 psi / 65 gpm @ 2000 psi / 55 gpm @ 3,000 psi pumps (Confirm chassis horsepower requirements) - Requires FEPTO on chassis & related 24" frame extension - Water recirculation available on a limited duty cycle basis - Requires Allison 30000 or greater automatic transmission - Must have access to both PTO windows if used in conjunction with trash pump option - Contact factory for chassis compatibility | \$5,210.18 | | \$0.00 |
| (4) RUBBER BUMPERS MOUNTED ON REAR BUMPER - (Recommended for use when dumping into containers) | \$327.52 | | \$0.00 |
| SIX (6) 28" D.O.T. SAFETY CONES AND HOLDER | \$453.66 | | \$0.00 |
| CENTRAL LUBRICATION SYSTEM | \$3,401.31 | | \$0.00 |
| HYDRAULIC TOOL CIRCUIT (rated @ 9.5gpm, system engaged via manual diverter valve and supplied with Parker 60 series connectors) | \$3,999.64 | | \$0.00 |
| ON-BOARD SCALE SYSTEM - DISPLAY MOUNTED IN CAB | \$8,194.87 | | \$0.00 |
| ON-BOARD SCALE SYSTEM - DISPLAY MOUNTED IN CAB W/ SECONDARY DISPLAY ON WIRELESS REMOTE (Requires upgrade to wireless remote control pendant) | \$8,940.17 | | \$0.00 |
| (2) TOW HOOKS REAR BUMPER | \$881.87 | | \$0.00 |
| <u>PAINT:</u> | | | |
| DEBRIS BOOM: STANDARD STERLING WHITE (FDG91327) | STANDARD | | |
| DEBRIS TANK: STANDARD STERLING WHITE (FDG91327) | STANDARD | | |
| HOSE REEL - UPRIGHT STANDARD • SEWER BLUE (PAN 287) | STANDARD | | |
| FRAME: • STANDARD BLACK (FDG9000) | STANDARD | | |
| SLIDE FRAME: • STANDARD BLACK (FDG9000) | STANDARD | | |
| SPECIAL PAINT: SOLID COLORS | \$3,289.06 | | \$0.00 |
| SPECIAL PAINT: METALLIC OR CLEAR COAT | CONTACT FACTORY | | |
| <u>MANUALS & TRAINING:</u> | | | |
| ADDITIONAL PAPER OPERATORS MANUAL | \$96.06 | | \$0.00 |
| USB OPERATORS MANUAL | \$107.63 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - SEWER EQUIPMENT UNIVERSITY (DIXON, IL) (2 DAYS) **INCLUDES HOTEL & MEALS** | \$2,750.00 | | \$0.00 |
| <u>SPECIAL ITEMS:</u> | | | |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| SPECIAL FRAMEWORK AND DEBRIS TANK MODIFICATIONS FOR 5-AXLE CHASSIS | \$9,258.43 | | \$0.00 |
| ENZ STANDARD CLEANING NOZZLE 30.100 | \$470.00 | | \$0.00 |
| ENZ BULLDOG 400.060BS | \$3,265.00 | | \$0.00 |
| ENZ BULLDOG 404.080HS | \$3,400.00 | | \$0.00 |
| ENZ BULLDOG 400.101AB | \$3,900.00 | | \$0.00 |
| ENZ ROTODRILL 36.075 | \$425.00 | | \$0.00 |
| ENZ ROTODRILL 36.100 | \$615.00 | | \$0.00 |
| ENZ GRENADE 40.100A | \$1,040.00 | | \$0.00 |
| ENZ GRENADE 40.100B | \$1,299.00 | | \$0.00 |
| ENZ BULLDOG ANTI-BLAST 600.080 | \$3,560.00 | | \$0.00 |
| ENZ BULLDOG ANTI-BLAST 600.100AB | \$4,025.00 | | \$0.00 |
| ENZ BULLDOZER 50.075G | \$3,100.00 | | \$0.00 |
| ENZ BULLDOZER 50.100G | \$4,900.00 | | \$0.00 |
| ENZ ROTATING TURBINE CHAIN SCRAPER 6"-12" 10.125TR_6-12_SET | \$3,825.00 | | \$0.00 |
| ENZ RECYCLING ROTATING CHAIN SCRAPER 8"-20" 10.300R | \$8,425.00 | | \$0.00 |

| | | | |
|--|------------|--|--------|
| ENZ ROTOJET-RGS LIFT STATION NOZZLE 01.100A-LS | \$2,530.00 | | \$0.00 |
| ENZ KBR ROTATING NOZZLE 04.060 | \$1,055.00 | | \$0.00 |
| HYDRAFLEX RIPSAW | \$273.00 | | \$0.00 |
| HYDRAFLEX RIPSAW HD | \$316.00 | | \$0.00 |
| HYDRAFLEX SWITCHBLADE DUECE | \$267.00 | | \$0.00 |
| HYDRAFLEX SWITCHBLADE QUAD | \$320.00 | | \$0.00 |
| HYDRAFLEX MACHETTE | \$850.00 | | \$0.00 |

| | | |
|--|--|------|
| SIGNATURE | | DATE |
| Please return a signed copy to bigequipment@SewerEquipment.com | | |



PO Box 13040 Spokane Valley, WA 99213
 p (800) 892-7831 www.swsequipment.com
www.SewerEquipment.com



www.SWSEquipment.com

| | | |
|--|-----------------------|--|
| October 11, 2021 | PO# | |
| | Product Class: | |
| Payment Terms: | REV: | |
| Distributor: SWS Equipment (800) 892-7831 | WO# | |
| Salesman: | | |
| End User: | | |
| Address: | | |
| City, State, Zip: | | |
| Phone: | | |
| Contact: | | |
| Email: | | |

900-ECO-CB-12 Yard Truck Mounted Catch Basin Sewer Cleaner

| | | |
|--|---|---|
| <p><u>Vacuum System:</u> 4400 CFM Blower 8" Vacuum Hose system 18" Hg vacuum rating Dual Cyclone Separator Dual Element 10 Micron Final Filter Remote Vacuum Relief Analog Vacuum Display (6) Tube / Tube Rack</p> <p><u>Boom:</u> Telescoping Boom System Telescoping Reach 17' 2" to 27' 2" Hydraulic Powered Boom 180° Working Radius Manual Boom Controls</p> <p><u>Hose Reel & Hose:</u> Midship Mount Spring Retractable Reel 3/8" x 75' of hose</p> | <p><u>Water System:</u> Giant Plunger Style Triplex 40 gpm @ 2000 psi w/ 30 min run dry 1300 Gallon Capacity Water Tank Black Duraprolene™ Water Tank Construction w/ 10 Year Warranty Cold Weather Recirculation System 2.5" Hydrant Fill system Air Purge Valve Variable Volume Delivery Low Water Warning Light Analog Pressure Display</p> <p><u>Debris Tank:</u> 12 Cubic Yard Capacity Exten Steel Construction Debris Level Indicator Hydraulic Dump, 50° Dump Angle (LIFT CLYINDER) Dual Ported Rear Door w/ Knife Valve Dump Height 60" Hydraulic Open/Close/Lock Door</p> | <p><u>Electrical:</u> NEMA 4 Control Panel Hour Meter (Blower & Water Pump) Military Spec. Sealed Switches</p> <p><u>Truck:</u> Mounting to Approved Chassis LED D.O.T. Approved Lighting (2) TOW HOOKS FRONT BUMPER Behind the Cab Toolbox</p> <p><u>Accessories:</u> (3) 8" x 6' Extension Tube (1) 8" X 4' Extension Tube (1) 8" x 6' Crowned Suction Nozzle (1) 6" x 10' Flat Discharge Hose (6) Quick Clamps High Pressure Hand Gun 25' Fill Hose (1) Hydrant Wrench (1) Paper Owner's Manual</p> |
|--|---|---|

| | | | |
|------------------------------------|--|---|-----------------------|
| BASE UNIT AS OUTLINED ABOVE | \$283,497.66 | 1 | \$283,497.66 |
| | LIST PRICE OF SELECTED OPTIONS: | | \$0.00 |
| | LESS PERCENTAGE DISCOUNT (enter % →) 5% | | \$ (14,174.88) |
| | NET PRICE OF UNIT: | | \$269,322.78 |
| Select -----> | Select -----> | | |
| | ESTIMATED FREIGHT: | | |
| | ESTIMATED TOTAL: | | \$269,322.78 |

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING
STANDARD OPTIONS:

| WATER TANKS: | | | |
|--|------------|--|--------|
| ADDITIONAL 200 GALLON DURAPROLENE™ WATER TANK W/ 10 YEAR WARRANTY- (driver side rail) Note #1: Subject to chassis load capacity specifications. | \$9,650.75 | | \$0.00 |
| ADDITIONAL 200 GALLON DURAPROLENE™ WATER TANK W/ 10 YEAR WARRANTY - (between rails) Note #1: Subject to chassis load capacity specifications. | \$6,553.81 | | \$0.00 |
| DIGITAL WATER TANK LEVEL GAUGE | \$1,119.11 | | \$0.00 |
| WATER TANK LOW LEVEL AUDIBLE ALARM (level set point is fixed at 150 gallons) | \$622.63 | | \$0.00 |
| CONTINUOUS FILL SYSTEM | \$1,818.12 | | \$0.00 |

WATER SYSTEM ATTACHMENTS:

| | | | |
|---|-------------|--|--------|
| FILL HOSE STORAGE RACK | \$255.76 | | \$0.00 |
| GIANT PUMP PULSATION SYSTEM | \$339.09 | | \$0.00 |
| STANDARD HYDROEXCAVATION CLEANING KIT 20 GPM @ 2000 PSI (8" x 6' digging tube, 8gpm rotary digging wand, 10gpm linear nozzle (shipped loose), (2) 5' Extension wands and automatic reel w/ 75' of 3/8" hose) (Confirm chassis horsepower requirements) | \$7,554.88 | | \$0.00 |
| VANGUARD SANITIZING SYSTEM - (Includes sewer hose clamp on sanitizer nozzle and separate washdown system with 50ft of hose and spray nozzle mounted on a retractable reel) | \$13,827.46 | | \$0.00 |
| 2" Y-STRAINER ON INLET FILL SYSTEM | \$880.71 | | \$0.00 |
| ANTI-FREEZE SYSTEM (66 gallon tank complete with isolation valve, Includes additional 130 gallons of water storage. Mounted drivers side rail) | \$13,480.27 | | \$0.00 |
| LATERAL LINE CLEANING KIT (200' X 1/2" hose with nozzle; includes addition of auxiliary cleaning circuit and moun) | \$5,734.44 | | \$0.00 |
| LATERAL LINE CLEANING KIT W/ ELECTRONIC VARIABLE REWIND SPEED (200' X 1/2" hose with nozzle; includes addition of auxiliary cleaning circuit and mounting on front bumper drivers side) | \$7,722.69 | | \$0.00 |
| CENTRAL WASHDOWN SYSTEM (includes 50' of 1/2" hose on a spring retracting hose reel mounted mid-ship) | \$1,697.76 | | \$0.00 |
| Additional Extension Wand w/ High Flow Quick Connect | \$405.06 | | \$0.00 |
| Additional Rotary Digging Wand w/ High Flow Quick Connect & Rotary Digging Tip - (Must Select Flow Rate) | \$583.28 | | \$0.00 |
| Linear Digging Wand w/ High Flow Quick Connect & Linear Digging Tip w/ 4 Orifices- (Must Select Flow Rate) | \$674.71 | | \$0.00 |

TOOLBOX CONFIGURATIONS:

| | | | |
|--|------------|--|--------|
| REAR TOOLBOX GROUP (includes (2) 24"x18"x18" boxes and (1) 63.75"x17.25"x12" center section with pass-thru opening) (Not available with tandem/tag axle chassis) | \$2,675.69 | | \$0.00 |
| REAR TOOLBOX GROUP w/ (2) long handle tool storage tubes (includes (2) 24"x18"x18" boxes, (1) 63.75"x17.25"x12" cabinet and (2) 4" tubes) - Confirm rear suspension (Not available with tandem/tag axle chassis) | \$3,599.21 | | \$0.00 |
| LONG HANDLED TOOL STORAGE (Includes (2) 4" TUBES & 63.75"x17.25"x12" CABINET) - Confirm rear suspension | \$1,757.94 | | \$0.00 |
| (1) 30"x18"x18" passenger side toolbox with retractable two-step ladder | \$1,939.64 | | \$0.00 |
| (2) 30"x18"x18" passenger side toolboxes with retractable two-step ladder | \$2,753.22 | | \$0.00 |
| LOCKING ACCESS COVER FOR DRIVER'S SIDE BUMPER (located driver side front bumper) | \$387.70 | | \$0.00 |
| DRIVERS SIDE TUBE STORAGE RACK (Not Available with Extra DS Water Tank) | \$1,350.57 | | \$0.00 |
| EXPANDED METAL STORAGE BASKET DS FRAME RAIL (N/A, with DS water tank or anti freeze system) | \$2,156.06 | | \$0.00 |

DEBRIS BOX & BOOM:

| | | | |
|---|-------------|--|--------|
| DEBRIS BODY PUMP OFF SYSTEM (4" hydraulic driven pump rated @ 800 gpm located on rear door of debris box, includes swing out decant screen) | \$15,768.26 | | \$0.00 |
| DEBRIS BODY POSITIVE PRESSURE DECANTING SYSTEM (Includes 6" diameter discharge port with cam-lock fitting and cap.) | \$8,016.64 | | \$0.00 |
| UPGRADE TO ROOTS 827 BLOWER (5000CFM @ 18"HG) (Confirm chassis horsepower requirements) | \$10,132.19 | | \$0.00 |
| UPGRADE TO ROOTS 1024 BLOWER (5400CFM @ 18"HG) - N/A WITH DEBRIS BODY POSITIVE PRESSURE DECANTING SYSTEM (Confirm chassis horsepower requirements) | \$33,079.20 | | \$0.00 |
| DEBRIS LIQUID LEVEL AUDIBLE ALARM (level set point is adjustable) Note: Tied to vacuum relief and opens vacuum relief valve. | \$1,047.36 | | \$0.00 |
| NON-TELESCOPING BOOM SYSTEM WITH 17' 2" to 25' 2" REACH | \$0.00 | | \$0.00 |
| VARIABLE VACUUM CONTROL VALVE (Located at Hose Reel Station) - Recommended for simultaneous use of Vacuum System and 4" Debris Body Pump Off System | \$1,281.13 | | \$0.00 |
| VARIABLE VACUUM CONTROLL VALVE (Located at midship station) - Recommended for Hydroexcavation Operation | \$1,281.13 | | \$0.00 |
| DUAL VARIABLE VACUUM CONTROL VALVE (Located at both hose reel & midship stations) | \$3,010.15 | | \$0.00 |
| DEBRIS BODY VIBRATOR SYSTEM (12v electric with switch near dump control area) | \$3,491.58 | | \$0.00 |
| DEBRIS BODY WASH OUT SYSTEM (includes dual nozzles in debris box) | \$1,436.21 | | \$0.00 |
| ADDITIONAL 6" KNIFE VALVE ON REAR DOOR COMPLETE (in addition to standard valve) | \$1,558.89 | | \$0.00 |
| DECANT SCREEN ON REAR DOOR PORT (swing out perforated shield) | \$1,694.29 | | \$0.00 |

ELECTRICAL & LIGHTING:

| | | | |
|--|------------|--|--------|
| WIRELESS REMOTE CONTROL PENDANT (controls include hose reel payout/retrieve, water pump on/off, vacuum relief open/close, boom up/down, boom left/right, boom extend/retract and module kill switch) | \$5,471.73 | | \$0.00 |
| WIRELESS REMOTE ALARM (Buzzer alarm sounds off when truck is taken out of neutral with remote not in docking station) | \$298.58 | | \$0.00 |
| ENHANCED VISIBILITY CAMERA SYSTEM (includes front and rear mounted camera heads with monitor in cab) | \$1,845.90 | | \$0.00 |
| ENHANCED VISIBILITY CAMERA SYSTEM WITH BLIND SPOT CAMERAS (includes front and rear mounted camera heads with monitor in cab) | \$3,456.87 | | \$0.00 |
| (2) LED FLUSH MOUNTED STROBES: FRONT FACING (factory standard) | \$996.44 | | \$0.00 |
| (4) LED FLUSH MOUNTED STROBES: (2) FRONT & (2) SIDE FACING (factory standard) | \$1,271.88 | | \$0.00 |

| | | | |
|---|------------|--|--------|
| (6) LED FLUSH MOUNTED STROBES: (2) FRONT, (2) SIDE & (2) REAR FACING (factory standard) | \$1,788.03 | | \$0.00 |
| LED ARROW BOARD (factory standard) | \$1,536.90 | | \$0.00 |
| LED ARROW STICK (factory standard) | \$1,293.87 | | \$0.00 |
| LED CURBSIDE BODY MOUNTED WORK LIGHT | \$546.25 | | \$0.00 |
| LED BOOM MOUNTED WORK LIGHTS (2) (complete with limb guard) | \$1,126.06 | | \$0.00 |
| LED REAR MOUNTED WORK LIGHTS (2) : LOCATED ABOVE REAR DOOR | \$1,126.06 | | \$0.00 |
| LED HANDHELD WIRELESS 12v/110v RECHARGABLE LED SPOTLIGHT W/ STORAGE | \$406.21 | | \$0.00 |

CHASSIS:

| | | | |
|---|--------------|--|--------|
| (DEDUCT) FOR REMOVAL OF "BEHIND THE CAB TOOLBOX" (Not available with Single Piston Pumps) (Decreases Boom Reach 15' 2" to 23' 2") | (\$2,276.42) | | \$0.00 |
| NON-STOCK CHASSIS MOUNTING ALTERATIONS | \$4,297.07 | | \$0.00 |
| AIR PURGE WINTERIZATION SYSTEM (supplied by chassis air system) | \$1,654.94 | | \$0.00 |
| COMBINATION HEAVY DUTY BALL/PINTLE HITCH (20,000# capacity complete with electric brake controller in cab) | \$1,308.91 | | \$0.00 |
| HIGH CAPACITY HYDRO-DRIVE SUBSTITUTE - 80 gpm @ 2,500 psi pumps (Confirm chassis horsepower requirements) - Requires FEPTO on chassis & related 24" frame extension - Trash pump option is NOT compatible - Water recirculation available on a limited duty cycle basis - Requires Allison 3000 or greater transmission - Must have access to both PTO windows - Contact factory for chassis compatibility | \$10,420.36 | | \$0.00 |
| STANDARD HYDRO-DRIVE SUBSTITUTE - 80 gpm @ 2,000 psi / 65 gpm @ 2000 psi / 55 gpm @ 3,000 psi pumps (Confirm chassis horsepower requirements) - Requires FEPTO on chassis & related 24" frame extension - Water recirculation available on a limited duty cycle basis - Requires Allison 3000 or greater automatic transmission - Must have access to both PTO windows if used in conjunction with trash pump option - Contact factory for chassis compatibility | \$5,210.18 | | \$0.00 |
| (4) RUBBER BUMPERS MOUNTED ON REAR BUMPER - (Recommended for use when dumping into containers) | \$327.52 | | \$0.00 |
| SIX (6) 28" D.O.T. SAFETY CONES AND HOLDER | \$453.66 | | \$0.00 |
| CENTRAL LUBRICATION SYSTEM | \$3,401.31 | | \$0.00 |
| HYDRAULIC TOOL CIRCUIT (rated @ 9.5gpm, system engaged via manual diverter valve and supplied with Parker 60 series connectors) | \$3,999.64 | | \$0.00 |
| ON-BOARD SCALE SYSTEM - DISPLAY MOUNTED IN CAB | \$8,194.87 | | \$0.00 |
| ON-BOARD SCALE SYSTEM - DISPLAY MOUNTED IN CAB W/ SECONDARY DISPLAY ON WIRELESS REMOTE (Requires upgrade to wireless remote control pendant) | \$8,940.17 | | \$0.00 |
| (2) TOW HOOKS REAR BUMPER | \$881.87 | | \$0.00 |

PAINT:

| | | | |
|--|-----------------|--|--------|
| DEBRIS BOOM: STANDARD STERLING WHITE (FDG91327) | STANDARD | | |
| DEBRIS TANK: STANDARD STERLING WHITE (FDG91327) | STANDARD | | |
| HOSE REEL - UPRIGHT STANDARD • SEWER BLUE (PAN 287) | STANDARD | | |
| FRAME: • STANDARD BLACK (FDG9000) | STANDARD | | |
| SLIDE FRAME: • STANDARD BLACK (FDG9000) | STANDARD | | |
| SPECIAL PAINT: SOLID COLORS | \$3,289.06 | | \$0.00 |
| SPECIAL PAINT: METALLIC OR CLEAR COAT | CONTACT FACTORY | | |

MANUALS & TRAINING:

| | | | |
|--|------------|--|--------|
| ADDITIONAL PAPER OPERATORS MANUAL | \$96.06 | | \$0.00 |
| USB OPERATORS MANUAL | \$107.63 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - SEWER EQUIPMENT UNIVERSITY (DIXON, IL) (2 DAYS) **INCLUDES HOTEL & MEALS** | \$2,750.00 | | \$0.00 |

SPECIAL ITEMS:

| | | | |
|--|------------|--|--------|
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| ENZ STANDARD CLEANING NOZZLE 30.100 | \$470.00 | | \$0.00 |
| ENZ BULLDOG 400.060BS | \$3,265.00 | | \$0.00 |

| | | | |
|---|------------|--|--------|
| ENZ BULLDOG 404.080HS | \$3,400.00 | | \$0.00 |
| ENZ BULLDOG 400.101AB | \$3,900.00 | | \$0.00 |
| ENZ ROTODRILL 36.075 | \$425.00 | | \$0.00 |
| ENZ ROTODRILL 36.100 | \$615.00 | | \$0.00 |
| ENZ GRENADE 40.100A | \$1,040.00 | | \$0.00 |
| ENZ GRENADE 40.100B | \$1,299.00 | | \$0.00 |
| ENZ BULLDOG ANTI-BLAST 600.080 | \$3,560.00 | | \$0.00 |
| ENZ BULLDOG ANTI-BLAST 600.100AB | \$4,025.00 | | \$0.00 |
| ENZ BULLDOZER 50.075G | \$3,100.00 | | \$0.00 |
| ENZ BULLDOZER 50.100G | \$4,900.00 | | \$0.00 |
| ENZ ROTATING TURBINE CHAIN SCRAPER 6"-12" 10.125TR_6-12_SET | \$3,825.00 | | \$0.00 |
| ENZ RECYCLING ROTATING CHAIN SCRAPER 8"-20" 10.300R | \$8,425.00 | | \$0.00 |
| ENZ ROTOJET-RGS LIFT STATION NOZZLE 01.100A-LS | \$2,530.00 | | \$0.00 |
| ENZ KBR ROTATING NOZZLE 04.060 | \$1,055.00 | | \$0.00 |
| HYDRAFLEX RIPSAW | \$273.00 | | \$0.00 |
| HYDRAFLEX RIPSAW HD | \$316.00 | | \$0.00 |
| HYDRAFLEX SWITCHBLADE DUECE | \$267.00 | | \$0.00 |
| HYDRAFLEX SWITCHBLADE QUAD | \$320.00 | | \$0.00 |
| HYDRAFLEX MACHETTE | \$850.00 | | \$0.00 |

| | |
|--|------|
| SIGNATURE | DATE |
| Please return a signed copy to bigequipment@SewerEquipment.com | |



PO Box 13040 Spokane Valley, WA 99213

p (800) 892-7831 www.swsequipment.com

www.SewerEquipment.com



www.SWSEquipment.com

| | | |
|--|-----------------------|--|
| October 11, 2021 | PO# | |
| | Product Class: | |
| Payment Terms: | REV: | |
| Distributor: SWS Equipment (800) 892-7831 | WO# | |
| Salesman: | | |
| End User: | | |
| Address: | | |
| City, State, Zip: | | |
| Phone: | | |
| Contact: | | |
| Email: | | |

900-ECO 15 Yard Truck Mounted Combination Sewer Cleaner

| | | |
|--|---|---|
| Vacuum System: 4400 CFM Blower 8" Vacuum Hose system 18" Hg vacuum rating Dual Cyclone Separator Dual Element 10 Micron Final Filter Remote Vacuum Relief Analog Vacuum Display (6) Tube / Tube Rack | Water System: 1500 Gallon Capacity Water Tank Giant plunger style triplex 65 gpm @ 2000 psi w/ 30 min run dry Black Duraprolene™ Water Tank Construction w/ 10 Year Warranty Cold Weather Recirculation System 2.5" Hydrant Fill system Air Purge Valve Variable Volume Delivery Low Water Warning Light Analog Pressure Display Front and Mid Ship Hand Gun Ports | Hose Reel & Hose: Front Mounted Telescoping & Rotating 800' X 1" Hose Capacity 10' Leader Hose Single Side Controls |
| Boom: Telescoping Boom System Telescoping Reach 17' 2" to 27' 2" Hydraulic Powered Boom 180° Working Radius Boom Joystick Control | Electrical: NEMA 4 Control Panel Hour Meter (Blower & Water Pump) Military Spec. Sealed Switches | Accessories: (3) 8" x 6' Extension Tube (1) 8" X 3' Extension Tube (1) 8" x 6' Crowned Suction Nozzle (1) 6" x 10' Flat Discharge Hose (6) Quick Clamps BB Hose Guide Tri-Star (chisel point) nozzle DD (high flow) nozzle Finned Nozzle extension Nozzle Rack (Mounted midship toolbox) 25' Fill Hose Upstream Pulley Guide Washdown gun Cleaner, Tip, Torch, Small (1) Hydrant Wrench (1) Paper Owner's Manual |
| Debris Tank: 15 Cubic Yard Capacity Exten Steel Construction Debris Level Indicator Hydraulic Dump, 50° Dump Angle (LIFT CLYINDI Dual Ported Rear Door w/ Knife Valve Dump Height 60" Hydraulic Open/Close/Lock Door | Truck: Mounting to Approved Chassis (1) Alum Toolbox 24"x42"x100" - Behind Cab LED D.O.T. Approved Lighting (2) Tow Hooks Front Bumper | |

| | | | |
|------------------------------------|--|----------|----------------------|
| BASE UNIT AS OUTLINED ABOVE | \$314,099.08 | 1 | \$314,099.08 |
| | LIST PRICE OF SELECTED OPTIONS: | | \$0.00 |
| | LESS PERCENTAGE DISCOUNT (enter % →) 0% | | \$ - |
| | NET PRICE OF UNIT: | | \$314,099.08 |
| Select -----> | Select -----> | | |
| | ESTIMATED FREIGHT: | | |
| | ESTIMATED TOTAL: | | \$ 314,099.08 |

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING
STANDARD OPTIONS:

| HOSE REEL ASSEMBLY: | LIST PRICE | TOTAL |
|---|-------------------|--------------|
| AUTOMATIC LEVEL WIND WITH HYDRAULIC UP/DOWN ACTION | \$8,988.78 | \$0.00 |
| DIGITAL "SMART COUNTER" FOOTAGE METER | \$3,589.96 | \$0.00 |
| FOOTAGE METER (mounted on jet hose reel) | \$910.80 | \$0.00 |
| SECONDARY OPERATORS STATION (controls include analog water and vacuum pressure gauges and reel payout/retrieve) | \$1,558.89 | \$0.00 |
| PINCH ROLLER (air strut powered sewer hose retention) | \$2,644.44 | \$0.00 |
| TESTING FEE (for units with customer supplied sewer hose) | \$549.72 | \$0.00 |
| SEWER HOSE (1" I.D., 2500 P.S.I. OPERATING PRESSURE) PER FT | \$5.44 | \$0.00 |

| | | | |
|---|-------------|--|--------|
| SEWER HOSE (3/4" I.D., 3000 P.S.I. OPERATING PRESSURE) PER FT | \$5.34 | | \$0.00 |
| SEWER HOSE (1-1/4" I.D., 2500 P.S.I. OPERATING PRESSURE) PER FT (Requires addition of high capacity hose reel option) | \$8.44 | | \$0.00 |
| 25' LEADER HOSE (in lieu of standard 10') | \$425.89 | | \$0.00 |
| HIGH CAPACITY HOSE REEL IN LIEU OF STANDARD CAPACITY (Increases capacity to 1000' of 1" hose or 600' of 1-1/4" hose) (Consult factory for weight distribution) | \$4,446.36 | | \$0.00 |
| WATER PUMPS: | | | |
| TRIPLEX PLUNGER STYLE GIANT WATER PUMP RATED AT 80 GPM @ 2000 PSI (includes drain valves) (Confirm chassis horsepower requirements) | \$11,232.79 | | \$0.00 |
| TRIPLEX PLUNGER STYLE GIANT WATER PUMP RATED AT 80 GPM @ 2500 PSI (includes drain valves) (Confirm chassis horsepower requirements) | \$12,561.37 | | \$0.00 |
| TRIPLEX PLUNGER STYLE WATER PUMP RATED AT 55 GPM @ 3000 PSI (includes drain valves) (Confirm chassis horsepower requirements) | \$10,216.67 | | \$0.00 |
| TRIPLEX PLUNGER STYLE WATER PUMP RATED AT 100 GPM @ 2500 PSI (includes drain valves) (Confirm chassis horsepower requirements) | \$19,668.37 | | \$0.00 |
| TRIPLEX PLUNGER STYLE WATER PUMP RATED AT 120 GPM @ 2000 PSI (includes drain valves) (Confirm chassis horsepower requirements) | \$23,244.44 | | \$0.00 |
| GIANT PUMP PULSATION SYSTEM | \$339.09 | | \$0.00 |
| SINGLE PISTON 65 GPM @ 2500 PSI WATER PUMP (includes drain valves) Note #1: N/A, with 18"x18"x30" aluminum toolbox option. | \$19,181.15 | | \$0.00 |
| SINGLE PISTON 80 GPM @ 2500 PSI WATER PUMP (includes drain valves) Note #1: N/A, with 18"x18"x30" aluminum toolbox option. (Confirm chassis horsepower requirements) | \$29,189.51 | | \$0.00 |
| SINGLE PISTON 100 GPM @ 2500 PSI WATER PUMP (includes drain valves) Note #1: N/A, with 18"x18"x30" aluminum toolbox option. (Confirm chassis horsepower requirements) | \$32,765.57 | | \$0.00 |
| ACCUMULATOR FOR SINGLE PISTON PUMP | \$3,734.62 | | \$0.00 |
| WATER TANKS: | | | |
| ADDITIONAL 200 GALLON DURAPROLENE™ WATER TANK W/ 10 YEAR WARRANTY- (driver side rail) Note #1: Subject to chassis load capacity specifications. | \$9,650.75 | | \$0.00 |
| ADDITIONAL 250 GALLON DURAPROLENE™ WATER TANK W/ 10 YEAR WARRANTY - (between rails) Note #1: Available only with 15 cubic yard debris box option. Note #2: Subject to chassis load capacity specifications. | \$7,716.90 | | \$0.00 |
| DIGITAL WATER TANK LEVEL GAUGE | \$1,119.11 | | \$0.00 |
| WATER TANK LOW LEVEL AUDIBLE ALARM (level set point is fixed at 150 gallons) | \$622.63 | | \$0.00 |
| CONTINUOUS FILL SYSTEM | \$1,818.12 | | \$0.00 |
| WATER SYSTEM ATTACHMENTS: | | | |
| FILL HOSE STORAGE RACK | \$255.76 | | \$0.00 |
| STANDARD HYDROEXCAVATION CLEANING KIT 20 GPM @ 2000 PSI (8" x 6' digging tube, 8gpm rotary digging wand, 10gpm linear nozzle (shipped loose), (2) 5' Extension wands and automatic reel w/ 75' of 3/8" hose) (Confirm chassis horsepower requirements) | \$7,554.88 | | \$0.00 |
| COLD WEATHER HYDROEXCAVATION CLEANING KIT 10 GPM @ 2000 PSI (includes 400,000 BTU diesel fired boiler in enclosed aluminum cabinet, 8" x 6' digging tube, 8gpm rotary digging wand, 10gpm linear nozzle (shipped loose), (2) 5' Extension wands and automatic reel w/ 75' of 3/8" hose), Includes retractable two-step ladder (Confirm chassis horsepower requirements) Note #1: N/A with 18"x18"x30" aluminum toolbox options with retractable step ladder on passenger side. | \$17,194.06 | | \$0.00 |
| COLD WEATHER HYDROEXCAVATION CLEANING KIT 20 GPM @ 2000 PSI (includes 800,000 BTU diesel fired boiler in enclosed aluminum cabinet, 8" x 6' digging tube, 8gpm rotary digging wand, 10gpm linear nozzle (shipped loose), (2) 5' Extension wands and automatic reel w/ 75' of 3/8" hose), Includes retractable two-step ladder (Confirm chassis horsepower requirements) Note #1: N/A with 18"x18"x30" aluminum toolbox options with retractable step ladder on passenger side. | \$22,403.08 | | \$0.00 |
| VANGUARD SANITIZING SYSTEM - (Includes sewer hose clamp on sanitizer nozzle and separate washdown system with 50ft of hose and spray nozzle mounted on a retractable reel) | \$13,827.46 | | \$0.00 |
| 2" Y-STRAINER ON INLET FILL SYSTEM | \$880.71 | | \$0.00 |
| ANTI-FREEZE SYSTEM (66 gallon tank complete with isolation valve, Includes additional 130 gallons of water storage. Mounted drivers side rail) | \$13,480.27 | | \$0.00 |
| LATERAL LINE CLEANING KIT (200' X 1/2" hose with nozzle; includes addition of auxiliary cleaning circuit and mounting on front bumper drivers side) | \$5,734.44 | | \$0.00 |
| LATERAL LINE CLEANING KIT W/ ELECTRONIC VARIABLE REWIND SPEED (200' X 1/2" hose with nozzle; includes addition of auxiliary cleaning circuit and mounting on front bumper drivers side) | \$7,722.69 | | \$0.00 |
| CENTRAL WASHDOWN SYSTEM (includes 50' of 1/2" hose on a spring retracting hose reel mounted mid-ship) | \$1,697.76 | | \$0.00 |
| Additional Extension Wand w/ High Flow Quick Connect | \$405.06 | | \$0.00 |
| Additional Rotary Digging Wand w/ High Flow Quick Connect & Rotary Digging Tip - (Must Select Flow Rate) | \$583.28 | | \$0.00 |
| Linear Digging Wand w/ High Flow Quick Connect & Linear Digging Tip w/ 4 Orifices- (Must Select Flow Rate) | \$674.71 | | \$0.00 |
| TOOLBOX CONFIGURATIONS: | | | |

| | | | |
|---|--------------|--|--------|
| REAR TOOLBOX GROUP (includes (2) 24"x18"x18" boxes and (1) 63.75"x17.25"x12" center section with pass-thru opening) (Only available with tandem axle chassis) | \$2,675.69 | | \$0.00 |
| REAR TOOLBOX GROUP w/ (2) long handle tool storage tubes (includes (2) 24"x18"x18" boxes, (1) 63.75"x17.25"x12" cabinet and (2) 4" tubes) - Confirm rear suspension (Only available with tandem axle chassis) | \$3,599.21 | | \$0.00 |
| LONG HANDLED TOOL STORAGE (Includes (2) 4" TUBES & 63.75"x17.25"x12" CABINET) - Confirm rear suspension | \$1,757.94 | | \$0.00 |
| (1) 30"x18"x18" passenger side toolbox with retractable two-step ladder Note #1: N/A WITH COLD WEATHER HYDROEXCAVATION CLEANING KITS | \$1,939.64 | | \$0.00 |
| (2) 30"x18"x18" passenger side toolboxes with retractable two-step ladder Note #1: N/A WITH COLD WEATHER HYDROEXCAVATION CLEANING KITS | \$2,753.22 | | \$0.00 |
| ADDITIONAL 18"x18"x30" ALUMINUM TOOLBOX - (1 maximum mounted passenger side rail) Note: Not available with single piston pump option. | \$1,152.67 | | \$0.00 |
| LOCKING ACCESS COVER FOR DRIVER'S SIDE BUMPER (located driver side front bumper) | \$387.70 | | \$0.00 |
| DRIVERS SIDE TUBE STORAGE RACK (Not Available with Extra DS Water Tank) | \$1,350.57 | | \$0.00 |
| DEBRIS BOX & BOOM: | | | |
| DEBRIS BODY PUMP OFF SYSTEM (4" hydraulic driven pump rated @ 800 gpm located on rear door of debris box, includes swing out decant screen) | \$15,308.81 | | \$0.00 |
| DEBRIS BODY POSITIVE PRESSURE DECANTING SYSTEM (Includes 6" diameter discharge port with cam-lock fitting and cap.) | \$8,016.64 | | \$0.00 |
| UPGRADE TO ROOTS 827 BLOWER (5000CFM @ 18"HG) (Confirm chassis horsepower requirements) | \$10,132.19 | | \$0.00 |
| UPGRADE TO ROOTS 1024 BLOWER (5400CFM @ 18"HG) - N/A WITH DEBRIS BODY POSITIVE PRESSURE DECANTING SYSTEM (Confirm chassis horsepower requirements) | \$33,079.20 | | \$0.00 |
| DEBRIS LIQUID LEVEL AUDIBLE ALARM (level set point is adjustable) Note: Tied to vacuum relief and opens vacuum relief valve. | \$1,047.36 | | \$0.00 |
| NON-TELESCOPING BOOM SYSTEM WITH 17' 2" to 25' 2" REACH | \$0.00 | | \$0.00 |
| MANUAL/ELECTRIC BOOM CONTROL VALVE (Control valves have built-in levers for manual boom control) (Located at midship control panel) | \$506.90 | | \$0.00 |
| VARIABLE VACUUM CONTROL VALVE (Located at Hose Reel Station) - Recommended for simultaneous use of Vacuum System and 4" Debris Body Pump Off System | \$1,281.13 | | \$0.00 |
| VARIABLE VACUUM CONTROL VALVE (Located at midship station) - Recommended for Hydroexcavation Operation | \$1,281.13 | | \$0.00 |
| DUAL VARIABLE VACUUM CONTROL VALVE (Located at both hose reel & midship stations) | \$3,010.15 | | \$0.00 |
| DEBRIS BODY VIBRATOR SYSTEM (12v electric with switch near dump control area) | \$3,491.58 | | \$0.00 |
| DEBRIS BODY WASH OUT SYSTEM (includes dual nozzles in debris box) | \$1,436.21 | | \$0.00 |
| ADDITIONAL 6" KNIFE VALVE ON REAR DOOR COMPLETE (in addition to standard valve) | \$1,558.89 | | \$0.00 |
| DECANT SCREEN ON REAR DOOR PORT (swing out perforated shield) | \$1,694.29 | | \$0.00 |
| ELECTRICAL & LIGHTING: | | | |
| WIRELESS REMOTE CONTROL PENDANT (controls include hose reel payout/retrieve, water pump on/off, vacuum relief open/close, boom up/down, boom left/right, boom extend/retract and module kill switch) | \$5,471.73 | | \$0.00 |
| WIRELESS REMOTE ALARM (Buzzer alarm sounds off when truck is taken out of neutral with remote not in docking station) | \$298.58 | | \$0.00 |
| ENHANCED VISIBILITY CAMERA SYSTEM (includes front and rear mounted camera heads with monitor in cab) | \$1,845.90 | | \$0.00 |
| ENHANCED VISIBILITY CAMERA SYSTEM WITH BLIND SPOT CAMERAS (includes front and rear mounted camera heads with monitor in cab) | \$3,456.87 | | \$0.00 |
| (2) LED FLUSH MOUNTED STROBES: FRONT FACING (factory standard) | \$996.44 | | \$0.00 |
| (4) LED FLUSH MOUNTED STROBES: (2) FRONT & (2) SIDE FACING (factory standard) | \$1,271.88 | | \$0.00 |
| (6) LED FLUSH MOUNTED STROBES: (2) FRONT, (2) SIDE & (2) REAR FACING (factory standard) | \$1,788.03 | | \$0.00 |
| LED ARROW BOARD (factory standard) | \$1,536.90 | | \$0.00 |
| LED ARROW STICK (factory standard) | \$1,293.87 | | \$0.00 |
| LED MANHOLE AREA WORK LIGHT | \$546.25 | | \$0.00 |
| LED CURBSIDE BODY MOUNTED WORK LIGHT | \$546.25 | | \$0.00 |
| LED BOOM MOUNTED WORK LIGHTS (2) (complete with limb guard) | \$1,126.06 | | \$0.00 |
| LED REAR MOUNTED WORK LIGHTS (2) : LOCATED ABOVE REAR DOOR | \$1,126.06 | | \$0.00 |
| LED HANDHELD WIRELESS 12v/110v RECHARGABLE LED SPOTLIGHT W/ STORAGE | \$406.21 | | \$0.00 |
| CHASSIS: | | | |
| (DEDUCT) FOR REMOVAL OF "BEHIND THE CAB TOOLBOX" (Not available with Single Piston Pumps) (Decreases Boom Reach 15' 2" to 23' 2") | (\$2,276.42) | | \$0.00 |
| NON-STOCK CHASSIS MOUNTING ALTERATIONS | \$4,297.07 | | \$0.00 |
| AIR PURGE WINTERIZATION SYSTEM (supplied by chassis air system) | \$1,654.94 | | \$0.00 |
| COMBINATION HEAVY DUTY BALL/PINTLE HITCH (20,000# capacity complete with electric brake controller in cab) | \$1,308.91 | | \$0.00 |

| | | | |
|--|-----------------|--|--------|
| HIGH CAPACITY HYDRO-DRIVE SUBSTITUTE - 80 gpm @ 2,500 psi pumps (Confirm chassis horsepower requirements) - Requires FEPTO on chassis & related 24" frame extension - Trash pump option is NOT compatible - Water recirculation available on a limited duty cycle basis - Requires Allison 3000 or greater transmission - Must have access to both PTO windows - Contact factory for chassis compatibility | \$10,420.36 | | \$0.00 |
| STANDARD HYDRO-DRIVE SUBSTITUTE - 80 gpm @ 2,000 psi / 65 gpm @ 2000 psi / 55 gpm @ 3,000 psi pumps (Confirm chassis horsepower requirements) - Requires FEPTO on chassis & related 24" frame extension - Water recirculation available on a limited duty cycle basis - Requires Allison 30000 or greater automatic transmission - Must have access to both PTO windows if used in conjunction with trash pump option - Contact factory for chassis compatibility | \$5,210.18 | | \$0.00 |
| (4) RUBBER BUMPERS MOUNTED ON REAR BUMPER - (Recommended for use when dumping into containers) | \$327.52 | | \$0.00 |
| SIX (6) 28" D.O.T. SAFETY CONES AND HOLDER | \$453.66 | | \$0.00 |
| CENTRAL LUBRICATION SYSTEM | \$3,401.31 | | \$0.00 |
| HYDRAULIC TOOL CIRCUIT (rated @ 9.5gpm, system engaged via manual diverter valve and supplied with Parker 60 series connectors) | \$3,999.64 | | \$0.00 |
| ON-BOARD SCALE SYSTEM - DISPLAY MOUNTED IN CAB | \$8,194.87 | | \$0.00 |
| ON-BOARD SCALE SYSTEM - DISPLAY MOUNTED IN CAB W/ SECONDARY DISPLAY ON WIRELESS REMOTE (Requires upgrade to wireless remote control pendant) | \$8,940.17 | | \$0.00 |
| (2) TOW HOOKS REAR BUMPER | \$881.87 | | \$0.00 |
| PAINT: | | | |
| DEBRIS BOOM: STANDARD STERLING WHITE (FDG91327) | STANDARD | | |
| DEBRIS TANK: STANDARD STERLING WHITE (FDG91327) | STANDARD | | |
| HOSE REEL - UPRIGHT STANDARD • SEWER BLUE (PAN 287) | STANDARD | | |
| FRAME: • STANDARD BLACK (FDG9000) | STANDARD | | |
| SLIDE FRAME: • STANDARD BLACK (FDG9000) | STANDARD | | |
| SPECIAL PAINT: SOLID COLORS | \$3,289.06 | | \$0.00 |
| SPECIAL PAINT: METALLIC OR CLEAR COAT | CONTACT FACTORY | | |
| MANUALS & TRAINING: | | | |
| ADDITIONAL PAPER OPERATORS MANUAL | \$96.06 | | \$0.00 |
| USB OPERATORS MANUAL | \$107.63 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - SEWER EQUIPMENT UNIVERSITY (DIXON, IL) (2 DAYS) **INCLUDES HOTEL & MEALS** | \$2,750.00 | | \$0.00 |
| SPECIAL ITEMS: | | | |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| ENZ STANDARD CLEANING NOZZLE 30.100 | \$470.00 | | \$0.00 |
| ENZ BULLDOG 400.060BS | \$3,265.00 | | \$0.00 |
| ENZ BULLDOG 404.080HS | \$3,400.00 | | \$0.00 |
| ENZ BULLDOG 400.101AB | \$3,900.00 | | \$0.00 |
| ENZ ROTODRILL 36.075 | \$425.00 | | \$0.00 |
| ENZ ROTODRILL 36.100 | \$615.00 | | \$0.00 |
| ENZ GRENADE 40.100A | \$1,040.00 | | \$0.00 |
| ENZ GRENADE 40.100B | \$1,299.00 | | \$0.00 |
| ENZ BULLDOG ANTI-BLAST 600.080 | \$3,560.00 | | \$0.00 |
| ENZ BULLDOG ANTI-BLAST 600.100AB | \$4,025.00 | | \$0.00 |
| ENZ BULLDOZER 50.075G | \$3,100.00 | | \$0.00 |
| ENZ BULLDOZER 50.100G | \$4,900.00 | | \$0.00 |
| ENZ ROTATING TURBINE CHAIN SCRAPER 6"-12" 10.125TR_6-12_SET | \$3,825.00 | | \$0.00 |
| ENZ RECYCLING ROTATING CHAIN SCRAPER 8"-20" 10.300R | \$8,425.00 | | \$0.00 |
| ENZ ROTOJET-RGS LIFT STATION NOZZLE 01.100A-LS | \$2,530.00 | | \$0.00 |
| ENZ KBR ROTATING NOZZLE 04.060 | \$1,055.00 | | \$0.00 |
| HYDRAFLEX RIPS AW | \$273.00 | | \$0.00 |

| | | | |
|---|----------|------|--------|
| HYDRAFLEX RIPSAW HD | \$316.00 | | \$0.00 |
| HYDRAFLEX SWITCHBLADE DUECE | \$267.00 | | \$0.00 |
| HYDRAFLEX SWITCHBLADE QUAD | \$320.00 | | \$0.00 |
| HYDRAFLEX MACHETTE | \$850.00 | | \$0.00 |
| | | | |
| SIGNATURE | | DATE | |
| Please return a signed copy to bigequipment@SewerEquipment.com | | | |



PO Box 13040 Spokane Valley, WA 99213
 p (800) 892-7831 www.swsequipment.com
www.SewerEquipment.com



November 7, 2019

PO #

Product Class: 24

Distributor: **SWS Equipment (800) 892-7831**

End User:

Address:

City, State, Zip:

Phone:

Contact:

Email:



400-ECO 4 Yard Truck Mounted Combination Sewer Cleaner

| | | |
|---|---|---|
| <p><u>Vacuum System:</u> 1000 CFM Blower 4" x 16' Vacuum Hose system 27" Hg vacuum rating Single Cyclone Separator Dual Element Final Filter Remote Vacuum Relief Variable Volume Delivery Analog Vacuum Display Pneumatic Clutch Engagement</p> <p><u>Debris Tank:</u> 4 Cubic Yard Capacity Stainless Steel Construction - 304 Debris Level Indicator Hydraulic Dump Actuation Dual Ported 4" Rear Door w/ Manual Valve Operator Debris Body Wash-Out System Stainless Ball Float Shut-Off System Hydraulic Open/Close/Lock Door</p> <p><u>Truck:</u> LED D.O.T. Approved Lighting (2) Stainless Steel Tool Tray</p> | <p><u>Water System:</u> 600 Gallon Capacity Water Tank Udor plunger style triplex 18 gpm @ 4000 psi w/ 30 min run dry Stainless Steel 304 Water Tank Construction w/ 20 Year Warranty Cold Weather Recirculation System 2.5" Hydrant Fill system Air Purge Valve Variable Volume Delivery Low Water Warning System Analog Pressure Display Front and Mid Ship Hand Gun Ports</p> <p><u>Electrical:</u> NEMA 4/IP65 Control Panel Hour Meter (Blower & Water Pump) Military Spec. Sealed Switches Rear Work Lights - 2 Rotating Beacons - 1 Wireless Controller - "Belly Pack" Pump Functions Debris Box Functions Lighting Functions</p> | <p><u>Hose Reel & Hose:</u> Rear Mounted Rotating 600' Capacity 500' x1/2" Hose Included 10' Leader Hose Single Side Controls</p> <p><u>Accessories:</u> BB Hose Guide Tri-Star (chisel point) nozzle DD (high flow) nozzle Finned Nozzle extension Nozzle Rack (Mounted midship toolbox) 25' Fill Hose Upstream Pulley Guide Washdown gun w/ 50' ext. hose Cleaner, Tip, Torch, Small, W/S rch, Small, W/Sewer (1) Hydrant Wrench (1) Paper Owner's Manual</p> |
|---|---|---|

BASE UNIT AS OUTLINED ABOVE **\$272,131.79** 1 **\$272,131.79**

LIST PRICE OF SELECTED OPTIONS: \$0.00
 LESS PERCENTAGE DISCOUNT (enter % →) **5%** \$ (13,606.59)

NET PRICE OF UNIT: **\$258,525.20**

Select ----->

Select ----->

ESTIMATED FREIGHT:
ESTIMATED TOTAL: **\$ 258,525.20**

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

| <u>STANDARD OPTIONS:</u> | <u>LIST PRICE</u> | <u>QTY</u> | <u>TOTAL</u> |
|--|-------------------|------------|--------------|
| <u>ENGINE & PUMP OPTIONS:</u> | | | |
| BYPASS / FLOW CONTROL VALVE | \$431.67 | 1 | \$0.00 |
| PULSATION SYSTEM | \$231.46 | 1 | \$0.00 |
| <u>HOSE REEL & HOSE OPTIONS:</u> | | | |
| ADDITIONAL 100' OF 1/2" SEWER HOSE | \$455.98 | 1 | \$0.00 |
| WASHDOWN SYSTEM W/GUN AND 25' OF HOSE | \$936.26 | 1 | \$0.00 |
| UPGRADE TO PARKER SEWER HOSE (1/2" I.D. X 4000 PSI OPERATING PRESSURE) PER FT. | \$0.00 | 1 | \$0.00 |
| <u>LIGHTING OPTIONS:</u> | | | |
| LED FLOOD LIGHT (FACTORY STANDARD) | \$515.00 | 1 | \$0.00 |
| LED STROBE LIGHT (FACTORY STANDARD) | \$599.48 | 1 | \$0.00 |
| LED ARROW STICK (FACTORY STANDARD) | \$1,218.64 | 1 | \$0.00 |
| HAND-HELD WIRELESS 12v/110v RECHARGEABLE LED SPOTLIGHT W/STORAGE BRACKET | \$383.07 | 1 | \$0.00 |

| MANUALS & TRAINING: | | | |
|---|------------|-------|--------|
| ADDITIONAL USB OPERATOR'S MANUAL | \$67.12 | | \$0.00 |
| PAPER OPERATOR'S MANUAL | \$91.43 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - SEWER EQUIPMENT UNIVERSITY (DIXON, IL / 1 DAY) **INCLUDES HOTELS & MEALS** | \$2,750.00 | | \$0.00 |
| NOZZLES & ACCESSORIES: | | | |
| ADDITIONAL 1/2" WARTHOG™ WS NOZZLE W/SERVICE KIT | \$1,501.02 | | \$0.00 |
| ADDITIONAL 1/2" FLUSHING NOZZLE (5R @ 30 DEGREE) | \$129.62 | | \$0.00 |
| ADDITIONAL 1/2" PENETRATOR NOZZLE (1F, 5R @ 15 DEGREE) | \$143.51 | | \$0.00 |
| 1/2" SNUB NOZE NOZZLE (BALL JET 6R @ 15 DEGREE) | \$144.66 | | \$0.00 |
| 1/2" TREMOL NOZZLE (3R @ 15 DEGREE) | \$793.91 | | \$0.00 |
| 1/2" WIESEL PENETRATION NOZZLE (EGG 1F, 6R @ 25 DEGREE) | \$541.62 | | \$0.00 |
| 1/2" TRISTAR CHISEL NOZZLE (ARROW 4F, 6R @ 30 DEGREE) | \$244.19 | | \$0.00 |
| 3/8" WARTHOG™ WT NOZZLE WITH 1/4" ADAPTER & SERVICE KIT | \$1,082.08 | | \$0.00 |
| 1/2" WARTHOG™ WH NOZZLE W/SERVICE KIT | \$1,777.62 | | \$0.00 |
| 1/8" MINI DRAIN KIT (HAND REEL WITH 100' OF HOSE, (2) NOZZLES, & PRESSURE GAUGE) | \$1,174.66 | | \$0.00 |
| 1/4" MINI DRAIN KIT (HAND REEL WITH 100' OF HOSE, (2) NOZZLES, & PRESSURE GAUGE) | \$1,183.92 | | \$0.00 |
| MOUNTING OF MINI DRAIN KIT (PER KIT) | \$431.67 | | \$0.00 |
| HIGH EFFICIENCY DUMP GUN | \$863.35 | | \$0.00 |
| UPSTREAM PULLEY GUIDE | \$372.65 | | \$0.00 |
| | \$0.00 | | |
| VENTURI PUMP | \$1,409.60 | | \$0.00 |
| 3/8" DRAIN CART (200' HOSE ON A CART WITH 2 NOZZLES) | \$2,184.99 | | \$0.00 |
| MOUNTING OF DRAIN CART TO UNIT | \$458.29 | | \$0.00 |
| UPGRADE WARTHOG (WS) NOZZLE TO WARTHOG (WH) NOZZLE | \$428.20 | | \$0.00 |
| SPECIAL ITEMS: | | ##### | |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| ENZ STANDARD CLEANING NOZZLE 30.100 | \$470.00 | | \$0.00 |
| ENZ BULLDOG 400.060BS | \$3,265.00 | | \$0.00 |
| ENZ BULLDOG 404.080HS | \$3,400.00 | | \$0.00 |
| ENZ BULLDOG 400.101AB | \$3,900.00 | | \$0.00 |
| ENZ ROTODRILL 36.075 | \$425.00 | | \$0.00 |
| ENZ ROTODRILL 36.100 | \$615.00 | | \$0.00 |
| ENZ GRENADE 40.100A | \$1,040.00 | | \$0.00 |
| ENZ GRENADE 40.100B | \$1,299.00 | | \$0.00 |
| ENZ BULLDOG ANTI-BLAST 600.080 | \$3,560.00 | | \$0.00 |
| ENZ BULLDOG ANTI-BLAST 600.100AB | \$4,025.00 | | \$0.00 |
| ENZ BULLDOZER 50.075G | \$3,100.00 | | \$0.00 |
| ENZ BULLDOZER 50.100G | \$4,900.00 | | \$0.00 |
| ENZ ROTATING TURBINE CHAIN SCRAPER 6"-12" 10.125TR_6-12_SET | \$3,825.00 | | \$0.00 |
| ENZ RECYCLING ROTATING CHAIN SCRAPER 8"-20" 10.300R | \$8,425.00 | | \$0.00 |
| ENZ ROTOJET-RGS LIFT STATION NOZZLE 01.100A-LS | \$2,530.00 | | \$0.00 |
| ENZ KBR ROTATING NOZZLE 04.060 | \$1,055.00 | | \$0.00 |
| HYDRAFLEX RIPSAW | \$273.00 | | \$0.00 |
| HYDRAFLEX RIPSAW HD | \$316.00 | | \$0.00 |
| HYDRAFLEX SWITCHBLADE DUECE | \$267.00 | | \$0.00 |
| HYDRAFLEX SWITCHBLADE QUAD | \$320.00 | | \$0.00 |
| HYDRAFLEX MACHETTE | \$850.00 | | \$0.00 |
| SIGNATURE | | DATE | |

Please return a signed copy to bigequipment@SewerEquipment.com

| | |
|----------------|--|
| Customer PDI: | |
| Delivery Date: | |



PO Box 13040 Spokane Valley, WA 99213
 p (800) 892-7831 www.swsequipment.com
www.SewerEquipment.com



October 11, 2021

PO #

Product Class:

WO#

Distributor: **SWS Equipment (800) 892-7831**

End User:

Address:

City, State, Zip:

Phone:

Contact:

Email:



GENESIS 13 Yard Truck Mounted Water Recycling Sewer Cleaner

Vacuum System:

- 3000 CFM Blower
- 6" Vacuum Hose system
- 27" Hg vacuum rating
- 7 psi pressure rating
- Single Cyclone Separator
- Dual Element Final Filter
- Remote Vacuum Relief
- Variable Volume Delivery
- Vacuum Display
- Pneumatic Clutch Engagement
- Over Temperature Protection System

Carousel Boom:

- Hydraulic Powered Boom - 6 Way
- 270° Working Radius
- 5' Boom Extension - 22' Overall
- Boom Joystick Control
- 65' Debris Hose - Hydraulic Payout
- Camlock Terminus
- Position "PARK" Sensor

Debris Body:

- 13 Cubic Yard Capacity
- Painted Steel Construction
- Debris Level Indicator
- Hydraulic Dump Actuation
- Single Ported 6" Rear Door w/
Pneumatic Knife Valve Operator
- Pressure Off-Load System w/
Pressure Overload Protection
- Hydraulic Open/Close/Lock Door
- Debris Body Wash-Out System
- Stainless Ball Float Shut-Off System

Water System:

- 1500 Gallon Capacity Water Tank
- 1,370 gal. recycled water capacity
- Uraca plunger style triplex
- 90 gpm @ 2500 psi w/ 30 min run dry
- Stainless Steel 304 Water Tank Construction
w/ 20 Year Warranty
- Cold Weather Recirculation System
- 2.5" Hydrant Fill system
- Pneumatic Clutch Engagement
- Air Purge Valve - Chassis Powered
- Variable Volume Delivery
- Low Water Warning System
- Pressure Display
- Front and Mid Ship Hand Gun Ports
- Tank Flush System - Integral
- Tank Access Ports - 6
- Fill Hose Storage Rack

Electrical:

- NEMA 4/IP 65 Control Panel
- PLC CONTROLLER
- Rear Work Lights - 3
- Rotating Beacons - 3
- Hour Meter (Blower & Water Pump)
- Military Spec. Sealed Switches
- Wireless Controller - "Belly Pack"
- Boom Functions
- Pump Functions
- Debris Box Functions
- Lighting Functions
- Recycling Functions

Truck: (tandem or tandem with pusher axle)

- LED D.O.T. Approved Lighting
- Integral Stainless Steel Toolboxes - 4

Recycling System:

- Passive Filtration Process - 5 Step
- Five (5) Stage Filtration System
- Stage 1 Skimming Wall
- Stage 2 Self-Cleaning Drum
- Stage 3 Cyclone Separation
- Stage 4 Sedimentation Filter System
- Stage 5 Finishing Cyclone Separation

Hose Reel & Hose:

- Rear Mounted Telescoping & Rotating
Payout System
- 800' x1" Capacity
- 10' Leader Hose
- Single Side Controls
- Stainless Steel Construction - 304
- Automatic Level Wind System
- Digital Footage Counter
- Automatic Hose Hold Down System
- Adjustable Reel Speed Control

Accessories:

- (1) 6" x 10' Flat Discharge Hose
- BB Hose Guide
- Tri-Star (chisel point) nozzle
- DD (high flow) nozzle
- Finned Nozzle extension
- Nozzle Rack (Mounted midship toolbox)
- 25' Fill Hose
- Upstream Pulley Guide
- Washdown gun w/ 50' ext. hose
Cleaner, Tip, Torch, Small, W/S
rch, Small, W/Sewer
- (6) Safety Cones w/ holder
- (1) Hydrant Wrench
- (1) Manual

| | | | | |
|---|-------------------------|---------------------------|----------|----------------------|
| BASE UNIT AS OUTLINED ABOVE | | \$715,913.65 | 1 | \$715,913.65 |
| LIST PRICE OF SELECTED OPTIONS: | | | | \$0.00 |
| LESS PERCENTAGE DISCOUNT (enter % →) 5% \$ | | | | (35,795.68) |
| NET PRICE OF UNIT: | | | | \$680,117.97 |
| Select -----> | Select -----> | ESTIMATED FREIGHT: | | |
| ESTIMATED TOTAL: | | | | \$ 680,117.97 |

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

STANDARD OPTIONS:

| <u>HOSE REEL ASSEMBLY:</u> | <u>LIST PRICE</u> | <u>TOTAL</u> |
|---|--------------------------|---------------------|
| SEWER HOSE (1" I.D., 2500 P.S.I. OPERATING PRESSURE) PER FT | \$5.28 | \$0.00 |
| SEWER HOSE (1 1/4" I.D., 2000 P.S.I. OPERATING PRESSURE) PER FT | \$9.03 | \$0.00 |
| 1" x 25' LEADER HOSE (in lieu of standard 10') | \$401.58 | \$0.00 |
| 1 1/4" x 25' LEADER HOSE (in lieu of standard 10') | \$694.38 | \$0.00 |
| <u>WATER PUMPS:</u> | | |
| TRIPLEX PLUNGER STYLE URACA WATER PUMP RATED AT 107 GPM @ 2500 PSI (includes drain valves) | \$8,101.12 | \$0.00 |
| TRIPLEX PLUNGER STYLE URACA WATER PUMP RATED AT 125 GPM @ 2000 PSI (includes drain valves) | \$11,573.03 | \$0.00 |
| CLEAN WATER WASH-DOWN SYSTEM. 150 GAL. WATER TANK. 5GPM@2200PSI WATER PUMP. 25' OF HOSE AND GUN. | \$9,837.08 | \$0.00 |
| <u>ELECTRICAL & LIGHTING:</u> | | |
| ENHANCED VISIBILITY CAMERA SYSTEM (includes front and rear mounted camera heads with split screen monitor in cab) | \$1,740.58 | \$0.00 |
| LED ARROW STICK (factory standard) | \$1,218.64 | \$0.00 |
| LED HANDHELD WIRELESS 12v/110v RECHARGABLE LED SPOTLIGHT W/ STORAGE | \$383.07 | \$0.00 |
| <u>MANUALS & TRAINING:</u> | | |
| ADDITIONAL PAPER OPERATORS MANUAL | \$91.43 | \$0.00 |
| USB OPERATORS MANUAL | \$67.12 | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$1,945.00 | \$0.00 |
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | \$1,945.00 | \$0.00 |
| **INCLUDES HOTEL & MEALS** | \$2,750.00 | \$0.00 |
| <u>SPECIAL ITEMS:</u> | | |
| 52385-00-F NOZZLE HW100 | \$1,689.66 | \$0.00 |
| 52526-00-F NOZZLE ROTOMAX | \$2,855.07 | \$0.00 |
| 52617-00-F NOZZLE-MEGA-6 | \$5,150.00 | \$0.00 |
| 54047-00-F NOZZLE WEISEL | \$624.94 | \$0.00 |
| 54749-00-V 4" X 30" LAY FLAT DISCHARGE HOSE | \$196.74 | \$0.00 |
| 52890-00-V IN LIEU OF STD FLAT DISCHARGE HOSE | \$0.00 | \$0.00 |
| DEMO ADD ONS | \$0.00 | \$0.00 |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | \$0.00 |
| ENZ STANDARD CLEANING NOZZLE 30.100 | \$470.00 | \$0.00 |
| ENZ BULLDOG 400.060BS | \$3,265.00 | \$0.00 |
| ENZ BULLDOG 404.080HS | \$3,400.00 | \$0.00 |
| ENZ BULLDOG 400.101AB | \$3,900.00 | \$0.00 |
| ENZ ROTODRILL 36.075 | \$425.00 | \$0.00 |
| ENZ ROTODRILL 36.100 | \$615.00 | \$0.00 |
| ENZ GRENADE 40.100A | \$1,040.00 | \$0.00 |
| ENZ GRENADE 40.100B | \$1,299.00 | \$0.00 |
| ENZ BULLDOG ANTI-BLAST 600.080 | \$3,560.00 | \$0.00 |
| ENZ BULLDOG ANTI-BLAST 600.100AB | \$4,025.00 | \$0.00 |
| ENZ BULLDOZER 50.075G | \$3,100.00 | \$0.00 |
| ENZ BULLDOZER 50.100G | \$4,900.00 | \$0.00 |
| ENZ ROTATING TURBINE CHAIN SCRAPER 6"-12" 10.125TR_6-12_SET | \$3,825.00 | \$0.00 |
| ENZ RECYCLING ROTATING CHAIN SCRAPER 8"-20" 10.300R | \$8,425.00 | \$0.00 |
| ENZ ROTOJET-RGS LIFT STATION NOZZLE 01.100A-LS | \$2,530.00 | \$0.00 |
| ENZ KBR ROTATING NOZZLE 04.060 | \$1,055.00 | \$0.00 |
| HYDRAFLEX RIPS AW | \$273.00 | \$0.00 |

| | | | |
|-----------------------------|----------|--|--------|
| HYDRAFLEX RIPSAW HD | \$316.00 | | \$0.00 |
| HYDRAFLEX SWITCHBLADE DUECE | \$267.00 | | \$0.00 |
| HYDRAFLEX SWITCHBLADE QUAD | \$320.00 | | \$0.00 |
| HYDRAFLEX MACHETTE | \$850.00 | | \$0.00 |

| | |
|--|------|
| | |
| SIGNATURE | DATE |
| Please return a signed copy to bigequipment@SewerEquipment.com | |



PO Box 13040 Spokane Valley, WA 99213

p (800) 892-7831 www.swsequipment.com

www.SewerEquipment.com



www.SWSEquipment.com

October 11, 2021

Payment Terms:

Distributor: **SWS Equipment (800) 892-7831**

Salesman:

End User:

Address:

City, State, Zip:

Phone:

Contact:

Email:

PO#

Product Class:

REV:

WO#



800-H ECO Truck Mounted High Pressure Sewer Cleaner

Engine & Pump:

Giant 65 GPM @ 2000 PSI
w/30 Min Run Dry Capability
Hydrostatic Drive Via Trans Power PTO
Lighted NEMA 4 Control Panel
Tachometer / Hour Meter
Air Purge Valve
Recirculation System
Painted Steel Shroud Enclosure
w/2 Roll-Up Doors & Rear Canopy
80,000 BTU Compartment Heater

Hose Reel & Hose:

Rear Mounted Fixed Safety Reel
w/700' Capacity of 1" Hose

Tank & Fill:

1500 Gallon Duraprolene™ (Black)
Water Tank w/10 Year Warranty
2.5" Fill System

Truck:

Mounting to Approved Chassis
Mudflaps / Bumper / Hitch Receiver
Steel Skirting & (5) Aluminum Toolboxes
D.O.T. Approved Led Lighting

Accessories:

10' Leader Hose
BB Hose Guide
Tri-Star (Chisel Point) Nozzle
DD (High Flow) Nozzle
Finned Nozzle Extension
Nozzle Rack
25' Fill Hose
Washdown Gun w/25' Ext. Hose
Upstream Pulley Guide
Paper Operator / Owner Manual

BASE UNIT AS OUTLINED ABOVE

\$127,041.82 1 \$127,041.82

| | |
|--|----------------------|
| LIST PRICE OF SELECTED OPTIONS: | \$0.00 |
| LESS PERCENTAGE DISCOUNT (enter % →) 5% | \$ (6,352.09) |
| NET PRICE OF UNIT: | \$120,689.73 |
| FACTORY SUPPLIED CHASSIS: | |
| ESTIMATED FREIGHT: | |
| ESTIMATED TOTAL: | \$120,689.73 |

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

| <u>STANDARD OPTIONS:</u> | <u>LIST PRICE</u> | <u>QTY</u> | <u>TOTAL</u> |
|---|-------------------|--------------|--------------|
| <u>REAR COMPARTMENT OPTIONS:</u> | | <u>#REF!</u> | |
| UPGRADE WATER SYSTEM TO GIANT 80 GPM @ 2000 PSI PLUNGER STYLE TRIPLEX WATER PUMP W/30 MIN RUN DRY CAPABILITY (made from 43596-00-X) | \$11,232.79 | | \$0.00 |
| UPGRADE WATER SYSTEM TO GIANT 80 GPM @ 2500 PSI PLUNGER STYLE TRIPLEX WATER PUMP W/30 MIN RUN DRY CAPABILITY (made from 43596-00-X) | \$12,554.43 | | \$0.00 |
| UPGRADE WATER SYSTEM TO GIANT 55 GPM @ 3000 PSI PLUNGER STYLE TRIPLEX WATER PUMP W/30 MIN RUN DRY CAPABILITY | \$10,216.67 | | \$0.00 |
| UPGRADED TO SINGLE PISTON 65 GPM @ 2500 PSI WATER PUMP | \$25,640.06 | | \$0.00 |
| UPGRADED TO SINGLE PISTON 80 GPM @ 2500 PSI WATER PUMP | \$35,415.80 | | \$0.00 |
| ACCUMULATOR FOR SINGLE PISTON PUMP | \$3,762.39 | | \$0.00 |
| GIANT PUMP PULSATION SYSTEM | \$295.11 | | \$0.00 |
| DIGITAL 'SMART COUNTER' FOOTAGE METER (made from 63289-00-X) | \$3,589.96 | | \$0.00 |
| FOOTAGE METER (MOUNTED ON JET HOSE REEL) | \$910.80 | | \$0.00 |
| FOOTAGE METER (MOUNTED ON MANUAL LEVELWIND - NOT AVAILABLE W/ALW) | \$964.03 | | \$0.00 |
| AUTOMATIC LEVELWIND WITH HYDRAULIC UP/DOWN ACTION | \$8,126.58 | | \$0.00 |
| DRAIN VALVES FOR WATER PUMP *RECOMMENDED FOR COLD CLIMATES* | \$196.74 | | \$0.00 |
| HYDRAULIC PRESSURE GAUGE | \$380.75 | | \$0.00 |
| HYDRAULIC MANIFOLD REEL CONTROL (STANDARD W/ MASTER AND WIRELESS PENDANT) | \$1,257.99 | | \$0.00 |
| HYDRAULIC TOOL CIRCUIT (RATED @ 9.5 GPM, SYSTEM ENGAGED VIA MANUAL DIVERTER VALVE AND SUPPLIED W/ PARKER 60 SERIES CONNECTORS) | \$2,492.83 | | \$0.00 |
| UPGRADE TO 1000' CAPACITY HOSE REEL IN LIEU OF STANDARD CAPACITY | \$3,182.58 | | \$0.00 |
| TESTING FEE (FOR UNITS ORDERD W/OUT SEWER HOSE) | \$549.72 | | \$0.00 |
| SEWER HOSE (1" I.D. X 2500 PSI OPERATING PRESSURE) PER FT. | \$5.44 | | \$0.00 |

| | | | |
|--|------------------------|--|--------|
| SEWER HOSE (1" I.D. X 3000 PSI OPERATING PRESSURE) PER FT. | \$6.52 | | \$0.00 |
| SEWER HOSE (3/4" I.D. X 2500 PSI OPERATING PRESSURE) PER FT. | \$4.93 | | \$0.00 |
| SEWER HOSE (3/4" I.D. X 3000 PSI OPERATING PRESSURE) PER FT. | \$5.34 | | \$0.00 |
| 25' X 1" LEADER HOSE (IN LIEU OF STANDARD 10') | \$425.89 | | \$0.00 |
| 25' X 3/4" LEADER HOSE (IN LIEU OF STANDARD 10') | \$262.71 | | \$0.00 |
| LATERAL LINE CLEANING KIT (150' X 1/2" HOSE WITH NOZZLE MOUNTED ON A ROLLING CART; INCLUDES ADDITION OF AUXILIARY CLEANING CIRCUIT ON JET UNIT) Note: Underbody Storage Capacity will be reduced with this option. | \$4,922.01 | | \$0.00 |
| MINI MISSILE NOZZLE | \$536.99 | | \$0.00 |
| PATRIOT II ROOT CUTTER KIT (RING & ADJ. ROLLER SKIDS, 4" TO 15" SAWS) | \$3,227.72 | | \$0.00 |
| WASHDOWN SYSTEM W/50' RETRACTABLE HOSE REEL | \$1,609.81 | | \$0.00 |
| DEDUCT TO REMOVE COMPARTMENT HEATER | (\$1,314.70) | | \$0.00 |
| UPGRADE TO ALUMINUM SHROUD | \$14,068.18 | | \$0.00 |
| POLAR PACK INSULATION SYSTEM -SEALED UNDERBELLY -RIGID BOARD INSULATION (1") SHROUD -SEALED SHROUD-UNDERBELLY / WATER TANK INTERFACE | \$7,390.54 | | \$0.00 |
| VAPOROOTER SYSTEM: INCLUDES PATENTED ROOT FOAMING SYSTEM W/TOUCH SCREEN CONTROLLER AND AUTOMATIC MIXING SYSTEM FOR AIR, WATER, & FOAMING AGENT | \$49,496.71 | | \$0.00 |
| VAPOROOTER INSTALLATION | \$5,210.18 | | \$0.00 |
| TANK & FILL OPTIONS: | | | |
| DECREASE TO 1000 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY | (\$1,627.17) | | \$0.00 |
| UPGRADE TO 2000 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY | \$7,191.48 | | \$0.00 |
| UPGRADE TO 2500 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY, INCLUDES INSULATION OF EXTERIOR TANK CROSS-OVER PLUMBING | \$23,006.03 | | \$0.00 |
| UPGRADE TO 3000 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY, INCLUDES INSULATION OF EXTERIOR TANK CROSS-OVER PLUMBING | \$26,599.46 | | \$0.00 |
| UPGRADE TO LOW PROFILE 1500 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY (REDUCES HEIGHT BY 8" FOR A TOTAL TRUCK HEIGHT OF 10'-9" ASSUMING 42" FRAME RAIL HEIGHT) | \$23,031.49 | | \$0.00 |
| FILL HOSE STORAGE RACK | \$255.76 | | \$0.00 |
| TANK ACCESS LADDER | \$1,047.36 | | \$0.00 |
| ELECTRICAL & LIGHTING: | | | |
| ENGINE/WATER PUMP COMPARTMENT LIGHT | \$256.92 | | \$0.00 |
| LED FLOOD LIGHT (FACTORY STANDARD) | \$546.25 | | \$0.00 |
| LED STROBE LIGHT (FACTORY STANDARD) | \$636.52 | | \$0.00 |
| LED ARROW STICK (FACTORY STANDARD) | \$1,293.87 | | \$0.00 |
| LED ARROW BOARD (FACTORY STANDARD) | \$1,536.90 | | \$0.00 |
| HAND-HELD WIRELESS 12v/110v RECHARGEABLE LED SPOTLIGHT W/STORAGE BRACKET | \$406.21 | | \$0.00 |
| (8) LED FLUSH MOUNTED STROBE PACKAGE – (2) GRILL MOUNTED, (2) DRIVERS SIDE SHROUD, (2) PASSANGER SIDE SHROUD, (2) REAR OF SHROUD. | \$3,337.66 | | \$0.00 |
| WIRELESS REMOTE PENDANT CONTROL (WITH HOSE REEL PAYOUT/RETREIVE, THROTTLE UP/DOWN, WATER ON/OFF, WATER PRESSURE UP/DOWN, HOSE REEL SPEED UP/DOWN, WATER PRESSURE DISPLAY, AND KILL SWITCH) | \$8,758.47 | | \$0.00 |
| PAINT: | | | |
| SHROUD: STANDARD WHITE PAINT | INCLUDED | | |
| HOSE REEL - UPRIGHT: SEWER BLUE | INCLUDED | | |
| SPECIAL PAINT: SOLID COLORS | \$830.94 | | \$0.00 |
| SPECIAL PAINT: METALLIC, BASE COAT / CLEAR COAT | CONTACT FACTORY | | |
| TRUCK OPTIONS: | | | |
| NON-STOCK CHASSIS MOUNTING ALTERATIONS | \$4,297.07 | | \$0.00 |
| AIR PURGE SYSTEM (POWERED VIA CHASSIS) | \$1,654.94 | | \$0.00 |
| ADDER FOR HYDROSTATIC FRONT CRANKSHAFT DIRECT DRIVE | \$3,010.15 | | \$0.00 |
| REAR GAUGE CLUSTER (VOLTS, WATER TEMP, OIL PRESSURE): OPTION REQUIRES CHASSIS TO BE PROVIDED WITH EITHER A SAE J1939 INTERFACE (MULTIPLEX SYSTEMS) OR ENGINE ACCESS FOR ANALOG GAUGE SENDERS | \$1,283.45 | | \$0.00 |
| SPRAY BAR (FRONT FRAME MOUNTED) | \$1,553.10 | | \$0.00 |
| LONG HANDLED TOOL STORAGE (2) 4" TUBES | \$371.49 | | \$0.00 |
| ROLL-OUT ROOT CUTTER MAINTENANCE BOX | \$2,927.98 | | \$0.00 |
| LONG HANDLED STEEL TOOL TRAY | \$804.33 | | \$0.00 |
| REAR BACK UP CAMERA W/7 INCH COLOR MONITOR MOUNTED IN CAB | \$1,345.94 | | \$0.00 |

| | | | |
|---|--------------|---------------|-------------|
| HITCH - REESE STYLE (10,000 LBS MAXIMUM) W/CAB MOUNTED BRAKE CONTROLLER AND 7-PIN RV TYPE RECEPTACLE | \$889.97 | | \$0.00 |
| COMBINATION HEAVY DUTY BALL HITCH (20,000 LBS MAXIMUM LOAD) W/CAB MOUNTED BRAKE CONTROLLER AND 7-PIN RV TYPE RECEPTACLE | \$1,308.91 | | \$0.00 |
| (6) D.O.T. SAFETY CONES AND HOLDER | \$491.85 | | \$0.00 |
| GREASE GUN KIT: (INCLUDES GUN & (2) GREASE TUBES, MOUNTED ON HOSE REEL) | \$179.38 | | \$0.00 |
| MANUALS & TRAINING: | | | |
| ADDITIONAL PAPER OPERATOR'S MANUAL | \$96.06 | | \$0.00 |
| ADDITIONAL USB OPERATOR'S MANUAL | \$71.75 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - SEWER EQUIPMENT UNIVERSITY (DIXON, IL / 2 DAY) **INCLUDES HOTELS & MEALS** | \$2,750.00 | | \$0.00 |
| SPECIAL ITEMS: ##### | | | |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| Non-Stock Chassis | | | |
| Make: | Year: | Model: | VIN: |
| | | | |
| SIGNATURE | | | DATE |

Please return a signed copy to bigequipment@SewerEquipment.com



PO Box 13040 Spokane Valley, WA 99213

p (800) 892-7831 www.swsequipment.com

www.SewerEquipment.com



www.SWSEquipment.com

October 11, 2021

Payment Terms:

Distributor: **SWS Equipment (800) 892-7831**

Salesman:

End User:

Address:

City, State, Zip:

Phone:

Contact:

Email:

PO#

Product Class:

REV:

WO#



800-HF ECO Truck Mounted High Pressure Sewer Cleaner

Engine & Pump:

Giant 65 GPM @ 2000 PSI
w/30 Min Run Dry Capability
Hydrostatic Drive Via Trans Power PTO
Lighted NEMA 4 Control Panel
Tachometer / Hour Meter
Air Purge Valve
Recirculation System
Painted Steel Shroud Enclosure
w/2 Roll-Up Doors
80,000 BTU Compartment Heater

Hose Reel & Hose:

Front Mounted Rotating Safety Reel
w/700' Capacity of 1" Hose

Tank & Fill:

1500 Gallon Duraprolene™ (Black)
Water Tank w/10 Year Warranty
2.5" Fill System

Truck:

Mounting to Approved Chassis
Mudflaps
Bumper / Hitch Receiver
Steel Skirting & (5) Aluminum Toolboxes
D.O.T. Approved LED Lighting

Accessories:

10' Leader Hose
BB Hose Guide
Tri-Star (Chisel Point) Nozzle
DD (High Flow) Nozzle
Finned Nozzle Extension
Nozzle Rack
25' Fill Hose
Washdown Gun w/25' Ext. Hose
Upstream Pulley Guide
Paper Operator / Owner Manual

BASE UNIT AS OUTLINED ABOVE

\$143,911.83 1 \$143,911.83

-----Specify Chassis Details-----



LIST PRICE OF SELECTED OPTIONS: \$0.00

LESS PERCENTAGE DISCOUNT (enter % →) **5% \$ (7,195.59)**

NET PRICE OF UNIT: \$136,716.24

FACTORY SUPPLIED CHASSIS:

ESTIMATED FREIGHT:

ESTIMATED TOTAL: \$136,716.24

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

STANDARD OPTIONS:

REAR COMPARTMENT OPTIONS:

| | LIST PRICE | QTY | TOTAL |
|--|-------------|-----|--------|
| UPGRADE WATER SYSTEM TO GIANT 80 GPM @ 2000 PSI PLUNGER STYLE TRIPLEX WATER PUMP W/30 MIN RUN DRY CAPABILITY (made from 43596-00-X) | \$11,232.79 | | \$0.00 |
| UPGRADE WATER SYSTEM TO GIANT 80 GPM @ 2500 PSI PLUNGER STYLE TRIPLEX WATER PUMP W/30 MIN RUN DRY CAPABILITY (made from 43596-00-X) | \$12,554.43 | | \$0.00 |
| UPGRADE WATER SYSTEM TO GIANT 55 GPM @ 3000 PSI PLUNGER STYLE TRIPLEX WATER PUMP W/30 MIN RUN DRY CAPABILITY | \$10,216.67 | | \$0.00 |
| UPGRADED TO SINGLE PISTON 65 GPM @ 2500 PSI WATER PUMP | \$25,640.06 | | \$0.00 |
| UPGRADED TO SINGLE PISTON 80 GPM @ 2500 PSI WATER PUMP | \$35,415.80 | | \$0.00 |
| ACCUMULATOR FOR SINGLE PISTON PUMP | \$3,762.39 | | \$0.00 |
| GIANT PUMP PULSATION SYSTEM | \$295.11 | | \$0.00 |
| AUTOMATIC LEVELWIND WITH HYDRAULIC UP/DOWN ACTION | \$8,126.58 | | \$0.00 |
| ADDITIONAL CONTROL PANEL LOCATED ON STREET SIDE (INCLUDES PUMP CONTROLS, HOSE REEL F-N-R CONTROL, CHASSIS THROTTLE, WATER ON/OFF, AND KILL SWITCH) | \$2,666.43 | | \$0.00 |
| DIGITAL 'SMART COUNTER' FOOTAGE METER (made from 63289-00-X) | \$3,589.96 | | \$0.00 |
| FOOTAGE METER (MOUNTED ON JET HOSE REEL) | \$910.80 | | \$0.00 |
| FOOTAGE METER (MOUNTED ON MANUAL LEVELWIND - NOT AVAILABLE W/ALW) | \$964.03 | | \$0.00 |
| DRAIN VALVES FOR WATER PUMP *RECOMMENDED FOR COLD CLIMATES* | \$196.74 | | \$0.00 |
| HYDRAULIC PRESSURE GAUGE | \$380.75 | | \$0.00 |

| | | | |
|--|------------------------|--|--------|
| HYDRAULIC TOOL CIRCUIT (RATED @ 9.5 GPM, SYSTEM ENGAGED VIA MANUAL DIVERTER VALVE AND SUPPLIED W/ PARKER 60 SERIES CONNECTORS) | \$2,492.83 | | \$0.00 |
| TESTING FEE (FOR UNITS ORDERED W/OUT SEWER HOSE) | \$549.72 | | \$0.00 |
| SEWER HOSE (1" I.D. X 2500 PSI OPERATING PRESSURE) PER FT. | \$5.44 | | \$0.00 |
| SEWER HOSE (1" I.D. X 3000 PSI OPERATING PRESSURE) PER FT. | \$6.52 | | \$0.00 |
| SEWER HOSE (3/4" I.D. X 2500 PSI OPERATING PRESSURE) PER FT. | \$4.93 | | \$0.00 |
| SEWER HOSE (3/4" I.D. X 3000 PSI OPERATING PRESSURE) PER FT. | \$5.34 | | \$0.00 |
| SEWER HOSE (5/8" I.D. X 4000 PSI OPERATING PRESSURE) PER FT. | \$5.07 | | \$0.00 |
| SEWER HOSE (1/2" I.D. X 4000 PSI OPERATING PRESSURE) PER FT. | \$4.84 | | \$0.00 |
| 25' X 1" LEADER HOSE (IN LIEU OF STANDARD 10') | \$425.89 | | \$0.00 |
| 25' X 3/4" LEADER HOSE (IN LIEU OF STANDARD 10') | \$262.71 | | \$0.00 |
| LATERAL LINE CLEANING KIT (150' X 1/2" HOSE WITH NOZZLE MOUNTED ON A ROLLING CART; INCLUDES ADDITION OF AUXILIARY CLEANING CIRCUIT ON JET UNIT) Note: Underbody Storage Capacity will be reduced with this option. | \$4,922.01 | | \$0.00 |
| MINI MISSILE NOZZLE | \$536.99 | | \$0.00 |
| PATRIOT II ROOT CUTTER KIT (RING & ADJ. ROLLER SKIDS, 4" TO 15" SAWS) | \$3,227.72 | | \$0.00 |
| WASHDOWN SYSTEM W/50' RETRACTABLE HOSE REEL | \$1,609.81 | | \$0.00 |
| UPGRADE TO ALUMINUM SHROUD | \$14,068.18 | | \$0.00 |
| DEDUCT TO REMOVE COMPARTMENT HEATER | (\$1,314.70) | | \$0.00 |
| POLAR PACK INSULATION SYSTEM -SEALED UNDERBELLY -RIGID BOARD INSULATION (1") SHROUD -SEALED SHROUD-UNDERBELLY / WATER TANK INTERFACE | \$7,390.54 | | \$0.00 |
| VAPOROOTER SYSTEM: INCLUDES PATENTED ROOT FOAMING SYSTEM W/TOUCH SCREEN CONTROLLER AND AUTOMATIC MIXING SYSTEM FOR AIR, WATER, & FOAMING AGENT | \$49,496.71 | | \$0.00 |
| VAPOROOTER INSTALLATION | \$5,210.18 | | \$0.00 |
| TANK & FILL OPTIONS: | | | |
| DECREASE TO 1000 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY | (\$1,627.17) | | \$0.00 |
| UPGRADE TO 2000 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY | \$7,191.48 | | \$0.00 |
| UPGRADE TO 2500 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY, INCLUDES INSULATION OF EXTERIOR TANK CROSS-OVER PLUMBING | \$23,006.03 | | \$0.00 |
| UPGRADE TO 3000 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY, INCLUDES INSULATION OF EXTERIOR TANK CROSS-OVER PLUMBING | \$26,599.46 | | \$0.00 |
| UPGRADE TO LOW PROFILE 1500 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY (REDUCES HEIGHT BY 8" FOR A TOTAL TRUCK HEIGHT OF 10'-9" ASSUMING 42" FRAME RAIL HEIGHT) | \$23,031.49 | | \$0.00 |
| FILL HOSE STORAGE RACK | \$255.76 | | \$0.00 |
| TANK ACCESS LADDER | \$1,047.36 | | \$0.00 |
| ELECTRICAL & LIGHTING: | | | |
| ENGINE/WATER PUMP COMPARTMENT LIGHT | \$256.92 | | \$0.00 |
| LED FLOOD LIGHT (FACTORY STANDARD) | \$546.25 | | \$0.00 |
| LED STROBE LIGHT (FACTORY STANDARD) | \$636.52 | | \$0.00 |
| LED ARROW STICK (FACTORY STANDARD) | \$1,293.87 | | \$0.00 |
| LED ARROW BOARD (FACTORY STANDARD) | \$1,536.90 | | \$0.00 |
| HAND-HELD WIRELESS 12v/110v RECHARGEABLE LED SPOTLIGHT W/STORAGE BRACKET | \$406.21 | | \$0.00 |
| (8) LED FLUSH MOUNTED STROBE PACKAGE – (2) GRILL MOUNTED, (2) DRIVERS SIDE SHROUD, (2) PASSANGER SIDE SHROUD, (2) REAR OF SHROUD. | \$3,337.66 | | \$0.00 |
| WIRELESS REMOTE PENDANT CONTROL (WITH HOSE REEL PAYOUT/RETREIVE, THROTTLE UP/DOWN, WATER ON/OFF, WATER PRESSURE UP/DOWN, HOSE REEL SPEED UP/DOWN, WATER PRESSURE DISPLAY, AND KILL SWITCH) | \$8,758.47 | | \$0.00 |
| PAINT: | | | |
| SHROUD: STANDARD WHITE PAINT | INCLUDED | | |
| HOSE REEL - UPRIGHT: SEWER BLUE | INCLUDED | | |
| SPECIAL PAINT: SOLID COLORS | \$830.94 | | \$0.00 |
| SPECIAL PAINT: METALLIC, BASE COAT / CLEAR COAT | CONTACT FACTORY | | |
| TRUCK MOUNTING AND TOOL STORAGE OPTIONS: | | | |
| NON-STOCK CHASSIS MOUNTING ALTERATIONS | \$4,297.07 | | \$0.00 |
| AIR PURGE SYSTEM (POWERED VIA CHASSIS) | \$1,654.94 | | \$0.00 |
| REAR GAUGE CLUSTER (VOLTS, WATER TEMP, OIL PRESSURE): OPTION REQUIRES CHASSIS TO BE PROVIDED WITH EITHER A SAE J1939 INTERFACE (MULTIPLEX SYSTEMS) OR ENGINE ACCESS FOR ANALOG GAUGE SENDERS | \$1,283.45 | | \$0.00 |

| | | | |
|---|--------------|---------------|-------------|
| PASSENGER SIDE ROLL UP DOOR | \$1,766.04 | | \$0.00 |
| REAR CANOPY DOOR | \$1,396.87 | | \$0.00 |
| LONG HANDLED TOOL STORAGE (2) 4" TUBES | \$371.49 | | \$0.00 |
| ROLL-OUT ROOT CUTTER MAINTENANCE BOX | \$2,927.98 | | \$0.00 |
| REAR BACK UP CAMERA W/7 INCH COLOR MONITOR MOUNTED IN CAB | \$1,345.94 | | \$0.00 |
| REAR BACK UP CAMERA SYSTEM WITH BLIND SPOT CAMERAS (includes color monitor in cab) | \$2,980.06 | | \$0.00 |
| HITCH - REESE STYLE (10,000 LBS MAXIMUM) W/CAB MOUNTED BRAKE CONTROLLER AND 7-PIN RV TYPE RECEPTACLE | \$889.97 | | \$0.00 |
| COMBINATION HEAVY DUTY BALL HITCH (20,000 LBS MAXIMUM LOAD) W/CAB MOUNTED BRAKE CONTROLLER AND 7-PIN RV TYPE RECEPTACLE | \$1,308.91 | | \$0.00 |
| SIX (6) 28" D.O.T. SAFETY CONES AND HOLDER | \$491.85 | | \$0.00 |
| GREASE GUN KIT: (INCLUDES GUN & (2) GREASE TUBES, MOUNTED ON HOSE REEL) | \$179.38 | | \$0.00 |
| MANUALS & TRAINING: | | | |
| ADDITIONAL PAPER OPERATOR'S MANUAL | \$96.06 | | \$0.00 |
| ADDITIONAL USB OPERATOR'S MANUAL | \$71.75 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - SEWER EQUIPMENT UNIVERSITY (DIXON, IL / 2 DAY) **INCLUDES HOTELS & MEALS** | \$2,750.00 | | \$0.00 |
| SPECIAL ITEMS: | | | |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | ##### | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| | | | \$0.00 |
| Non-Stock Chassis | | | |
| Make: | Year: | Model: | VIN: |
| | | | |
| SIGNATURE | | | DATE |
| Please return a signed copy to bigequipment@SewerEquipment.com | | | |



PO Box 13040 Spokane Valley, WA 99213

p (800) 892-7831 www.swsequipment.com

www.SewerEquipment.com



www.SWSEquipment.com

October 11, 2021

PO#

Product Class:

REV:

WO#

Payment Terms:

Distributor: **SWS Equipment (800) 892-7831**

Salesman:

End User:

Address:

City, State, Zip:

Phone:

Contact:

Email:



800-HPR-ECO SERIES IV Truck Mounted High Pressure Sewer Cleaner

Rear Compartment Options:

- Giant 65 GPM @ 2000 PSI w/30 Min Run Dry Capability
- Hydrostatic Drive Via Trans Power PTO
- Lighted NEMA 4 Control Panel
- Tachometer / Hour Meter
- Air Purge Valve
- Recirculation System at Highway Speed
- Painted Steel Shroud Enclosure w/3 Roll-Up Doors
- 80,000 BTU Compartment Heater
- Midship Water Manifold System
- Consolidated Water Drain System

Hose Reel & Hose Option:

- Telescoping & Rotating Safety Reel w/700' Capacity of 1" Hose

Tank & Fill:

- 1500 Gallon Duraprolene™ (Black) Water Tank w/10 Year Warranty
- 2.5" Fill System

Truck:

- Mounting to Approved Chassis
- Mudflaps & Aluminum Side Skirting
- Bumper / Hitch Receiver
- Aluminum Underbody Toolboxes (2) Per Side, (1) Rear
- D.O.T. Approved LED Lighting

Nozzles & Accessories:

- 10' Leader Hose
- BB Hose Guide
- Tri-Star (Chisel Point) Nozzle
- DD (High Flow) Nozzle
- Finned Nozzle Extension
- Nozzle Rack
- 25' Fill Hose
- Washdown Gun w/25' Ext. Hose
- Upstream Pulley Guide
- Paper Operator / Owner Manual

BASE UNIT AS OUTLINED ABOVE **\$147,683.48** 1 **\$147,683.48**

-----Specify Chassis Details-----

| | | |
|---|----|---------------------|
| LIST PRICE OF SELECTED OPTIONS: | | \$0.00 |
| LESS PERCENTAGE DISCOUNT (enter % →) 5% | \$ | (7,384.17) |
| NET PRICE OF UNIT: | | \$140,299.31 |
| FACTORY SUPPLIED CHASSIS: | | |
| ESTIMATED FREIGHT: | | |
| ESTIMATED TOTAL: | | \$140,299.31 |

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

| <u>STANDARD OPTIONS:</u> | <u>LIST PRICE</u> | <u>QTY</u> | <u>TOTAL</u> |
|---|-------------------|------------|--------------|
| <u>REAR COMPARTMENT OPTIONS:</u> | | | |
| UPGRADE WATER SYSTEM TO GIANT 80 GPM @ 2000 PSI PLUNGER STYLE TRIPLEX WATER PUMP W/30 MIN RUN DRY CAPABILITY (made from 43596-00-X) | \$11,232.79 | 1 | \$0.00 |
| UPGRADE WATER SYSTEM TO GIANT 80 GPM @ 2500 PSI PLUNGER STYLE TRIPLEX WATER PUMP W/30 MIN RUN DRY CAPABILITY (made from 43596-00-X) | \$12,554.43 | 1 | \$0.00 |
| UPGRADE WATER SYSTEM TO GIANT 55 GPM @ 3000 PSI PLUNGER STYLE TRIPLEX WATER PUMP W/30 MIN RUN DRY CAPABILITY | \$10,216.67 | 1 | \$0.00 |
| GIANT PUMP PULSATION SYSTEM | \$295.11 | 1 | \$0.00 |
| UPGRADE TO ENVIRONMENTAL FRIENDLY HYDRAULIC FLUID (ECOTERRA) | \$668.92 | 1 | \$0.00 |
| HYDRAULIC PRESSURE GAUGE | \$380.75 | 1 | \$0.00 |
| HYDRAULIC TOOL CIRCUIT (RATED @ 9.5 GPM, SYSTEM ENGAGED VIA MANUAL DIVERTER VALVE AND SUPPLIED W/ PARKER 60 SERIES CONNECTORS) | \$2,458.11 | 1 | \$0.00 |
| LATERAL LINE CLEANING KIT (300' X 1/2" HOSE W/NOZZLE MOUNTED ON A STATIONARY REEL W/ ELECTRIC REWIND, INCLUDES ADDITION OF AUXILIARY CLEANING CIRCUIT ON JET UNIT RATED AT SYSTEM PRESSURE) - NOT AVAILABLE W/VAPOROOTER SYSTEM | \$4,922.01 | 1 | \$0.00 |
| LATERAL LINE CLEANING KIT (300' X 1/2" HOSE W/NOZZLE MOUNTED ON A STATIONARY REEL W/ ELECTRONIC VARIABLE REWIND SPEED, INCLUDES ADDITION OF AUXILIARY CLEANING CIRCUIT ON JET UNIT RATED AT SYSTEM PRESSURE) - NOT AVAILABLE W/ VAPOROOTER SYSTEM | \$7,722.69 | 1 | \$0.00 |

| | | | |
|--|--------------|--|--------|
| WASHDOWN SYSTEM W/50' RETRACTABLE HOSE REEL (ACCESS THROUGH REAR DOOR) | \$1,609.81 | | \$0.00 |
| 400,000 BTU BOILER RATED @ 12 GPM AND SYSTEM PRESSURE - 45°F HEAT RISE - NOT AVAILABLE WITH ANTIFREEZE | \$10,810.37 | | \$0.00 |
| 800,000 BTU BOILER RATED @ 20 GPM AND SYSTEM PRESSURE - 60°F HEAT RISE - NOT AVAILABLE WITH ANTIFREEZE | \$16,574.90 | | \$0.00 |
| VANGUARD SANITIZING SYSTEM - (Includes sewer hose clamp on sanitizer nozzle and separate washdown system with 50ft of hose and spray nozzle mounted on a retractable reel) | \$13,827.46 | | \$0.00 |
| ANTIFREEZE SYSTEM (68 GALLON TANK) WITH RECLAMATION CIRCUIT - NOT AVAILABLE WITH BOILER | \$1,772.99 | | \$0.00 |
| VAPOROOTER SYSTEM: INCLUDES PATENTED ROOT FOAMING SYSTEM W/TOUCH SCREEN CONTROLLER AND AUTOMATIC MIXING SYSTEM FOR AIR, WATER, & FOAMING AGENT - NOT AVAILABLE W/ LATERAL LINE CLEANING KIT | \$49,496.71 | | \$0.00 |
| VAPOROOTER INSTALLATION - NOT AVAILABLE WITH LATERAL LINE CLEANING KIT | \$5,210.18 | | \$0.00 |
| UPGRADE TO ALUMINUM SHROUD | \$7,032.93 | | \$0.00 |
| ALUMINUM FIXED OVERHEAD CANOPY - 2' EXTENSION | \$820.53 | | |
| ELECTRIC OVERHEAD CANOPY - 8' EXTENSION | \$7,366.24 | | |
| DEDUCT TO REMOVE COMPARTMENT HEATER | (\$1,314.70) | | \$0.00 |
| POLAR PACK INSULATION SYSTEM -SEALED UNDERBELLY -RIGID BOARD INSULATION (1") SHROUD -SEALED SHROUD-UNDERBELLY / WATER TANK INTERFACE | \$7,390.54 | | \$0.00 |
| HOSE REEL AND HOSE OPTIONS: | | | |
| UPGRADE TO 1000' CAPACITY HOSE REEL IN LIEU OF STANDARD CAPACITY | \$3,182.58 | | \$0.00 |
| TESTING FEE (FOR UNITS ORDERD W/OUT SEWER HOSE) | \$549.72 | | \$0.00 |
| SEWER HOSE (1" I.D. X 2500 PSI OPERATING PRESSURE) PER FT. | \$5.44 | | \$0.00 |
| SEWER HOSE (1" I.D. X 3000 PSI OPERATING PRESSURE) PER FT. | \$6.52 | | \$0.00 |
| AUTOMATIC LEVELWIND WITH HYDRAULIC UP/DOWN ACTION | \$8,126.58 | | \$0.00 |
| DIGITAL 'SMART COUNTER' FOOTAGE METER (made from 63289-00-X) ±3% ACCURACY | \$3,589.96 | | \$0.00 |
| REFERENCE DISTANCE METER | \$1,740.58 | | \$0.00 |
| FOOTAGE METER (MOUNTED ON MANUAL LEVELWIND - NOT AVAILABLE W/ALW) | \$964.03 | | \$0.00 |
| UPGRADE TO COBRA SEWER HOSE | \$596.01 | | \$0.00 |
| DUAL REEL OPTIONS: | | | |
| DUAL HOSE REEL (MAIN REEL CAPACITY 600' X 1" ID OR 900' X 3/4" ID, AUX REEL CAPACITY 600' X 3/4" ID, 1000' X 5/8" ID, OR 1300' X 1/2" ID) - INCLUDES (2) ADDITIONAL NOZLES, NOZZLE RACK, FINNED NOZZLE EXTENSION, 10' LEADER HOSE, & BB HOSE GUIDE WHERE APPLICABLE | \$10,610.16 | | \$0.00 |
| HIGH CAPACITY DUAL HOSE REEL (MAIN REEL CAPACITY 1000' X 1" ID OR 1500' X 3/4" ID, AUX REEL CAPACITY 1000' X 3/4" ID, 1500' X 5/8" ID, OR 1500' X 1/2" ID) - INCLUDES (2) ADDITIONAL NOZLES, NOZZLE RACK, FINNED NOZZLE EXTENSION, 10' LEADER HOSE, & BB HOSE GUIDE WHERE APPLICABLE | \$14,179.28 | | \$0.00 |
| DUAL HOSE REEL W/ PLATFORM (MAIN REEL CAPACITY 1000' X 1" ID, SUPPORTED PLATFORM AREA 25' WIDE) | \$5,698.56 | | \$0.00 |
| AUTOMATIC LEVELWIND W/HYDRAULIC UP/DOWN ACTION ON AUX REEL | \$5,942.75 | | \$0.00 |
| SEWER HOSE (3/4" I.D. X 2500 PSI OPERATING PRESSURE) PER FT. | \$4.93 | | \$0.00 |
| SEWER HOSE (3/4" I.D. X 3000 PSI OPERATING PRESSURE) PER FT. | \$5.34 | | \$0.00 |
| SEWER HOSE (5/8" I.D. X 4000 PSI OPERATING PRESSURE) PER FT. | \$5.07 | | \$0.00 |
| SEWER HOSE (1/2" I.D. X 4000 PSI OPERATING PRESSURE) PER FT. | \$4.84 | | \$0.00 |
| DIGITAL 'SMART COUNTER' FOR DUAL REEL UNITS (made from 63289-00-X) | \$5,123.38 | | \$0.00 |
| REFERENCE DISTANCE METER FOR DUAL REEL UNITS | \$2,181.52 | | \$0.00 |
| TANK & FILL OPTIONS: | | | |
| DECREASE TO 1000 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY | (\$1,627.17) | | \$0.00 |
| UPGRADE TO 2000 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY | \$7,191.48 | | \$0.00 |
| UPGRADE TO 2500 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY, INCLUDES INSULATION OF EXTERIOR TANK CROSS-OVER PLUMBING | \$23,006.03 | | \$0.00 |
| UPGRADE TO 3000 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY, INCLUDES INSULATION OF EXTERIOR TANK CROSS-OVER PLUMBING | \$26,599.46 | | \$0.00 |
| UPGRADE TO LOW PROFILE 1500 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY (REDUCES HEIGHT BY 8" FOR A TOTAL TRUCK HEIGHT OF 10'-9" ASSUMING 42" FRAME RAIL HEIGHT) | \$23,031.49 | | \$0.00 |
| FILL HOSE STORAGE RACK | \$255.76 | | \$0.00 |
| TANK ACCESS LADDER | \$1,047.36 | | \$0.00 |
| ELECTRICAL & LIGHTING: | | | |
| ENGINE/WATER PUMP COMPARTMENT LIGHT | \$249.98 | | \$0.00 |
| LED FLOOD LIGHT (FACTORY STANDARD) | \$530.04 | | \$0.00 |

| | | | |
|--|--------------|---------------|-------------|
| LED STROBE LIGHT (FACTORY STANDARD) - CLASS 1 RATING | \$618.00 | | \$0.00 |
| LED ARROW STICK (FACTORY STANDARD) | \$1,255.67 | | \$0.00 |
| LED ARROW BOARD (FACTORY STANDARD) | \$1,491.76 | | \$0.00 |
| HAND-HELD WIRELESS 12v/110v RECHARGEABLE LED SPOTLIGHT W/STORAGE BRACKET | \$394.64 | | \$0.00 |
| 12VDC POWER OUTLET | \$94.90 | | \$0.00 |
| (8) 4" X 1" LED CLASS 1 SURFACE MOUNTED STROBE PACKAGE - (2) GRILL MOUNTED, (2) DRIVERS SIDE SHROUD, (2) PASSENGER SIDE SHROUD, (2) REAR OF SHROUD. | \$2,717.35 | | \$0.00 |
| WIRELESS REMOTE PENDANT CONTROL (WITH HOSE REEL PAYOUT/RETRIEVE, THROTTLE UP/DOWN, WATER ON/OFF, WATER PRESSURE UP/DOWN, HOSE REEL SPEED UP/DOWN, WATER PRESSURE DISPLAY, AND KILL SWITCH) | \$8,758.47 | | \$0.00 |
| PAINT: | | | |
| SHROUD: STANDARD WHITE PAINT | INCLUDED | | |
| HOSE REEL - UPRIGHT: SEWER BLUE | INCLUDED | | |
| SPECIAL PAINT: SOLID COLORS | \$830.94 | | \$0.00 |
| SPECIAL PAINT: METALLIC, BASE COAT / CLEAR COAT - CONTACT FACTORY FOR PRICING | | | \$0.00 |
| TRUCK MOUNTING AND TOOL STORAGE OPTIONS: | | | |
| NON-STOCK CHASSIS MOUNTING ALTERATIONS | \$4,297.07 | | \$0.00 |
| AIR PURGE SYSTEM (POWERED VIA CHASSIS) | \$1,654.94 | | \$0.00 |
| ADDER FOR HYDROSTATIC FRONT CRANKSHAFT DIRECT DRIVE | \$2,997.42 | | \$0.00 |
| ADJUSTABLE SPRAY BAR (FRONT FRAME MOUNTED) - 12 NOZZLES RATED AT SYSTEM PRESSURE | \$1,772.99 | | \$0.00 |
| LOCKABLE LONG HANDLED TOOL STORAGE (2) 4" TUBES | \$989.49 | | \$0.00 |
| ROLL-OUT ROOT CUTTER MAINTENANCE BOX (USES 1 SIDE TOOLBOX) | \$2,927.98 | | \$0.00 |
| REAR BACK UP CAMERA W/7 INCH COLOR MONITOR MOUNTED IN CAB | \$1,345.94 | | \$0.00 |
| REAR BACK UP CAMERA SYSTEM WITH BLIND SPOT CAMERAS (includes color monitor in cab) | \$2,980.06 | | \$0.00 |
| HITCH - REESE STYLE (10,000 LBS MAXIMUM) W/CAB MOUNTED BRAKE CONTROLLER AND 7-PIN RV TYPE RECEPTACLE | \$889.97 | | \$0.00 |
| COMBINATION HEAVY DUTY BALL HITCH (20,000 LBS MAXIMUM LOAD) W/CAB MOUNTED BRAKE CONTROLLER AND 7-PIN RV TYPE RECEPTACLE | \$1,308.91 | | \$0.00 |
| ETY CONES AND HOLDER MOUNTED FROM REAR BUMPER WITH (6) 28"D.O.T.SAFETYCONES | \$491.85 | | \$0.00 |
| MANUALS & TRAINING: | | | |
| ADDITIONAL PAPER OPERATOR'S MANUAL | \$96.06 | | \$0.00 |
| USB OPERATOR'S MANUAL | \$71.75 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - SEWER EQUIPMENT UNIVERSITY (DIXON, IL / 2 DAY) **INCLUDES HOTELS & MEALS** | \$2,750.00 | | \$0.00 |
| NOZZLES & ACCESSORIES: | | | |
| 25' X 1" LEADER HOSE (IN LIEU OF STANDARD 10') | \$425.89 | | \$0.00 |
| 25' X 3/4" LEADER HOSE (IN LIEU OF STANDARD 10') | \$414.31 | | \$0.00 |
| 25' X 5/8" LEADER HOSE (IN LIEU OF STANDARD 10') | \$403.90 | | \$0.00 |
| 25' X 1/2" LEADER HOSE (IN LIEU OF STANDARD 10') | \$394.64 | | \$0.00 |
| STOCK 1" HOSE PATCH KIT - INCLUDES (5) SWAGE TOOL, SWAGE FITTING, HOSE DIE, (5) HOSE MENDER, & HOSE PUSHER | \$3,349.24 | | \$0.00 |
| GREASE GUN KIT: (INCLUDES GUN & (2) GREASE TUBES, MOUNTED ON HOSE REEL) | \$179.38 | | \$0.00 |
| 1/2" HIGH EFFICIENCY DUMP GUN | \$915.43 | | \$0.00 |
| 1/2" VENTURI PUMP | \$1,496.39 | | \$0.00 |
| MINI MISSILE NOZZLE | \$536.99 | | \$0.00 |
| PATRIOT II ROOT CUTTER KIT (RING & ADJ. ROLLER SKIDS, 4" TO 15" SAWS) | \$3,227.72 | | \$0.00 |
| SPECIAL ITEMS: | | | |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| | | | \$0.00 |
| Non-Stock Chassis | | | |
| Make: | Year: | Model: | VIN: |
| SIGNATURE _____ DATE _____ | | | |
| Please return a signed copy to bigequipment@SewerEquipment.com | | | |



PO Box 13040 Spokane Valley, WA 99213

p (800) 892-7831 www.swsequipment.com

www.SewerEquipment.com



www.SWSEquipment.com

October 11, 2021

PO#

Product Class:

Payment Terms:

REV:

Distributor:

SWS Equipment (800) 892-7831

WO#

Salesman:

End User:

Address:

City, State, Zip:

Phone:

Contact:

Email:



800-HPRTV-ECO SERIES IV Truck Mounted High Pressure Sewer Cleaner

Rear Compartment Options:

- Giant 65 GPM @ 2000 PSI w/30 Min Run Dry Capability
- Hydrostatic Drive Via Trans Power PTO
- Lighted NEMA 4 Control Panel
- Tachometer / Hour Meter
- Air Purge Valve
- Recirculation System at Highway Speed
- Painted Steel Shroud Enclosure w/3 Roll-Up Doors
- 80,000 BTU Compartment Heater
- Midship Water Manifold System

Hose Reel & Hose:

- Telescoping & Rotating Dual Hose Reel
- Reel A - Rotating Safety Reel w/500' of Umbilical Cord™ @ 2500 PSI
- Reel B - Rotating Safety Reel w/600' of 1" Hose
- Digital 'Smart Counter' Dual Reel
- Consolidated Water Drain System

Nozzles & Accessories:

- 10' Leader Hose
- BB Hose Guide
- Tri-Star (Chisel Point) Nozzle
- DD (High Flow) Nozzle
- Finned Nozzle Extension
- Nozzle Rack
- 25' Fill Hose
- Washdown Gun w/25' Ext. Hose
- Upstream Pulley Guide
- Paper Operator / Owner Manual

TV System:

- Self-Leveling Color TV Camera
- (1) 4" Jet Pod Skid
- Color Monitor
- DVR w/Removable SD Card

Tank & Fill:

- 1500 Gallon Duraprolene™ (Black) Water Tank w/10 Year Warranty
- 2.5" Fill System

Truck:

- Mounting to Approved Chassis
- Mudflaps & Aluminum Side Skirting
- Bumper / Hitch Receiver
- D.O.T. Approved LED Lighting
- (5) Aluminum Underbody Toolboxes

BASE UNIT AS OUTLINED ABOVE

\$209,301.79 1 **\$209,301.79**

-----Specify Chassis Details-----

LIST PRICE OF SELECTED OPTIONS: \$0.00
 LESS PERCENTAGE DISCOUNT (enter % →) 0% \$ -

NET PRICE OF UNIT: \$209,301.79

FACTORY SUPPLIED CHASSIS:

ESTIMATED FREIGHT:

ESTIMATED TOTAL: \$209,301.79

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

STANDARD OPTIONS:

LIST PRICE QTY TOTAL

TV OPTIONS:

| | | | |
|--|------------|--|--------|
| ADDITIONAL SELF-LEVELING CAMERA HEAD | \$7,119.73 | | \$0.00 |
| ADDITIONAL 4" JET POD FOR STRAIGHT VIEW CAMERA | \$3,125.88 | | \$0.00 |
| 6" JET POD TV SKID EXTENSION - STRAIGHT VIEW CAMERA | \$777.71 | | \$0.00 |
| 8" JET POD TV SKID EXTENSION - STRAIGHT VIEW CAMERA | \$851.78 | | \$0.00 |
| 10" JET POD TV SKID EXTENSION - STRAIGHT VIEW CAMERA | \$454.82 | | \$0.00 |
| 12" JET POD TV SKID EXTENSION - STRAIGHT VIEW CAMERA | \$572.87 | | \$0.00 |
| 15" JET POD TV SKID EXTENSION - STRAIGHT VIEW CAMERA | \$592.54 | | \$0.00 |
| 18" JET POD TV SKID EXTENSION - STRAIGHT VIEW CAMERA | \$598.33 | | \$0.00 |

REAR COMPARTMENT OPTIONS:

| | | | |
|---|-------------|--|--------|
| UPGRADE WATER SYSTEM TO GIANT 80 GPM @ 2000 PSI PLUNGER STYLE TRIPLEX WATER PUMP W/30 MIN RUN DRY CAPABILITY (made from 43596-00-X) | \$11,232.79 | | \$0.00 |
| UPGRADE WATER SYSTEM TO GIANT 80 GPM @ 2500 PSI PLUNGER STYLE TRIPLEX WATER PUMP W/30 MIN RUN DRY CAPABILITY (made from 43596-00-X) | \$12,554.43 | | \$0.00 |
| UPGRADE WATER SYSTEM TO GIANT 55 GPM @ 3000 PSI PLUNGER STYLE TRIPLEX WATER PUMP W/30 MIN RUN DRY CAPABILITY | \$10,216.67 | | \$0.00 |

| | | | |
|---|--------------|--|--------|
| GIANT PUMP PULSATION SYSTEM | \$295.11 | | \$0.00 |
| UPGRADE TO ENVIRONMENTAL FRIENDLY HYDRAULIC FLUID (ECOTERRA) | \$668.92 | | \$0.00 |
| HYDRAULIC PRESSURE GAUGE | \$380.75 | | \$0.00 |
| HYDRAULIC TOOL CIRCUIT (RATED @ 9.5 GPM, SYSTEM ENGAGED VIA MANUAL DIVERTER VALVE AND SUPPLIED W/ PARKER 60 SERIES CONNECTORS) | \$2,492.83 | | \$0.00 |
| LATERAL LINE CLEANING KIT (300' X 1/2" HOSE W/NOZZLE MOUNTED ON A STATIONARY REEL W/ ELECTRIC REWIND, INCLUDES ADDITION OF AUXILIARY CLEANING CIRCUIT ON JET UNIT RATED AT SYSTEM PRESSURE) - NOT AVAILABLE W/VAPOROOTER SYSTEM | \$4,922.01 | | \$0.00 |
| LATERAL LINE CLEANING KIT (300' X 1/2" HOSE W/NOZZLE MOUNTED ON A STATIONARY REEL W/ ELECTRONIC VARIABLE REWIND SPEED, INCLUDES ADDITION OF AUXILIARY CLEANING CIRCUIT ON JET UNIT RATED AT SYSTEM PRESSURE) - NOT AVAILABLE W/ VAPOROOTER SYSTEM | \$7,722.69 | | \$0.00 |
| WASHDOWN SYSTEM W/50' RETRACTABLE HOSE REEL (ACCESS THROUGH REAR DOOR) | \$1,609.81 | | \$0.00 |
| 400,000 BTU BOILER RATED @ 12 GPM AND SYSTEM PRESSURE - 45°F HEAT RISE - NOT AVAILABLE WITH ANTIFREEZE | \$10,810.37 | | \$0.00 |
| 800,000 BTU BOILER RATED @ 20 GPM AND SYSTEM PRESSURE - 60°F HEAT RISE - NOT AVAILABLE WITH ANTIFREEZE | \$16,574.90 | | \$0.00 |
| VANGUARD SANITIZING SYSTEM - (Includes sewer hose clamp on sanitizer nozzle and separate washdown system with 50ft of hose and spray nozzle mounted on a retractable reel) | \$13,827.46 | | \$0.00 |
| ANTIFREEZE SYSTEM (68 GALLON TANK) WITH RECLAMATION CIRCUIT - NOT AVAILABLE WITH BOILER | \$1,772.99 | | \$0.00 |
| VAPOROOTER SYSTEM: INCLUDES PATENTED ROOT FOAMING SYSTEM W/TOUCH SCREEN CONTROLLER AND AUTOMATIC MIXING SYSTEM FOR AIR, WATER, & FOAMING AGENT - NOT AVAILABLE W/ LATERAL LINE CLEANING KIT | \$49,496.71 | | \$0.00 |
| VAPOROOTER INSTALLATION - NOT AVAILABLE WITH LATERAL LINE CLEANING KIT | \$5,210.18 | | \$0.00 |
| UPGRADE TO ALUMINUM SHROUD | \$7,032.93 | | \$0.00 |
| ALUMINUM FIXED OVERHEAD CANOPY - 2' EXTENSION | \$820.53 | | |
| ELECTRIC OVERHEAD CANOPY - 8' EXTENSION | \$7,366.24 | | |
| DEDUCT TO REMOVE COMPARTMENT HEATER | (\$1,314.70) | | \$0.00 |
| POLAR PACK INSULATION SYSTEM -SEALED UNDERBELLY -RIGID BOARD INSULATION (1") SHROUD -SEALED SHROUD-UNDERBELLY / WATER TANK INTERFACE | \$7,390.54 | | \$0.00 |
| HOSE REEL AND HOSE OPTIONS: | | | |
| AUTOMATIC LEVELWIND WITH HYDRAULIC UP/DOWN ACTION (HOSE REEL ONLY) | \$7,191.48 | | \$0.00 |
| UPGRADE UMBILICAL HOSE TO 600' | \$23,006.03 | | \$0.00 |
| ADDITIONAL 1" SEWER HOSE (MAX REEL 1000FT OF 1" SEWER HOSE) - (NOT AVAILABLE IF UPGRADE TO 600' OF UMBILICAL HOSE OPTION IS SELECTED) - (2500PSI) (SEWER HOSE REEL ONLY) | \$5.44 | | \$0.00 |
| ADDITIONAL 1" SEWER HOSE (MAX REEL 1000FT OF 1" SEWER HOSE) - (NOT AVAILABLE IF UPGRADE TO 600' OF UMBILICAL HOSE OPTION IS SELECTED) - (3000PSI) (SEWER HOSE REEL ONLY) | \$6.52 | | \$0.00 |
| ADDITIONAL 3/4" SEWER HOSE (MAX REEL 1000FT) (NOT AVAILABLE IF UPGRADE TO 600' OF UMBILICAL HOSE OPTION IS SELECTED) - (2500PSI) (SEWER HOSE REEL ONLY) | \$4.93 | | \$0.00 |
| ADDITIONAL 3/4" SEWER HOSE (MAX REEL 1000FT) (NOT AVAILABLE IF UPGRADE TO 600' OF UMBILICAL HOSE OPTION IS SELECTED) - (3000PSI) (SEWER HOSE REEL ONLY) | \$5.34 | | \$0.00 |
| TANK & FILL OPTIONS: | | | |
| DECREASE TO 1000 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY | (\$1,627.17) | | \$0.00 |
| UPGRADE TO 2000 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY | \$7,191.48 | | \$0.00 |
| UPGRADE TO 2500 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY, INCLUDES INSULATION OF EXTERIOR TANK CROSS-OVER PLUMBING | \$23,006.03 | | \$0.00 |
| UPGRADE TO 3000 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY, INCLUDES INSULATION OF EXTERIOR TANK CROSS-OVER PLUMBING | \$26,599.46 | | \$0.00 |
| UPGRADE TO LOW PROFILE 1500 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY (REDUCES HEIGHT BY 8" FOR A TOTAL TRUCK HEIGHT OF 10'-9" ASSUMING 42" FRAME RAIL HEIGHT) | \$23,031.49 | | \$0.00 |
| FILL HOSE STORAGE RACK | \$255.76 | | \$0.00 |
| TANK ACCESS LADDER | \$1,047.36 | | \$0.00 |
| ELECTRICAL & LIGHTING: | | | |
| ENGINE/WATER PUMP COMPARTMENT LIGHT | \$256.92 | | \$0.00 |
| LED FLOOD LIGHT (FACTORY STANDARD) | \$546.25 | | \$0.00 |
| LED STROBE LIGHT (FACTORY STANDARD) - CLASS 1 RATING | \$636.52 | | \$0.00 |
| LED ARROW STICK (FACTORY STANDARD) | \$1,293.87 | | \$0.00 |
| LED ARROW BOARD (FACTORY STANDARD) | \$1,536.90 | | \$0.00 |
| HAND-HELD WIRELESS 12v/110v RECHARGEABLE LED SPOTLIGHT W/STORAGE BRACKET | \$406.21 | | \$0.00 |
| 12VDC POWER OUTLET | \$97.21 | | \$0.00 |
| (8) 4" X 1" LED CLASS 1 SURFACE MOUNTED STROBE PACKAGE - (2) GRILL MOUNTED, (2) DRIVERS SIDE SHROUD, (2) PASSENGER SIDE SHROUD, (2) REAR OF SHROUD. | \$2,717.35 | | \$0.00 |

| | | | |
|--|--------------|-----------------|-------------|
| WIRELESS REMOTE PENDANT CONTROL (WITH HOSE REEL PAYOUT/RETREIVE, THROTTLE UP/DOWN, WATER ON/OFF, WATER PRESSURE UP/DOWN, HOSE REEL SPEED UP/DOWN, WATER PRESSURE DISPLAY, AND KILL SWITCH) | \$8,758.47 | | \$0.00 |
| PAINT: | | | |
| SHROUD: STANDARD WHITE PAINT | • | INCLUDED | |
| HOSE REEL - UPRIGHT: SEWER BLUE | • | INCLUDED | |
| SPECIAL PAINT: SOLID COLORS | | \$830.94 | \$0.00 |
| SPECIAL PAINT: METALLIC, BASE COAT / CLEAR COAT - CONTACT FACTORY FOR PRICING | | | \$0.00 |
| TRUCK MOUNTING AND TOOL STORAGE OPTIONS: | | | |
| NON-STOCK CHASSIS MOUNTING ALTERATIONS | | \$4,297.07 | \$0.00 |
| AIR PURGE SYSTEM (POWERED VIA CHASSIS) | | \$1,654.94 | \$0.00 |
| ADDER FOR HYDROSTATIC FRONT CRANKSHAFT DIRECT DRIVE | | \$2,997.42 | \$0.00 |
| ADJUSTABLE SPRAY BAR (FRONT FRAME MOUNTED) - 12 NOZZLES RATED AT SYSTEM PRESSURE | | \$1,772.99 | \$0.00 |
| LOCKABLE LONG HANDLED TOOL STORAGE (2) 4" TUBES | | \$989.49 | \$0.00 |
| ROLL-OUT ROOT CUTTER MAINTENANCE BOX (USES 1 SIDE TOOLBOX) | | \$2,927.98 | \$0.00 |
| REAR BACK UP CAMERA W/7 INCH COLOR MONITOR MOUNTED IN CAB | | \$1,345.94 | \$0.00 |
| REAR BACK UP CAMERA SYSTEM WITH BLIND SPOT CAMERAS (includes color monitor in cab) | | \$2,980.06 | \$0.00 |
| HITCH - REESE STYLE (10,000 LBS MAXIMUM) W/CAB MOUNTED BRAKE CONTROLLER AND 7-PIN RV TYPE RECEPTACLE | | \$889.97 | \$0.00 |
| COMBINATION HEAVY DUTY BALL HITCH (20,000 LBS MAXIMUM LOAD) W/CAB MOUNTED BRAKE CONTROLLER AND 7-PIN RV TYPE RECEPTACLE | | \$1,308.91 | \$0.00 |
| CONES AND HOLDER MOUNTED OFF OF REAR BUMPER WITH CAPACITY OF (6) 28" D.O.T SAFETYCONES | | \$491.85 | \$0.00 |
| MANUALS & TRAINING: | | | |
| ADDITIONAL PAPER OPERATOR'S MANUAL | | \$96.06 | \$0.00 |
| USB OPERATOR'S MANUAL | | \$71.75 | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | | \$1,945.00 | \$0.00 |
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | | \$1,945.00 | \$0.00 |
| TRAINING - SEWER EQUIPMENT UNIVERSITY (DIXON, IL / 2 DAY) **INCLUDES HOTELS & MEALS** | | \$2,750.00 | \$0.00 |
| NOZZLES & ACCESSORIES: | | | |
| 25' X 1" LEADER HOSE (IN LIEU OF STANDARD 10') | | \$425.89 | \$0.00 |
| 25' X 3/4" LEADER HOSE (IN LIEU OF STANDARD 10') | | \$414.31 | \$0.00 |
| 25' X 1/2" LEADER HOSE (IN LIEU OF STANDARD 10') | | \$394.64 | \$0.00 |
| STOCK 1" HOSE PATCH KIT - INCLUDES (5) SWAGE TOOL, SWAGE FITTING, HOSE DIE, (5) HOSE MENDER, & HOSE PUSHER | | \$3,349.24 | \$0.00 |
| GREASE GUN KIT: (INCLUDES GUN & (2) GREASE TUBES, MOUNTED ON HOSE REEL) | | \$179.38 | \$0.00 |
| MINI MISSILE NOZZLE | | \$536.99 | \$0.00 |
| PATRIOT II ROOT CUTTER KIT (RING & ADJ. ROLLER SKIDS, 4" TO 15" SAWS) | | \$3,227.72 | \$0.00 |
| SPECIAL ITEMS: | | | |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | | \$222.00 | \$0.00 |
| | | | \$0.00 |
| Non-Stock Chassis | | | |
| Make: | Year: | Model: | VIN: |
| | | | |
| SIGNATURE | | | DATE |
| Please return a signed copy to bigequipment@SewerEquipment.com | | | |



PO Box 13040 Spokane Valley, WA 99213
 p (800) 892-7831 www.swsequipment.com
www.SewerEquipment.com



www.SWSEquipment.com

| | | |
|-------------------------|-------------------------------------|----------------------|
| October 11, 2021 | PO# | Product Class |
| | | |
| Payment Terms: | WO# | |
| Distributor: | SWS Equipment (800) 892-7831 | |
| Salesman: | | |
| End User: | | |
| Address: | | |
| City, State, Zip: | | |
| Phone: | | |
| Contact: | | |
| Email: | | |



RAMVAC 2000 Trailer Mounted Vacuum Machine

| | | |
|---|-------------------------------------|--------------------------------|
| Vacuum: | Debris Tank: | Accessories: |
| Kohler 134 hp Diesel Engine | 1250 Gallon (6 Cubic Yards) | (1) 6" x 16' Boom Hose |
| Engine Shroud | Hydraulic Door Locks | (1) 6" Crown Nozzle |
| 2400 CFM Positive Displacement Blower | Hydraulic Dump System | (2) 6" x 6' Extension Tubes |
| Boom Assembly w/ Power Rotation | Fold Down Pipe Racks | (1) 6" x 4' Extension Tube |
| 6" Hose System | Hyd Powered Open/Close Rear Door | (1) 6" x 4' Air Induction Tube |
| Hvy Duty Filtration System (cyclone & final filter w/cleanable element) | Trailer: | (1) Paper Owner's Manual |
| Gauge Package | Tandem Axles 18,000 GVWR | |
| Control System - NEMA 4 Control Panel and Pendant | Electric brakes, 2-5/16" Ball Hitch | |
| (1) 6" x 10' Flat Discharge Hose | Steel toolbox (1) - tongue mounted | |
| | 7000# Hydraulic Tongue Jack | |
| | LED D.O.T. approved lighting | |
| | Hydraulic Stabilizers | |

| | | | |
|--|---------------------|----------|----------------------|
| BASE UNIT AS OUTLINED ABOVE | \$180,821.71 | 1 | \$180,821.71 |
| LIST PRICE OF SELECTED OPTIONS: | | | \$0.00 |
| LESS PERCENTAGE DISCOUNT (enter % →) 5% | | | \$ - |
| NET PRICE OF UNIT: | | | \$156,244.00 |
| ESTIMATED FREIGHT: | | | |
| ESTIMATED TOTAL: | | | \$ 156,244.00 |

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING
STANDARD OPTIONS:

| VAC OPTIONS: | LIST PRICE | QTY | TOTAL |
|---|-------------|-----|--------|
| DEDUCT FOR 625 GALLON DEBRIS TANK *LIMITS WATER CAPACITY IF WATER SYSTEM IS ALSO ADDED* | \$1,044.07 | 0 | \$0.00 |
| HIGH PRESSURE WATER SYSTEM (INCLUDES HIGH PRESSURE WATER PUMP (5 GPM / 2000 PSI), 150 GALLON WATER TANK, HIGH PRESSURE HAND GUN, WATER RECIRCULATING SYSTEM, & AIR PURGE VALVE. | \$20,139.39 | 0 | \$0.00 |
| HYDRO-EXCAVATION DIGGING WANDS & ACCESSORIES (UNIT MUST BE ORDERED W/ HIGH PRESSURE WATER PUMP) | \$3,426.78 | 0 | \$0.00 |
| DIRECTIONAL BORING TOOL FOR POTHOLING (UNIT MUST BE ORDERED W/ HIGH PRESSURE WATER PUMP) SIZED FOR 5 GPM. | \$4,291.28 | 0 | \$0.00 |
| CENTRAL LUBRICATION SYSTEM | \$2,995.10 | 0 | \$0.00 |
| WIRELESS PENDANT CONTROL INCLUDES, ENGINE THROTTLE UP/DOWN, WATER PUMP ON/OFF, BOOM EXTEND/RETRACT, BOOM LEFT/RIGHT, BOOM RAISE/LOWER AND EMERGENCY KILL | \$5,470.57 | 0 | \$0.00 |
| DEBRIS BODY PUMP OFF SYSTEM AND ACCESSORIES | \$6,642.92 | 0 | \$0.00 |
| HIGH PERFORMANCE BLOWER SILENCER (LOWERS NOISE PRESSURE UP TO 4 db AT 15') | \$4,821.33 | 0 | \$0.00 |
| POWER EXTENSION FOR BOOM AND ACCESSORIES | \$5,813.13 | 0 | \$0.00 |

| LOW PRESSURE WASHDOWN SYSTEM: | | | |
|---|------------|---|--------|
| LOW PRESSURE WATER WASHDOWN SYSTEM (10 gpm @ 60 psi) INCLUDES: (2) 75 GALLON TANKS, 25' HOSE, TRIGGER STYLE NOZZLE, DRAIN VALVES | \$6,603.57 | 0 | \$0.00 |
| UPGRADE LOW PRESSURE WATER WASHDOWN SYSTEM TO INCLUDE AIR PURGE SYSTEM (PLUMBED TO QUICK CONNECT FITTING, INCLUDES ADAPTERS) | \$776.55 | 0 | \$0.00 |
| UPGRADE LOW PRESSURE WATER WASHDOWN SYSTEM TO INCLUDE WATER RECIRCULATING SYSTEM | \$776.55 | 0 | \$0.00 |
| DEBRIS INLET WATER MISTING SYSTEM (JETS IN RECEIVER HEAD ONLY & UNIT MUST INCLUDE A WATER SYSTEM) | \$1,436.21 | 0 | \$0.00 |

| | | | |
|---|------------|--|--------|
| POWER TRAIN: | | | |
| HYDRAULIC TOOL CIRCUIT (RATED AT 9.5 GPM, SYSTEM ENGAGED VIA MANUAL DIVERTER VALVE AND SUPPLIED W/ PARKER 60 SERIES CONNECTORS) | \$952.46 | | \$0.00 |
| LIGHTING OPTIONS: | | | |
| OPERATOR STATION LIGHT | \$346.07 | | \$0.00 |
| BOOM MOUNTED WORK LIGHTS (2) | \$929.21 | | \$0.00 |
| LED FLOOD LIGHT (FACTORY STANDARD) | \$530.34 | | \$0.00 |
| LED ROTATING BEACON (FACTORY STANDARD) | \$639.33 | | \$0.00 |
| LED STROBE LIGHT (FACTORY STANDARD) | \$617.98 | | \$0.00 |
| LED ARROW BOARD (FACTORY STANDARD) | \$1,448.31 | | \$0.00 |
| LED ARROW STICK (FACTORY STANDARD) | \$1,256.18 | | \$0.00 |
| HANDHELD WIRELESS 12v/110v RECHARGABLE LED SPOTLIGHT WITH STORAGE BRACKET | \$394.38 | | \$0.00 |
| TRAILER OPTIONS: | | | |
| UPGRADE TO ALUMINUM TOOLBOX (TONGUE MOUNTED) | \$431.67 | | \$0.00 |
| SPARE TIRE AND RIM | \$661.98 | | \$0.00 |
| CHIP GUARD COATING | \$969.82 | | \$0.00 |
| SIX (6) 18" D.O.T. SAFETY CONES AND HOLDER | \$491.85 | | \$0.00 |
| PAINT (TOOLBOX, SHROUD, DEBRIS TANK): | | | |
| STANDARD WHITE PAINT | INCLUDED | | |
| ALL OTHER COLORS (EXCEPT METALLIC PAINT) | \$837.89 | | \$0.00 |
| CONTACT FACTORY FOR LIST PRICE OF PAINTING OTHER COMPONENTS ON UNIT | | | |
| MANUALS & TRAINING: | | | |
| USB OPERATOR'S MANUAL | \$71.75 | | \$0.00 |
| ADDITIONAL PAPER OPERATOR'S MANUAL | \$96.06 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - SEWER EQUIPMENT UNIVERSITY (DIXON, IL) (1 DAY) **INCLUDES HOTEL & MEALS** | \$2,750.00 | | \$0.00 |
| SPECIAL ITEMS: | | | |
| | | | \$0.00 |
| SIGNATURE _____ DATE _____ | | | |
| Please return a signed copy to bigequipment@SewerEquipment.com | | | |



PO Box 13040 Spokane Valley, WA 99213
 p (800) 892-7831 www.swsequipment.com
www.SewerEquipment.com



www.SWSEquipment.com

| | | |
|--|-----------------------|--|
| October 11, 2021 | PO# | |
| | Product Class: | |
| Payment Terms: | REV: | |
| Distributor: SWS Equipment (800) 892-7831 | WO# | |
| Salesman: | | |
| End User: | | |
| Address: | | |
| City, State, Zip: | | |
| Phone: | | |
| Contact: | | |
| Email: | | |

RAMVAC 3000 Trailer Mounted Vacuum Machine

| | | |
|---|--|---|
| Vacuum: Kohler 134 HP Diesel Engine Engine Shroud 3000 CFM Positive Displacement Blower Boom Assembly w/ Power Rotation 6" Hose System Hvy Duty Filtration System (cyclone & final filter w/cleanable element) Gauge Package Control System - NEMA 4 Control Panel and Pendant (1) 6" x 10' Flat Discharge Hose | Debris Tank: 1250 Gallon (6 Cubic Yards) Hydraulic Door Locks Hydraulic Dump System Fold Down Pipe Rack Hydraulic Powered Open/Close Rear Door | Accessories: (1) 6" x 16' Boom Hose (1) 6" Crown Nozzle (2) 6" x 6' Extension Tubes (1) 6" x 4' Extension Tube (1) 6" x 4' Air Induction Tube (1) Paper Owner's Manual |
| Trailer: Tandem Axles 18,000 GVWR Electric brakes, 2-5/16" Ball Hitch Steel toolbox (1) - tongue mounted 7000# Hydraulic Tongue Jack LED D.O.T. approved lighting Hydraulic Stabilizers | | |

| | | | |
|------------------------------------|---------------------|----------|---------------------|
| BASE UNIT AS OUTLINED ABOVE | \$186,180.02 | 1 | \$186,180.02 |
|------------------------------------|---------------------|----------|---------------------|

| | |
|--|----------------------|
| LIST PRICE OF SELECTED OPTIONS: | \$0.00 |
| LESS PERCENTAGE DISCOUNT (enter % →) 5% | \$ (9,309.00) |
| NET PRICE OF UNIT: | \$176,871.02 |
| ESTIMATED FREIGHT: | |
| ESTIMATED TOTAL: | \$ 176,871.02 |

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

STANDARD OPTIONS:

| VAC OPTIONS: | LIST PRICE | QTY | TOTAL |
|---|-------------------|------------|--------------|
| UPGRADE TO 8" SYSTEM | \$3,386.27 | | \$0.00 |
| DEDUCT FOR 625 GALLON DEBRIS TANK *LIMITS WATER CAPACITY IF WATER SYSTEM IS ALSO ADDED* | (\$1,974.36) | | \$0.00 |
| HIGH PRESSURE WATER SYSTEM (INCLUDES HIGH PRESSURE WATER PUMP (5 GPM / 2000 PSI), 150 GALLON WATER TANK, HIGH PRESSURE HAND GUN, WATER RECIRCULATING SYSTEM, & AIR PURGE VALVE. | \$20,139.39 | | \$0.00 |
| HYDRO-EXCAVATION DIGGING WANDS & ACCESSORIES (UNIT MUST BE ORDERED W/ HIGH PRESSURE WATER PUMP) | \$3,426.78 | | \$0.00 |
| DIRECTIONAL BORING TOOL FOR POTHOLING (UNIT MUST BE ORDERED W/ HIGH PRESSURE WATER PUMP) SIZED FOR 5 GPM. | \$4,291.28 | | \$0.00 |
| CENTRAL LUBRICATION SYSTEM | \$2,995.10 | | \$0.00 |
| WIRELESS PENDANT CONTROL INCLUDES, ENGINE THROTTLE UP/DOWN, WATER PUMP ON/OFF, BOOM EXTEND/RETRACT, BOOM LEFT/RIGHT, BOOM RAISE/LOWER AND EMERGENCY KILL | \$5,470.57 | | \$0.00 |
| DEBRIS BODY PUMP OFF SYSTEM AND ACCESSORIES | \$6,642.92 | | \$0.00 |
| HIGH PERFORMANCE BLOWER SILENCER (LOWERS NOISE PRESSURE UP TO 4 db AT 15') | \$4,821.33 | | \$0.00 |
| POWER EXTENSION FOR BOOM AND ACCESSORIES | \$5,809.66 | | \$0.00 |
| LOW PRESSURE WASHDOWN SYSTEM: | | | |
| LOW PRESSURE WATER WASHDOWN SYSTEM (10 gpm @ 60 psi) INCLUDES: (2) 75 GALLON TANKS, 25' HOSE, TRIGGER STYLE NOZZLE, DRAIN VALVES | \$6,603.57 | | \$0.00 |
| UPGRADE LOW PRESSURE WATER WASHDOWN SYSTEM TO INCLUDE AIR PURGE SYSTEM (PLUMBED TO QUICK CONNECT FITTING, INCLUDES ADAPTERS) | \$776.55 | | \$0.00 |
| UPGRADE LOW PRESSURE WATER WASHDOWN SYSTEM TO INCLUDE WATER RECIRCULATING SYSTEM | \$61.34 | | \$0.00 |
| DEBRIS INLET WATER MISTING SYSTEM (JETS IN RECEIVER HEAD ONLY & UNIT MUST INCLUDE A WATER SYSTEM) | \$1,436.21 | | \$0.00 |

| | | | |
|---|------------|------|--------|
| POWER TRAIN: | | | |
| HYDRAULIC TOOL CIRCUIT (RATED AT 9.5 GPM, SYSTEM ENGAGED VIA MANUAL DIVERTER VALVE AND SUPPLIED W/ PARKER 60 SERIES CONNECTORS) | \$952.46 | | \$0.00 |
| LIGHTING OPTIONS: | | | |
| OPERATOR STATION LIGHT | \$356.45 | | \$0.00 |
| BOOM MOUNTED WORK LIGHTS (2) | \$957.09 | | \$0.00 |
| LED FLOOD LIGHT (FACTORY STANDARD) | \$546.25 | | \$0.00 |
| LED ROTATING BEACON (FACTORY STANDARD) | \$658.51 | | \$0.00 |
| LED STROBE LIGHT (FACTORY STANDARD) | \$636.52 | | \$0.00 |
| LED ARROW BOARD (FACTORY STANDARD) | \$1,491.76 | | \$0.00 |
| LED ARROW STICK (FACTORY STANDARD) | \$1,293.87 | | \$0.00 |
| HANDHELD WIRELESS 12v/110v RECHARGABLE LED SPOTLIGHT WITH STORAGE BRACKET | \$406.21 | | \$0.00 |
| TRAILER OPTIONS: | | | |
| UPGRADE TO ALUMINUM TOOLBOX (TONGUE MOUNTED) | \$431.67 | | \$0.00 |
| SPARE TIRE AND RIM | \$661.98 | | \$0.00 |
| CHIP GUARD COATING | \$969.82 | | \$0.00 |
| SIX (6) 18" D.O.T. SAFETY CONES AND HOLDER | \$491.85 | | \$0.00 |
| PAINT (TOOLBOX, SHROUD, DEBRIS TANK): | | | |
| STANDARD WHITE PAINT | INCLUDED | | |
| ALL OTHER COLORS (EXCEPT METALLIC PAINT) | \$837.89 | | \$0.00 |
| CONTACT FACTORY FOR LIST PRICE OF PAINTING OTHER COMPONENTS ON UNIT | | | |
| MANUALS & TRAINING: | | | |
| USB OPERATOR'S MANUAL | \$71.75 | | \$0.00 |
| ADDITIONAL PAPER OPERATOR'S MANUAL | \$96.06 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - SEWER EQUIPMENT UNIVERSITY (DIXON, IL) (1 DAY) **INCLUDES HOTEL & MEALS** | \$2,750.00 | | \$0.00 |
| SPECIAL ITEMS: | | | |
| | | | \$0.00 |
| SIGNATURE | | DATE | |
| Please return a signed copy to bigequipment@SewerEquipment.com | | | |



PO Box 13040 Spokane Valley, WA 99213

p (800) 892-7831 www.swsequipment.com

www.SewerEquipment.com



www.SWSEquipment.com

October 11, 2021

PO#

Product Class:

Payment Terms:

REV:

Distributor: **SWS Equipment (800) 892-7831**

WO#

123

Salesman:

End User:

Address:

City, State, Zip:

Phone:

Contact:

Email:



RAMVAC AX-4000 Truck Mounted Air Excavator

Water System:

- 100 gallon Tank w/ Sight Gauge
- Hydraulic Powered Centrifugal Water Pump (10 gpm @ 60 psi)
- Garden Hose Style Fill
- Blow Down System (connects to air system)
- Hand Wash Station
- 75' of 3/8" Hydraulic Hose w/ Retractable Reel

Storage System:

- 4" x 96" Long Handle Storage Ports (5)
- 16"x20"x50" Equipment Locker (2)
- 48"x18"x18" Passenger Side (includes step)
- 48"x18"x12" Drivers Side (includes step)
- Undercarriage Tubes for 4" Hose Storage

Air Excavation System:

- 185 CFM Compressor
- Soft Start Delivery System
- 100/250 PSI Dual Mode Capable
- Direct Drive via Chassis PTO
- 50' of 3/4" Hose w/ retractable reel

Debris Tank:

- 2 Cubic Yards (400 gl) Debris Tank
- Hydraulic Dump, 50° Dump Angle w/ prop
- Hydraulic Powered Open/Close Rear Door
- Debris Tank Bin Meter

Chassis:

- Minimum 26,000# GVWR Rating
- Auto Transmission (dual PTO access)
- Minimum 300 HP Diesel Engine

Hydraulic System:

- 55 Gallon Oil Capacity Tank
- Air/Oil Heat Exchanger
- Manual Control Valves

Vacuum System:

- 0 - 1400 CFM Rotary Lobe Blower
- 4" Vacuum Hose system
- 4" x 10' Vacuum Hose
- 16" HG vacuum rating
- Cyclone Separator - Dual
- Hydrostatic Drive via Chassis PTO
- 4" Vacuum Relief System

Electrical:

- NEMA 4 Control Panel
- Power Distribution Center
- Hour Meter (blower & air compressor)

Accessories

- Air Lance Kit
- Washdown Gun Kit

Air Tool Storage System:

- Jack Hammer Storage Holster (1)
- Tamper Storage Holster (1)

Bulk Storage System Enclosure :

- Flexible Tool Storage Compatible
- 80,000 BTU Compartment Heater

| | | | |
|------------------------------------|---------------------|----------|---------------------|
| BASE UNIT AS OUTLINED ABOVE | \$208,924.51 | 1 | \$208,924.51 |
|------------------------------------|---------------------|----------|---------------------|

| | |
|--|-----------------------|
| LIST PRICE OF SELECTED OPTIONS: | \$0.00 |
| LESS PERCENTAGE DISCOUNT (enter % →) 5% | \$ (10,446.23) |
| NET PRICE OF UNIT: | \$198,478.28 |
| FACTORY SUPPLIED CHASSIS: | |
| ESTIMATED FREIGHT: | |
| ESTIMATED TOTAL: | \$ 198,478.28 |

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

STANDARD OPTIONS:

| WATER SYSTEM: | LIST PRICE | QTY | TOTAL |
|---|-------------------|------------|--------------|
| 300 GALLON DURAPROLENE WATER TANK (Recommended for hydro-excavating applications), (Includes 2-1/2" fill system and hydrant wrench) | \$7,980.76 | | \$0.00 |
| 2" WATER FILL 'Y' STRAINER (mounted in water fill line prior to air gap) (Requires upgrade to 300 gallon duraprolene water tank) | \$433.99 | | \$0.00 |
| RECIRCULATION SYSTEM (circulates 5 gpm of water throughout system) | \$946.67 | | \$0.00 |
| ANTI-FREEZE SYSTEM (10 gallon poly tank) | \$1,606.34 | | \$0.00 |

WATER SYSTEM ATTACHMENTS:

| | | | |
|---|--------------|--|--------|
| STANDARD HYDROEXCAVATION DIGGING KIT 10 GPM @ 2500 PSI (4GPM rotary digging wand, 4gpm linear nozzle, (2) 5' Extension wands, automatic reel w/75' of 3/8" hose, 10gpm @ 2500psi Triplex pump) | \$13,751.08 | | \$0.00 |
| COLD WEATHER HYDROEXCAVATION DIGGING KIT 10 GPM @ 2500 PSI (Includes 400,000 BTU Diesel Fired Boiler, 4gpm rotary digging wand, 4 gpm linear nozzle, (2) 5' Extension wands and automatic reel w/75' of 3/8" hose, includes 10gpm @ 2500psi Triplex pump) | \$20,871.97 | | \$0.00 |
| VACUUM SYSTEM: | | | |
| 0 - 1400 CFM & 27"HG ROTARY LOBE BLOWER (4" vacuum system) | \$3,792.48 | | \$0.00 |
| 0 - 3000 CFM & 18"HG ROTARY LOBE BLOWER (6" vacuum system) | \$7,456.51 | | \$0.00 |
| UPGRADE TO TRIPLE CYCLONE SEPARATOR SYSTEM - (n/a with backfill hopper option) | \$3,867.71 | | \$0.00 |
| 1/2 CUBIC YD BACKFILL HOPPER - INCLUDES 5" BAYONET STYLE SUCTION PORT AND MANUAL ACCESS DUMP DOOR - (n/a with triple cyclone option) | \$7,659.03 | | \$0.00 |
| AIR EXCAVATION SYSTEM: | | | |
| ADDITIONAL 185 CFM AIR LANCE (not to be used with 300 cfm system) | \$4,132.73 | | \$0.00 |
| 300 CFM & 250 PSI SCREW TYPE AIR COMPRESSOR COMPLETE WITH AIR LANCE, 50' x 1" AIR HOSE AND RETRACTABLE REEL (higher volume rating for larger applications) | \$7,207.69 | | \$0.00 |
| ADDITIONAL 300 CFM AIR LANCE (not to be used with 185 cfm system) | \$4,742.63 | | \$0.00 |
| 90 CFM @100 PSI AIR TOOL CIRCUIT (utilizes existing air compressor and includes dedicated 3/4" x 50' reel with regulator) | \$2,578.47 | | \$0.00 |
| ECO FRIENDLY FLUIDS - HYDRAULIC & COMPRESSOR (NOT RECOMMENDED FOR SUB-ZERO CLIMATES) | \$1,196.65 | | \$0.00 |
| DEBRIS TANK: | | | |
| Central Lubrication System (Central Grease Manifold For All Module Joints) | \$2,269.47 | | \$0.00 |
| Water Misting/Fogging System For Improved Filtration (Recommended with Hydroex Upgrades) | \$1,315.85 | | \$0.00 |
| Body Vibrator (12 Volt Electric) | \$3,491.58 | | \$0.00 |
| CHASSIS: | | | |
| NON-STOCK CHASSIS MOUNTING ALTERATIONS (required for customer supplied chassis) | \$4,297.07 | | \$0.00 |
| REAR BACK UP CAMERA SYSTEM (complete with 7" monitor mounted in cab) | \$1,342.47 | | \$0.00 |
| HITCH - REESE STYLE (10,000# rating complete with 7 pin receptacle and brake controller in cab, Combined GVWR may require CDL) | \$920.06 | | \$0.00 |
| Pole Kit (Fender Guides) | \$133.09 | | \$0.00 |
| ELECTRICAL/LIGHTING & SAFETY: | | | |
| TRIDENT WIRELESS PENDANT SYSTEM (blower on/off, air compressor on/off, boom in/out, boom up/down, water on/off, chassis throttle, system kill, vacuum relief) | \$5,943.91 | | \$0.00 |
| LED STROBE LIGHT | \$636.52 | | \$0.00 |
| LED ARROW STICK | \$1,292.71 | | \$0.00 |
| BOOM MOUNTED WORK LIGHTS (2 LED lights mounted on boom) | \$986.02 | | \$0.00 |
| BODY MOUNTED WORK LIGHTS (2 LED lights mounted mid-ship on enclosure street side & curb side) | \$1,327.43 | | \$0.00 |
| SIX (6) D.O.T. SAFETY CONES AND FRONT BUMPER MOUNTED HOLDER (28" cones) | \$913.11 | | \$0.00 |
| ON BOARD SCALE SYSTEM (digital display in cab) | \$9,484.10 | | \$0.00 |
| HANDHELD RECHARGEABLE WIRELESS 12v/110v LED SPOTLIGHT (complete with charger station) | \$406.21 | | \$0.00 |
| ACCESSORIES | | | |
| ADDITIONAL PAPER OPERATOR'S MANUAL | \$96.06 | | \$0.00 |
| WHEEL CHOCKS (2) | \$314.79 | | \$0.00 |
| USB OPERATOR'S MANUAL | \$71.75 | | \$0.00 |
| PNEUMATIC JACKHAMMER | \$2,210.45 | | \$0.00 |
| PNEUMATIC TAMPER | \$1,473.25 | | \$0.00 |
| ADDITIONAL 4" X 48" DIG TUBE WITH ADDITIONAL CLAMP (MAXIMUM STORAGE OF 1) | \$399.27 | | \$0.00 |
| ADDITIONAL 6" X 48" DIG TUBE WITH ADDITIONAL CLAMP (MAXIMUM STORAGE OF 1) | \$460.61 | | \$0.00 |
| SUCTION TUBE HANDLE WITH LATCH 6" | \$248.82 | | \$0.00 |
| BULK STORAGE SYSTEM ENCLOSURE: | | | |
| UPGRADE TO ALUMINUM ENCLOSURE | \$8,598.76 | | \$0.00 |
| 'POLAR PACK' INSULATION SYSTEM | \$2,513.66 | | \$0.00 |
| DEDUCT FOR ELIMINATING COMPARTMENT HEATER | (\$1,354.04) | | \$0.00 |
| PASSENGER SIDE 46.5"HX42"WX14"D TOOL DRAWER/CABINET SYSTEM | \$2,276.42 | | \$0.00 |
| PASSENGER SIDE 46.5"HX42"WX14"D TOOL DRAWER/OPEN BIN SYSTEM | \$2,276.42 | | \$0.00 |
| GREASE GUN KIT: (INCLUDES GUN & (2) GREASE TUBES, MOUNTED INSIDE OF SHROUD) | \$179.38 | | \$0.00 |


| | | | |
|---|------------|--|--------|
| BOOM: | | | |
| HYDRAULIC POWERED UP/DOWN AND 36" EXTENSION IN/OUT WITH MANUAL ROTATION | \$8,919.34 | | \$0.00 |
| PAINT (SHROUD & DEBRIS TANK): | | | |
| DEBRIS TANK: STERLING WHITE (FDG-91327) | INCLUDED | | |
| SHROUD: STERLING WHITE (FDG-91327) | INCLUDED | | |
| BOOM: STD BLACK (FDG-9000) | INCLUDED | | |
| ALL OTHER COLORS (EXCEPT METALLIC PAINT) | \$1,852.84 | | \$0.00 |
| CONTACT FACTORY FOR LIST PRICE OF PAINTING OTHER COMPONENTS ON UNIT | | | |
| TRAINING: | | | |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - SEWER EQUIPMENT UNIVERSITY (DIXON, IL) (2 DAYS)**INCLUDES HOTEL & MEALS** | \$2,750.00 | | \$0.00 |
| SPECIAL ITEMS: | | | |
| | | | \$0.00 |
| SIGNATURE _____ DATE _____ | | | |
| Please return a signed copy to bigequipment@SewerEquipment.com | | | |



PO Box 13040 Spokane Valley, WA 99213
 p (800) 892-7831 www.swsequipment.com
www.SewerEquipment.com



www.SWSEquipment.com

| | | |
|--|---|--|
| October 11, 2021 | PO# | |
| | Product Class: | |
| Payment Terms: | REV: | |
| Distributor: SWS Equipment (800) 892-7831 | WO# | |
| Salesman: |  | |
| End User: | | |
| Address: | | |
| City, State, Zip: | | |
| Phone: | | |
| Contact: | | |
| Email: | | |

RAMVAC AX-4000XL Truck Mounted Air Excavator

| | | |
|--|---|---|
| <p><u>Water System:</u> 100 gallon Tank w/ Sight Gauge Hydraulic Powered Centrifugal Water Pump (10 gpm @ 60 psi) Garden Hose Style Fill Blow Down System (connects to air system) Hand Wash Station 75' of 3/8" Hydraulic Hose w/ Retractable Reel</p> | <p><u>Storage System:</u> 4" x 96" Long Handle Storage Ports (5) 16"x20"x50" Equipment Locker (2) 48"x18"x18" Passenger Side (includes step) 48"x18"x12" Drivers Side (includes step) 6" PVC Undercarriage Tubes for 4" Hose Storage</p> <p><u>Chassis:</u> Minimum 33,000# GVWR Rating Auto Transmission (dual PTO access) Minimum 300 HP Diesel Engine</p> | <p><u>Air Excavation System:</u> 185 CFM Compressor Soft Start Delivery System 100/250 PSI Dual Mode Capable Direct Drive via Chassis PTO 50' of 3/4" Hose w/ retractable reel</p> <p><u>Hydraulic System:</u> 55 Gallon Oil Capacity Tank Air/Oil Heat Exchanger Manual Control Valves</p> |
| <p><u>Debris Tank:</u> 2 Cubic Yards (400 gl) Debris Tank Hydraulic Dump, 50° Dump Angle w/ prop Hydraulic Powered Open/Close Rear Door Debris Tank Bin Meter</p> | <p><u>Electrical:</u> NEMA 4 Control Panel Power Distribution Center Hour Meter (blower & air compressor)</p> | <p><u>Accessories</u> Air Lance Kit Washdown Gun Kit</p> |
| <p><u>Vacuum System:</u> 0 - 1400 CFM Rotary Lobe Blower 4" Vacuum Hose system 4" x 10' Vacuum Hose 16" HG vacuum rating Cyclone Separator - Dual Hydrostatic Drive via Chassis PTO 4" Vacuum Relief System</p> | <p><u>Air Tool Storage System:</u> Jack Hammer Storage Holster (1) Tamper Storage Holster (1)</p> | <p><u>Bulk Storage System Enclosure :</u> Flexible Tool Storage Compatible 80,000 BTU Compartment Heater</p> |

| | | | |
|------------------------------------|---------------------|--|----------------------|
| BASE UNIT AS OUTLINED ABOVE | \$208,924.51 | 1 | \$208,924.51 |
| | | LIST PRICE OF SELECTED OPTIONS: | \$0.00 |
| | | LESS PERCENTAGE DISCOUNT (enter % →) 5% | |
| | | NET PRICE OF UNIT: | \$208,924.51 |
| | | FACTORY SUPPLIED CHASSIS: | |
| | | ESTIMATED FREIGHT: | |
| | | ESTIMATED TOTAL: | \$ 208,924.51 |

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

STANDARD OPTIONS:

| <u>WATER SYSTEM:</u> | LIST PRICE | QTY | TOTAL |
|---|-------------------|------------|--------------|
| 300 GALLON DURAPROLENE WATER TANK (Recommended for hydro-excavating applications), (Includes 2-1/2" fill system and hydrant wrench) | \$7,980.76 | 1 | \$0.00 |
| 2" WATER FILL 'Y' STRAINER (mounted in water fill line prior to air gap) (Requires upgrade to 300 gallon duraprolene water tank) | \$433.99 | 1 | \$0.00 |
| RECIRCULATION SYSTEM (circulates 5 gpm of water throughout system) | \$946.67 | 1 | \$0.00 |
| ANTI-FREEZE SYSTEM (10 gallon poly tank) | \$1,606.34 | 1 | \$0.00 |

WATER SYSTEM ATTACHMENTS:

| | | | |
|---|--------------|--|--------|
| STANDARD HYDROEXCAVATION DIGGING KIT 10 GPM @ 2500 PSI (4GPM rotary digging wand, 4gpm linear nozzle, (2) 5' Extension wands, automatic reel w/75' of 3/8" hose, 10gpm @ 2500psi Triplex pump) | \$13,751.08 | | \$0.00 |
| COLD WEATHER HYDROEXCAVATION DIGGING KIT 10 GPM @ 2500 PSI (Includes 400,000 BTU Diesel Fired Boiler, 4gpm rotary digging wand, 4 gpm linear nozzle, (2) 5' Extension wands and automatic reel w/75' of 3/8" hose, includes 10gpm @ 2500psi Triplex pump) | \$20,871.97 | | \$0.00 |
| VACUUM SYSTEM: | | | |
| 0 - 1400 CFM & 27"HG ROTARY LOBE BLOWER (4" vacuum system) | \$3,792.48 | | \$0.00 |
| 0 - 3000 CFM & 18"HG ROTARY LOBE BLOWER (6" vacuum system) | \$7,456.51 | | \$0.00 |
| 0 - 3000 CFM & 27"HG ROTARY LOBE BLOWER (6" vacuum system) | \$9,611.40 | | \$0.00 |
| UPGRADE TO TRIPLE CYCLONE SEPARATOR SYSTEM - (n/a with backfill hopper option) | \$3,867.71 | | \$0.00 |
| 1/2 CUBIC YD BACKFILL HOPPER - INCLUDES 5" BAYONET STYLE SUCTION PORT AND MANUAL ACCESS DUMP DOOR - (n/a with triple cyclone option) | \$7,659.03 | | \$0.00 |
| AIR EXCAVATION SYSTEM: | | | |
| ADDITIONAL 185 CFM AIR LANCE (not to be used with 300 cfm system) | \$4,132.73 | | \$0.00 |
| 300 CFM & 250 PSI SCREW TYPE AIR COMPRESSOR COMPLETE WITH AIR LANCE, 50' x 1" AIR HOSE AND RETRACTABLE REEL (higher volume rating for larger applications) | \$7,207.69 | | \$0.00 |
| ADDITIONAL 300 CFM AIR LANCE (not to be used with 185 cfm system) | \$4,742.63 | | \$0.00 |
| 90 CFM @100 PSI AIR TOOL CIRCUIT (utilizes existing air compressor and includes dedicated 3/4" x 50' reel with regulator) | \$2,578.47 | | \$0.00 |
| ECO FRIENDLY FLUIDS - HYDRAULIC & COMPRESSOR (NOT RECOMMENDED FOR SUB-ZERO CLIMATES) | \$1,196.65 | | \$0.00 |
| DEBRIS TANK: | | | |
| 3 CUBIC YARD/600 GALLON CAPACITY (subject to suitable chassis capacity) | \$4,238.04 | | \$0.00 |
| 4 CUBIC YARD/800 GALLON CAPACITY (subject to suitable chassis capacity) | \$8,851.06 | | \$0.00 |
| Central Lubrication System (Central Grease Manifold For All Module Joints) | \$2,269.47 | | \$0.00 |
| Water Misting/Fogging System For Improved Filtration (Recommended with Hydrorex Upgrades) | \$1,315.85 | | \$0.00 |
| Body Vibrator (12 Volt Electric) | \$3,491.58 | | \$0.00 |
| CHASSIS: | | | |
| NON-STOCK CHASSIS MOUNTING ALTERATIONS (required for customer supplied chassis) | \$4,297.07 | | \$0.00 |
| REAR BACK UP CAMERA SYSTEM (complete with 7" monitor mounted in cab) | \$1,342.47 | | \$0.00 |
| HITCH - REESE STYLE (10,000# rating complete with 7 pin receptacle and brake controller in cab, Combined GVWR may require CDL) | \$920.06 | | \$0.00 |
| Pole Kit (Fender Guides) | \$133.09 | | \$0.00 |
| ELECTRICAL/LIGHTING & SAFETY: | | | |
| TRIDENT WIRELESS PENDANT SYSTEM (blower on/off, air compressor on/off, boom in/out, boom up/down, water on/off, chassis throttle, system kill, vacuum relief) | \$5,943.91 | | \$0.00 |
| LED STROBE LIGHT | \$636.52 | | \$0.00 |
| LED ARROW STICK | \$1,292.71 | | \$0.00 |
| BOOM MOUNTED WORK LIGHTS (2 LED lights mounted on boom) | \$986.02 | | \$0.00 |
| BODY MOUNTED WORK LIGHTS (2 LED lights mounted mid-ship on enclosure street side & curb side) | \$1,327.43 | | \$0.00 |
| SIX (6) D.O.T. SAFETY CONES AND FRONT BUMPER MOUNTED HOLDER (28" cones) | \$913.11 | | \$0.00 |
| ON BOARD SCALE SYSTEM (digital display in cab) | \$9,484.10 | | \$0.00 |
| HANDHELD RECHARGEABLE WIRELESS 12v/110v LED SPOTLIGHT (complete with charger station) | \$406.21 | | \$0.00 |
| ACCESSORIES | | | |
| ADDITIONAL PAPER OPERATOR'S MANUAL | \$96.06 | | \$0.00 |
| WHEEL CHOCKS (2) | \$314.79 | | \$0.00 |
| USB OPERATOR'S MANUAL | \$71.75 | | \$0.00 |
| PNEUMATIC JACKHAMMER | \$2,210.45 | | \$0.00 |
| PNEUMATIC TAMPER | \$1,473.25 | | \$0.00 |
| ADDITIONAL 4" X 48" DIG TUBE WITH ADDITIONAL CLAMP (MAXIMUM STORAGE OF 1) | \$399.27 | | \$0.00 |
| ADDITIONAL 6" X 48" DIG TUBE WITH ADDITIONAL CLAMP (MAXIMUM STORAGE OF 1) | \$460.61 | | \$0.00 |
| SUCTION TUBE HANDLE WITH LATCH 6" | \$248.82 | | \$0.00 |
| BULK STORAGE SYSTEM ENCLOSURE: | | | |
| UPGRADE TO ALUMINUM ENCLOSURE | \$8,598.76 | | \$0.00 |
| 'POLAR PACK' INSULATION SYSTEM | \$2,513.66 | | \$0.00 |
| DEDUCT FOR ELIMINATING COMPARTMENT HEATER | (\$1,354.04) | | \$0.00 |
| PASSENGER SIDE 46.5"HX42"WX14"D TOOL DRAWER/CABINET SYSTEM | \$2,276.42 | | \$0.00 |


| | | | |
|--|------------|--|--------|
| PASSENGER SIDE 46.5"HX42"WX14"D TOOL DRAWER/OPEN BIN SYSTEM | \$2,276.42 | | \$0.00 |
| GREASE GUN KIT: (INCLUDES GUN & (2) GREASE TUBES, MOUNTED INSIDE OF SHROUD) | \$179.38 | | \$0.00 |
| BOOM: | | | |
| HYDRAULIC POWERED UP/DOWN AND 36" EXTENSION IN/OUT WITH MANUAL ROTATION | \$8,919.34 | | \$0.00 |
| PAINT (SHROUD & DEBRIS TANK): | | | |
| DEBRIS TANK: STERLING WHITE (FDG-91327) | INCLUDED | | |
| SHROUD: STERLING WHITE (FDG-91327) | INCLUDED | | |
| BOOM: STD BLACK (FDG-9000) | INCLUDED | | |
| ALL OTHER COLORS (EXCEPT METALLIC PAINT) | \$1,852.84 | | \$0.00 |
| CONTACT FACTORY FOR LIST PRICE OF PAINTING OTHER COMPONENTS ON UNIT | | | |
| TRAINING: | | | |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - SEWER EQUIPMENT UNIVERSITY (DIXON, IL) (2 DAYS) **INCLUDES HOTEL & MEALS** | \$2,750.00 | | \$0.00 |
| SPECIAL ITEMS: | | | |
| | | | \$0.00 |
| | | | |
| SIGNATURE | | | DATE |
| Please return a signed copy to bigequipment@SewerEquipment.com | | | |



PO Box 13040 Spokane Valley, WA 99213
 p (800) 892-7831 www.swsequipment.com
www.SewerEquipment.com



www.SWSEquipment.com

| | | |
|--|---|--|
| October 11, 2021 | PO# | |
| | Product Class: | |
| Payment Terms: | REV: | |
| Distributor: SWS Equipment (800) 892-7831 | WO# | |
| Salesman: |  | |
| End User: | | |
| Address: | | |
| City, State, Zip: | | |
| Phone: | | |
| Contact: | | |
| Email: | | |

RAMVAC HX-3 Truck Mounted Hydro Excavator

| | | |
|---|------------------------------------|---|
| Water System: | | |
| 325 gallon Duraprolene Water Tank | Vacuum System: | Compartment: |
| Hydraulic Powered Water Pump (0 - 10 gpm @ 2500 psi) | 3000 CFM Blower | Shrouded compartment for: pump, water, heater & reel |
| Water Pressure Display | 6" Vacuum Hose system | 80,000 BTU Compartment Heater |
| 400,000 BTU Water Heater | 18" HG vacuum rating | Exhaust Fan |
| 2.5" Hydrant Fill system w/ 25' hose | Cyclone Separator | Accessories |
| Air Purge Valve, Recirculation System and Wash Station | Heavy Duty Final Filter Box | (4) 6" x 6' Extension Tubes |
| 75' of 3/8" Hose w/ retractable reel | Vacuum Enhancer | (5) Quick Clamps 6" |
| Electrical: | Directional Discharge System | (1) 6" x 6' Digging Tube |
| NEMA 4 Control Panel | Hydrostatic Blower Drive via PTO | Kit, Wand, Digging, Hydro-Ex Truck |
| Wireless Remote Control | Boom: | Wand, Digging, Hydro-Ex Truck |
| Hour Meter | Powered boom | Washdown Gun Kit & Nozzle |
| Debris Tank: | 240° Working Radius | (1) Hydrant Wrench |
| 3 cubic yards (625 gl) Debris Tank | Boom Reach - 10' extendable to 13' | 25' Fill Hose |
| Hydraulic Dump, 50° Dump Angle (Cylinder) | Truck: | (1) Paper Owner's Manual |
| Debris Level Indicator | Mounting to approved chassis | |
| Fold Down Pipe Rack | Aluminum toolboxes | |
| Hydraulic Powered Open/Close Rear Door | Mud flaps, Bumper | |
| | LED D.O.T. approved lighting | |

| | | | |
|------------------------------------|---------------------|----------|---------------------|
| BASE UNIT AS OUTLINED ABOVE | \$222,756.60 | 1 | \$222,756.60 |
|------------------------------------|---------------------|----------|---------------------|

| | | |
|-----------------------------------|--|-----------------------|
| -----Specify Chassis Details----- | LIST PRICE OF SELECTED OPTIONS: | \$0.00 |
| | LESS PERCENTAGE DISCOUNT (enter % →) 5% | \$ (11,137.83) |
| | NET PRICE OF UNIT: | \$211,618.77 |
| | FACTORY SUPPLIED CHASSIS: | |
| | ESTIMATED FREIGHT: | |
| | ESTIMATED TOTAL: | \$ 211,618.77 |

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

STANDARD OPTIONS:

| ENCLOSURE AND TOOL TRAYS: | LIST PRICE | QTY | TOTAL |
|--|--------------|-----|--------|
| Behind The Cab 15" X 96" Tool Tray (Add 18" In Ct To Accomodate) | \$1,345.94 | 1 | \$0.00 |
| Upgrade to Aluminum Shroud | \$7,032.93 | 1 | \$0.00 |
| Insulation of Shrouded Compartment | \$2,623.61 | 1 | \$0.00 |
| Polar Pack insulation System | \$3,411.73 | 1 | \$0.00 |
| Deduct for No Water Heater | (\$3,562.18) | 1 | \$0.00 |
| Deduct for No Compartment Heater | (\$1,314.70) | 1 | \$0.00 |
| Three (3) 6" x 6' Discharge Hoses | \$1,712.81 | 1 | \$0.00 |

EXCAVATION SYSTEM(S) ATTACHMENTS:

| | | | |
|---|-------------|---|--------|
| PTO Driven 185 CFM & 150 PSI Air Compressor Complete With Air Digging Tool, Air Hose And Retractable Reel Requires Access To Both Transmission PTO Windows, Manual Or Automatic | \$33,841.87 | 1 | \$0.00 |
| Additional Air Digging Tool | \$3,894.33 | 1 | \$0.00 |
| 2" Water Fill 'Y' Strainer | \$421.26 | 1 | \$0.00 |

| | | | |
|--|-------------|--|--------|
| Upgrade to High Capacity Water Pump (18 GPM @ 2500 PSI) | \$12,143.58 | | \$0.00 |
| Anti-Freeze System (10 Gallon Tank) | \$1,606.34 | | \$0.00 |
| Debris Inlet Water Misting System | \$1,354.04 | | \$0.00 |
| Additional Extension Wand w/ high flow quick connect | \$405.06 | | \$0.00 |
| Additional Rotary Digging Wand w/ High Flow Quick Connect - (Must Select Flow Rate) | \$583.28 | | \$0.00 |
| Linear Digging Wand w/ High Flow Quick Connect - (Must Select Flow Rate) | \$674.71 | | \$0.00 |
| DEBRIS BOX & BOOM: | | | |
| Debris Body Pump Off System (4" & 800 gpm) and Accessories | \$6,449.65 | | \$0.00 |
| High Performance Blower Silencer (Standard Equipment on 4400 cfm & 3000 cfm @ 27'HG Unit; Lowers Noise Pressure up to 4 db @15') | \$4,544.73 | | \$0.00 |
| Central Lubrication System | \$2,995.10 | | \$0.00 |
| Liquid Level Audible Alarm (Level Adjustable) | \$1,047.36 | | \$0.00 |
| Upgrade to Telescoping Boom | \$10,164.60 | | \$0.00 |
| Decant Screen On Rear Door Port (Swing Out Perforated Shield) | \$1,694.29 | | \$0.00 |
| Debris Tank Bin Meter - Opens Vacuum Relief System Once Debris Tank Reaches Capacity (Requires Vacuum Relief System To Be Ordered) | \$947.83 | | \$0.00 |
| ELECTRICAL & LIGHTING: | | | |
| Tethered Pendant (with Boom Functions, Chassis Throttle, Vacuum Enhancer, Water Pump, Kill) | \$3,252.02 | | \$0.00 |
| Grounding Reel (75') & Spike | \$2,027.60 | | \$0.00 |
| LED Rotating Beacon (Factory Standard) | \$658.51 | | \$0.00 |
| LED Strobe Light (Factory Standard) | \$636.52 | | \$0.00 |
| LED Arrow Stick (Factory Standard) | \$1,293.87 | | \$0.00 |
| Boom Mounted Work Lights (2) | \$986.02 | | \$0.00 |
| Boom Mounted Work Lights w/ Limb Guards (2) | \$1,126.06 | | \$0.00 |
| Body Mounted Work Lights (2) on Shroud | \$1,253.36 | | \$0.00 |
| Rear Door Work Lights (2) | \$1,253.36 | | \$0.00 |
| Handheld Wireless 12v/110v Rechargeable LED Spotlight | \$406.21 | | \$0.00 |
| CHASSIS: | | | |
| Non-Stock Chassis Mounting Alterations | \$4,297.07 | | \$0.00 |
| GPS Location System (Requires \$55/mo Service Fee) | \$742.99 | | \$0.00 |
| Air Purge Winterizations System (Powered by Chassis) | \$1,654.94 | | \$0.00 |
| Rear Back up Camera System W/ 7' Color Monitor Mounted in Cab | \$1,342.47 | | \$0.00 |
| Rear Back Up Camera System with Blind Spot Cameras (includes color monitor in cab) | \$2,980.06 | | \$0.00 |
| On-Board Scale System - Display Mounted In Cab | \$8,194.87 | | \$0.00 |
| On-Board Scale System - Display Mounted In Cab W/ Secondary Display On Wireless Remote (Requires Upgrade To Wireless Remote Control Pendant) | \$8,940.17 | | \$0.00 |
| Combination Heavy Duty Ball Hitch (20,000 LBS Maximum Load) with Cab Mounted Brake Controller | \$1,308.91 | | \$0.00 |
| Six (6) 28" D.O.T. Safety Cones and Holder | \$491.85 | | \$0.00 |
| PAINT (SHROUD & DEBRIS TANK): | | | |
| SHROUD: STERLING WHITE (FDG91327) | STANDARD | | |
| DEBRIS TANK: STERLING WHITE (FDG91327) | STANDARD | | |
| BOOM: • STD BLACK (FDG-9000) | STANDARD | | |
| SPECIAL PAINT: Solid Colors | \$3,289.06 | | \$0.00 |
| SPECIAL PAINT: Metallic, Base Coat / Clear Coat | | | |
| MANUALS & TRAINING: | | | |
| Additional Paper Operator's Manual | \$96.06 | | \$0.00 |
| USB Operator's Manual | \$70.60 | | \$0.00 |
| Training - Customer Location (1 Day) | \$1,945.00 | | \$0.00 |
| Training - Customer Location (Additional Day) | \$1,945.00 | | \$0.00 |
| Training - Sewer Equipment University (DIXON, IL) (2 DAYS) **Includes Hotel & Meals** | \$2,750.00 | | \$0.00 |
| SPECIAL ITEMS: | | | |
| | | | \$0.00 |

SIGNATURE

DATE

Please return a signed copy to bigequipment@SewerEquipment.com




PO Box 13040 Spokane Valley, WA 99213

p (800) 892-7831 www.swsequipment.com

www.SewerEquipment.com



www.SWSEquipment.com

| | | |
|--|---|--|
| October 11, 2021 | PO# | |
| | Product Class: | |
| Payment Terms: | REV: | |
| Distributor: SWS Equipment (800) 892-7831 | WO# | |
| Salesman: |  | |
| End User: | | |
| Address: | | |
| City, State, Zip: | | |
| Phone: | | |
| Contact: | | |
| Email: | | |

RAMVAC HX-6 Truck Mounted Hydro Excavator

| | | |
|---|---|---|
| Water System: 650 gallon Durapolrene Water Tank Hydraulic Powered Water Pump (0 - 10 gpm @ 2500 psi) Water Pressure Display 400,000 BTU Water Heater 2.5" Hydrant Fill system w/ 25' hose Air Purge Valve, Recirculation System and Wash Station 75' of 3/8" Hose w/ retractable reel | Vacuum System: 3000 CFM Blower 6" Vacuum Hose system 18" HG vacuum rating Cyclone Separator Heavy Duty Final Filter Box Vacuum Enhancer Directional Discharge System Hydrostatic Blower Drive via mid mount chassis engine pump drive | Compartment: Shrouded compartment for: pump, water, heater & reel 80,000 BTU Compartment Heater Exhaust Fan |
| Electrical: NEMA 4 Control Panel Wireless Remote Control Hour Meter | Boom: Powered boom 240° Working Radius Boom Reach - 10' extendable to 13' | Accessories: (4) 6" x 6' Extension Tubes (5) Quick Clamps 6" (1) 6" x 6' Digging Tube Kit, Wand, Digging, Hydro-Ex Truck Wand, Digging, Hydro-Ex Truck Washdown Gun Kit & Nozzle (1) Hydrant Wrench 25' Fill Hose (1) Paper Owner's Manual Behind the Cab 15"x96" Tooltray |
| Debris Tank: 6 cubic yards (1250 gl) Debris Tank Hydraulic Dump, 50° Dump Angle (Cylinder) Debris Level Indicator Fold Down Pipe Rack Hydraulic Powered Open/Close Rear Door | Truck: Mounting to approved chassis Aluminum toolboxes Mud flaps, Bumper LED D.O.T. approved lighting | |

BASE UNIT AS OUTLINED ABOVE (155" CHASSIS CA REQUIRED) \$270,672.43 1 \$270,672.43

| | | |
|-----------------------------------|---|----------------------|
| -----Specify Chassis Details----- | LIST PRICE OF SELECTED OPTIONS: | \$0.00 |
| | LESS PERCENTAGE DISCOUNT (enter % →) 5% | \$ (13,533.62) |
| | NET PRICE OF UNIT: | \$257,138.81 |
| | FACTORY SUPPLIED CHASSIS: | |
| | ESTIMATED FREIGHT: | |
| | ESTIMATED TOTAL: | \$ 257,138.81 |

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

STANDARD OPTIONS:

| ENCLOSURE AND TOOL TRAYS: | LIST PRICE | QTY | TOTAL |
|------------------------------------|--------------|-----|--------|
| Upgrade to Aluminum Shroud | \$7,032.93 | | \$0.00 |
| Insulation of Shrouded Compartment | \$2,623.61 | | \$0.00 |
| Polar Pack insulation System | \$3,411.73 | | \$0.00 |
| Deduct for No Water Heater | (\$3,562.18) | | \$0.00 |
| Deduct for No Compartment Heater | (\$1,314.70) | | \$0.00 |

EXCAVATION SYSTEM(S) ATTACHMENTS:

| | | | |
|--|-------------|--|--------|
| PTO Driven 185 CFM & 150 PSI Air Compressor Complete With Air Digging Tool, Air Hose And Retractable Reel Requires Access To Both Transmission PTO Windows, Manual Or Automatic | \$33,841.87 | | \$0.00 |
| Additional Air Digging Tool | \$3,894.33 | | \$0.00 |
| Upgrade to High Capacity Water Pump (18 GPM @ 2500 PSI) | \$12,143.58 | | \$0.00 |
| 2" Water Fill 'Y' Strainer | \$421.26 | | \$0.00 |
| Anti-Freeze System (10 Gallon Tank) | \$1,606.34 | | \$0.00 |

| | | | |
|--|-------------|--|--------|
| Debris Inlet Water Misting System | \$1,354.04 | | \$0.00 |
| Additional Extension Wand w/ high flow quick connect | \$405.06 | | \$0.00 |
| Additional Rotary Digging Wand w/ High Flow Quick Connect (Must Select Flow Rate) | \$583.28 | | \$0.00 |
| Linear Digging Wand w/ High Flow Quick Connect (Must Select Flow Rate) | \$674.71 | | \$0.00 |
| <u>DEBRIS BOX & BOOM:</u> | | | |
| Debris Body Pump Off System (4" & 800 gpm) and Accessories | \$6,449.65 | | \$0.00 |
| High Performance Blower Silencer (Standard Equipment on 4400 cfm & 3000 cfm @ 27" HG Unit; Lowers Noise Pressure up to 4 db @15') | \$4,544.73 | | \$0.00 |
| Central Lubrication System | \$2,995.10 | | \$0.00 |
| Body Vibrator (12 Volt Electric) | \$3,491.58 | | \$0.00 |
| Liquid Level Audible Alarm (Level Adjustable) | \$1,047.36 | | \$0.00 |
| Upgrade to Telescoping Boom | \$10,164.60 | | \$0.00 |
| Decant Screen On Rear Door Port (Swing Out Perforated Shield) | \$1,694.29 | | \$0.00 |
| Debris Tank Bin Meter - Opens Vacuum Relief System Once Debris Tank Reaches Capacity (Requires Vacuum Relief System To Be Ordered) | \$947.83 | | \$0.00 |
| <u>ELECTRICAL & LIGHTING:</u> | | | |
| Tethered Pendant (with Boom Functions, Chassis Throttle, Vacuum Enhancer, Water Pump, Kill) | \$3,252.02 | | \$0.00 |
| Grounding Reel (75') & Spike | \$2,027.60 | | \$0.00 |
| LED Rotating Beacon (Factory Standard) | \$658.51 | | \$0.00 |
| LED Strobe Light (Factory Standard) | \$636.52 | | \$0.00 |
| LED Arrow Stick (Factory Standard) | \$1,293.87 | | \$0.00 |
| Boom Mounted Work Lights (2) | \$986.02 | | \$0.00 |
| Boom Mounted Work Lights w/ Limb Guards (2) | \$1,126.06 | | \$0.00 |
| Body Mounted Work Lights (2) on Shroud | \$1,253.36 | | \$0.00 |
| Rear Door Work Lights (2) | \$1,253.36 | | \$0.00 |
| Handheld Wireless 12v/110v Rechargeable LED Spotlight | \$406.21 | | \$0.00 |
| <u>CHASSIS:</u> | | | |
| Non-Stock Chassis Mounting Alterations | \$4,297.07 | | \$0.00 |
| GPS Location System (Requires \$55/mo Service Fee) | \$742.99 | | \$0.00 |
| Air Purge Winterizations System (Powered by Chassis) | \$1,654.94 | | \$0.00 |
| Rear Back up Camera System W/ 7' Color Monitor Mounted in Cab | \$1,342.47 | | \$0.00 |
| Rear Back Up Camera System with Blind Spot Cameras (includes color monitor in cab) | \$2,980.06 | | \$0.00 |
| On-Board Scale System - Display Mounted In Cab | \$8,194.87 | | \$0.00 |
| On-Board Scale System - Display Mounted In Cab W/ Secondary Display On Wireless Remote (Requires Upgrade To Wireless Remote Control Pendant) | \$8,940.17 | | \$0.00 |
| Combination Heavy Duty Ball Hitch (20,000 LBS Maximum Load) with Cab Mounted Brake Controller | \$1,308.91 | | \$0.00 |
| Six (6) 28" D.O.T. Safety Cones and Holder | \$491.85 | | \$0.00 |
| <u>PAINT (SHROUD & DEBRIS TANK):</u> | | | |
| SHROUD: STERLING WHITE (FDG91327) | STANDARD | | |
| DEBRIS TANK: STERLING WHITE (FDG91327) | STANDARD | | |
| BOOM: • STD BLACK (FDG-9000) | STANDARD | | |
| SPECIAL PAINT: Solid Colors | \$3,289.06 | | \$0.00 |
| SPECIAL PAINT: Metallic, Base Coat / Clear Coat | | | |
| <u>MANUALS & TRAINING:</u> | | | |
| Additional Paper Operator's Manual | \$96.06 | | \$0.00 |
| USB Operator's Manual | \$70.60 | | \$0.00 |
| Training - Customer Location (1 Day) | \$1,945.00 | | \$0.00 |
| Training - Customer Location (Additional Day) | \$1,945.00 | | \$0.00 |
| Training - Sewer Equipment University (DIXON, IL) (2 DAYS) **Includes Hotel & Meals** | \$2,750.00 | | \$0.00 |
| <u>SPECIAL ITEMS:</u> | | | |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| | | | \$0.00 |

| | | | |
|---|--------------|---------------|-------------|
| Non-Stock Chassis | | | |
| Make: | Year: | Model: | VIN: |
| | | | |
| SIGNATURE | | | DATE |
| Please return a signed copy to bigequipment@SewerEquipment.com | | | |



PO Box 13040 Spokane Valley, WA 99213
 p (800) 892-7831 www.swsequipment.com
www.SewerEquipment.com



www.SWSEquipment.com

| | | |
|--|---|--|
| October 11, 2021 | PO# | |
| | Product Class: | |
| Payment Terms: | REV: | |
| Distributor: SWS Equipment (800) 892-7831 | WO# | |
| Salesman: |  | |
| End User: | | |
| Address: | | |
| City, State, Zip: | | |
| Phone: | | |
| Contact: | | |
| Email: | | |

RAMVAC HX-9 Truck Mounted Hydro Excavator

| | | |
|---|---|---|
| <p>Water System: 1300 gal Duraprolene tank capacity Hydraulic Powered Water Pump Via Transmission PTO Drive (0 - 10 gpm @ 2500 psi) Alum Toolbox 18"x18"x30" Water Pressure Display 400,000 BTU Water Heater 2.5" Hydrant Fill system w/ 25' hose Air Purge Valve, Recirculation System and Wash Station 75' of 3/8" Hose w/ retractable reel</p> <p>Electrical: NEMA 4 Control Panel Wireless Remote Control Hour Meter</p> <p>Debris Tank: 9 cubic yards (1800 gl) Debris Tank Debris Level Indicator Hydraulic Dump, 50° Dump Angle (Cylinder) Fold Down Pipe Rack Hydraulic Powered Open/Close Rear Door</p> | <p>Vacuum System: 4400 CFM Blower 8" Vacuum Hose system 18" HG vacuum rating Cyclone Separator Heavy Duty Final Filter Box Vacuum Enhancer Directional Discharge System Hydrostatic Blower Drive via front mount chassis engine pump drive</p> <p>Boom: Powered boom 330° Working Radius Boom Reach - 12' extendable to 17'</p> <p>Compartment: Steel shroud encloses all water components 80,000 BTU Compartment Heater Roll Up Doors</p> | <p>Truck: Mounting to approved chassis Alum Toolbox 18"x18"x30" Alum Toolbox 18"x18"x36" driver Alum Toolbox 18"x18"x74" passenger Mud flaps, Bumper LED D.O.T. approved lighting</p> <p>Accessories: (4) 8" x 6' Extension Tubes (5) Quick Clamps 8" (1) 8" x 6' Digging Tube Kit, Wand, Digging, Hydro-Ex Truck Wand, Digging, Hydro-Ex Truck Washdown Gun Kit & Nozzle (1) Hydrant Wrench 25' Fill Hose (1) Paper Owner's Manual</p> |
|---|---|---|

| | | | |
|------------------------------------|---------------------|----------|---------------------|
| BASE UNIT AS OUTLINED ABOVE | \$312,378.17 | 1 | \$312,378.17 |
|------------------------------------|---------------------|----------|---------------------|

| | |
|--|---|
| -----Specify Chassis Details----- | LIST PRICE OF SELECTED OPTIONS: \$0.00 |
| | LESS PERCENTAGE DISCOUNT (enter % →) 0% \$ - |
| | NET PRICE OF UNIT: \$312,378.17 |
| | FACTORY SUPPLIED CHASSIS: |
| | ESTIMATED FREIGHT: |
| | ESTIMATED TOTAL: \$ 312,378.17 |

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

STANDARD OPTIONS:

| ENCLOSURE AND TOOL TRAYS: | LIST PRICE | QTY | TOTAL |
|---|--------------|-----|--------|
| Behind the Cab Expanded Metal Tool Tray (8"H X 10"W X 62"L) | \$1,289.24 | 1 | \$0.00 |
| Upgrade to Aluminum Shroud | \$7,032.93 | 1 | \$0.00 |
| Insulation of Shrouded Compartment | \$4,049.40 | 1 | \$0.00 |
| Polar Pack insulation System | \$5,725.18 | 1 | \$0.00 |
| Heated Equipment Locker | \$3,491.58 | 1 | \$0.00 |
| Deduct for No Water Heater | (\$3,562.18) | 1 | \$0.00 |
| Deduct for No Compartment Heater | (\$1,314.70) | 1 | \$0.00 |

EXCAVATION SYSTEM(S) ATTACHMENTS:

| | | | |
|---|-------------|--|--------|
| Hibon SIAV 840 3300 CFM & 27"HG Vacuum System Upgrade (6" System - Blow Off System Not Supported by This Configuration) | \$43,637.28 | | \$0.00 |
|---|-------------|--|--------|

| | | | |
|---|-------------|--|--------|
| PTO Driven 185 CFM & 150 PSI Air Compressor Complete With Air Digging Tool, Air Hose And Retractable Reel Requires Access To Both Transmission PTO Windows, Manual Or Automatic | \$33,841.87 | | \$0.00 |
| Vacuum Breaker Option (4400 CFM Blower Only) | \$3,375.85 | | \$0.00 |
| Additional Air Digging Tool | \$3,894.33 | | \$0.00 |
| 2" Water Fill 'Y' Strainer | \$421.26 | | \$0.00 |
| Upgrade to High Capacity Water Pump (18 GPM @ 2500 PSI) | \$12,143.58 | | \$0.00 |
| Upgrade to High Capacity Boiler (800,000 BTU) | \$15,434.96 | | \$0.00 |
| Anti-Freeze System (10 Gallon Tank) | \$1,606.34 | | \$0.00 |
| Debris Inlet Water Misting System | \$1,354.04 | | \$0.00 |
| Dual Operator Station (Second Reel w/ 75' of 3/8" Hose) Includes a Complete Set of Digging Wands and Extensions | \$2,588.89 | | \$0.00 |
| Additional Extension Wand w/ high flow quick connect | \$405.06 | | \$0.00 |
| Additional Rotary Digging Wand w/ High Flow Quick Connect - (Must Select Flow Rate) | \$583.28 | | \$0.00 |
| Linear Digging Wand w/ High Flow Quick Connect - (Must Select Flow Rate) | \$674.71 | | \$0.00 |
| DEBRIS BOX & BOOM: | | | |
| Debris Body Pump Off System (4" & 800 gpm) and Accessories | \$10,339.35 | | \$0.00 |
| Central Lubrication System | \$2,995.10 | | \$0.00 |
| Body Vibrator (12 Volt Electric) | \$3,491.58 | | \$0.00 |
| Liquid Level Audible Alarm (Level Adjustable) | \$1,047.36 | | \$0.00 |
| Upgrade to Telescoping Boom | \$10,164.60 | | \$0.00 |
| Boom Catwalk (Access to Entire Length of Boom, Located on Driver Side, Complete with Tether Tie-Off's) | \$3,131.66 | | \$0.00 |
| Decant Screen On Rear Door Port (Swing Out Perforated Shield) | \$1,694.29 | | \$0.00 |
| Debris Tank Bin Meter - Opens Vacuum Relief System Once Debris Tank Reaches Capacity (Requires Vacuum Relief System To Be Ordered) | \$947.83 | | \$0.00 |
| ELECTRICAL & LIGHTING: | | | |
| Tethered Pendant (with Boom Functions, Chassis Throttle, Vacuum Enhancer, Water Pump, Kill) | \$3,252.02 | | \$0.00 |
| Grounding Reel (75') & Spike | \$2,027.60 | | \$0.00 |
| LED Rotating Beacon (Factory Standard) | \$658.51 | | \$0.00 |
| LED Strobe Light (Factory Standard) | \$636.52 | | \$0.00 |
| LED Arrow Stick (Factory Standard) | \$1,293.87 | | \$0.00 |
| Boom Mounted Work Lights (2) | \$986.02 | | \$0.00 |
| Boom Mounted Work Lights w/ Limb Guards (2) | \$1,126.06 | | \$0.00 |
| Body Mounted Work Lights (2) on Shroud | \$1,253.36 | | \$0.00 |
| Rear Door Work Lights (2) | \$1,253.36 | | \$0.00 |
| Handheld Wireless 12v/110v Rechargeable LED Spotlight | \$406.21 | | \$0.00 |
| CHASSIS: | | | |
| Non-Stock Chassis Mounting Alterations | \$4,297.07 | | \$0.00 |
| GPS Location System (Requires \$55/mo Service Fee) | \$742.99 | | \$0.00 |
| Air Purge Winterizations System (Powered by Chassis) | \$1,654.94 | | \$0.00 |
| Rear Back up Camera System W/ 7" Color Monitor Mounted in Cab | \$1,342.47 | | \$0.00 |
| Rear Back Up Camera System with Blind Spot Cameras (includes color monitor in cab) | \$2,980.06 | | \$0.00 |
| On-Board Scale System - Display Mounted In Cab | \$8,194.87 | | \$0.00 |
| On-Board Scale System - Display Mounted In Cab W/ Secondary Display On Wireless Remote (Requires Upgrade To Wireless Remote Control Pendant) | \$8,940.17 | | \$0.00 |
| Combination Heavy Duty Ball Hitch (20,000 LBS Maximum Load) with Cab Mounted Brake Controller | \$1,308.91 | | \$0.00 |
| Six (6) 28" D.O.T. Safety Cones and Holder | \$491.85 | | \$0.00 |
| PAINT (SHROUD & DEBRIS TANK): | | | |
| SHROUD: • STERLING WHITE (FDG91327) | STANDARD | | |
| DEBRIS TANK: • STERLING WHITE (FDG91327) | STANDARD | | |
| BOOM: • STD BLACK (FDG-9000) | STANDARD | | |
| SPECIAL PAINT: Solid Colors | \$3,289.06 | | \$0.00 |
| SPECIAL PAINT: Metallic, Base Coat / Clear Coat | | | |
| MANUALS & TRAINING: | | | |
| Additional Paper Operator's Manual | \$96.06 | | \$0.00 |

| | | | |
|---|--------------|---------------|-------------|
| USB Operator's Manual | \$70.60 | | \$0.00 |
| Training - Customer Location (1 Day) | \$1,945.00 | | \$0.00 |
| Training - Customer Location (Additional Day) | \$1,945.00 | | \$0.00 |
| Training - Sewer Equipment University (DIXON, IL) (2 DAYS) **Includes Hotel & Meals** | \$2,750.00 | | \$0.00 |
| SPECIAL ITEMS: | | | |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| | | | \$0.00 |
| Non-Stock Chassis | | | |
| Make: | Year: | Model: | VIN: |
| | | | |
| SIGNATURE | | | DATE |
| Please return a signed copy to bigequipment@SewerEquipment.com | | | |



PO Box 13040 Spokane Valley, WA 99213
 p (800) 892-7831 www.swsequipment.com
www.SewerEquipment.com



www.SWSEquipment.com

| | | |
|--|---|--|
| October 11, 2021 | PO# | |
| | Product Class: | |
| Payment Terms: | REV: | |
| Distributor: SWS Equipment (800) 892-7831 | WO# | |
| Salesman: |  | |
| End User: | | |
| Address: | | |
| City, State, Zip: | | |
| Phone: | | |
| Contact: | | |
| Email: | | |

RAMVAC HX-12 Truck Mounted Hydro Excavator

| | | |
|--|--|--|
| <p><u>Vacuum System:</u> 4400 CFM Blower 8" Vacuum Hose system 18" HG vacuum rating Cyclone Separator Heavy Duty Final Filter Box Vacuum Enhancer Directional Discharge System Hydrostatic Blower Drive via front mount chassis engine pump drive</p> <p><u>Electrical:</u> NEMA 4 Control Panel Wireless Remote Control Hour Meter</p> <p><u>Debris Tank:</u> 12 cubic yards (2500 gl) Debris Tank Debris Level Indicator Hydraulic Dump, 50° Dump Angle (Cylinder) Fold Down Pipe Rack Hydraulic Powered Open/Close Rear Door</p> | <p><u>Water System:</u> 1300 gal Duraprolene tank capacity Hydraulic Powered Water Pump Via Transmission PTO Drive (0 - 10 gpm @ 2500 psi) Water Pressure Display 400,000 BTU Water Heater 2.5" Hydrant Fill system w/ 25' hose Air Purge Valve, Recirculation System and Wash Station 75' of 3/8" Hose w/ retractable reel</p> <p><u>Boom:</u> Powered boom 330° Working Radius Boom Reach - 17' extendable to 22'</p> <p><u>Compartment:</u> Steel shroud encloses all water components 80,000 BTU Compartment Heater Roll Up Doors</p> | <p><u>Truck:</u> Mounting to approved chassis Alum Toolbox 18"x18"x30" Alum Toolbox 18"x18"x36" driver Alum Toolbox 18"x18"x74" passenger Mud flaps, Bumper LED D.O.T. approved lighting</p> <p><u>Accessories:</u> (4) 8" x 6' Extension Tubes (5) Quick Clamps 8" (1) 8" x 6' Digging Tube Kit, Wand, Digging, Hydro-Ex Truck Wand, Digging, Hydro-Ex Truck Washdown Gun Kit & Nozzle (1) Hydrant Wrench 25' Fill Hose (1) Paper Owner's Manual</p> |
|--|--|--|

| | | | |
|---|---------------------|----------|---------------------|
| BASE UNIT AS OUTLINED ABOVE (200" CHASSIS CT REQUIRED) | \$324,387.51 | 1 | \$324,387.51 |
|---|---------------------|----------|---------------------|

| | |
|--|--|
| -----Specify Chassis Details----- | LIST PRICE OF SELECTED OPTIONS: \$0.00 |
| | 5% \$ (16,219.38) |
| | NET PRICE OF UNIT: \$308,168.13 |
| | ESTIMATED FREIGHT: |
| | ESTIMATED TOTAL: \$308,168.13 |

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

STANDARD OPTIONS:

| <u>ENCLOSURE AND TOOL TRAYS:</u> | LIST PRICE | QTY | TOTAL |
|---|--------------|-----|--------|
| Behind the Cab Expanded Metal Tool Tray (8"H X 10"W X 62"L) | \$1,289.24 | | \$0.00 |
| Upgrade to Aluminum Shroud | \$7,032.93 | | \$0.00 |
| Insulation of Shrouded Compartment | \$4,049.40 | | \$0.00 |
| Polar Pack insulation System | \$5,725.18 | | \$0.00 |
| Heated Equipment Locker | \$3,491.58 | | \$0.00 |
| Deduct for No Water Heater | (\$3,562.18) | | \$0.00 |
| Deduct for No Compartment Heater | (\$1,314.70) | | \$0.00 |

EXCAVATION SYSTEM(S) ATTACHMENTS:

| | | | |
|---|-------------|--|--------|
| Hibon SIAV 840 3300 CFM & 27"HG Vacuum System Upgrade (6" System - Blow Off System Not Supported by This Configuration) | \$43,637.28 | | \$0.00 |
| PTO Driven 185 CFM & 150 PSI Air Compressor Complete With Air Digging Tool, Air Hose And Retractable Reel Requires Access To Both Transmission PTO Windows, Manual Or Automatic | \$33,841.87 | | \$0.00 |

| | | | |
|--|-------------|--|--------|
| Vacuum Breaker Option (4400 CFM Blower Only) | \$3,375.85 | | \$0.00 |
| Additional Air Digging Tool | \$3,894.33 | | \$0.00 |
| Anti-Freeze System (10 Gallon Tank) | \$1,606.34 | | \$0.00 |
| 2" Water Fill 'Y' Strainer | \$421.26 | | \$0.00 |
| Upgrade to High Capacity Water Pump (18 GPM @ 2500 PSI) | \$12,143.58 | | \$0.00 |
| Upgrade to High Capacity Boiler (800,000 BTU) | \$15,434.96 | | \$0.00 |
| Debris Inlet Water Misting System | \$1,354.04 | | \$0.00 |
| Dual Operator Station (Second Reel w/ 75' of 3/8" Hose) Includes a Complete Set of Digging Wands and Extensions | \$2,588.89 | | \$0.00 |
| Additional Extension Wand w/ high flow quick connect | \$405.06 | | \$0.00 |
| Additional Rotary Digging Wand w/ High Flow Quick Connect - (Must Select Flow Rate) | \$583.28 | | \$0.00 |
| Linear Digging Wand w/ High Flow Quick Connect - (Must Select Flow Rate) | \$674.71 | | \$0.00 |
| DEBRIS BOX & BOOM: | | | |
| Debris Body Pump Off System (4" & 800 gpm) and Accessories | \$10,339.35 | | \$0.00 |
| High Capacity Debris Tank (Requires chassis to have correct configuration for weight distribution) | \$15,347.00 | | \$0.00 |
| Central Lubrication System | \$2,995.10 | | \$0.00 |
| Body Vibrator (12 Volt Electric) | \$3,491.58 | | \$0.00 |
| Liquid Level Audible Alarm (Level Adjustable) | \$1,047.36 | | \$0.00 |
| Upgrade to Telescoping Boom | \$10,164.60 | | \$0.00 |
| Boom Catwalk (Access to Entire Length of Boom, Located on Driver Side, Complete with Tether Tie-Off's) | \$3,757.76 | | \$0.00 |
| Decant Screen On Rear Door Port (Swing Out Perforated Shield) | \$1,694.29 | | \$0.00 |
| Debris Tank Bin Meter - Opens Vacuum Relief System Once Debris Tank Reaches Capacity (Requires Vacuum Relief System To Be Ordered) | \$947.83 | | \$0.00 |
| ELECTRICAL & LIGHTING: | | | |
| Tethered Pendant (with Boom Functions, Chassis Throttle, Vacuum Enhancer, Water Pump, Kill) | \$3,252.02 | | \$0.00 |
| Grounding Reel (75') & Spike | \$2,027.60 | | \$0.00 |
| LED Rotating Beacon (Factory Standard) | \$658.51 | | \$0.00 |
| LED Strobe Light (Factory Standard) | \$636.52 | | \$0.00 |
| LED Arrow Stick (Factory Standard) | \$1,293.87 | | \$0.00 |
| Boom Mounted Work Lights (2) | \$986.02 | | \$0.00 |
| Boom Mounted Work Lights w/ Limb Guards (2) | \$1,126.06 | | \$0.00 |
| Body Mounted Work Lights (2) on Shroud | \$1,253.36 | | \$0.00 |
| Rear Door Work Lights (2) | \$1,253.36 | | \$0.00 |
| Handheld Wireless 12v/110v Rechargeable LED Spotlight | \$406.21 | | \$0.00 |
| CHASSIS: | | | |
| Non-Stock Chassis Mounting Alterations | \$4,297.07 | | \$0.00 |
| GPS Location System (Requires \$55/mo Service Fee) | \$742.99 | | \$0.00 |
| Air Purge Winterizations System (Powered by Chassis) | \$1,654.94 | | \$0.00 |
| Rear Back up Camera System W/ 7' Color Monitor Mounted in Cab | \$1,342.47 | | \$0.00 |
| Rear Back Up Camera System with Blind Spot Cameras (includes color monitor in cab) | \$2,980.06 | | \$0.00 |
| On-Board Scale System - Display Mounted In Cab | \$8,194.87 | | \$0.00 |
| On-Board Scale System - Display Mounted In Cab W/ Secondary Display On Wireless Remote (Requires Upgrade To Wireless Remote Control Pendant) | \$8,940.17 | | \$0.00 |
| Combination Heavy Duty Ball Hitch (20,000 LBS Maximum Load) with Cab Mounted Brake Controller | \$1,308.91 | | \$0.00 |
| Six (6) 28" D.O.T. Safety Cones and Holder | \$491.85 | | \$0.00 |
| PAINT (SHROUD & DEBRIS TANK): | | | |
| SHROUD: • STERLING WHITE (FDG91327) | STANDARD | | |
| DEBRIS TANK: • STERLING WHITE (FDG91327) | STANDARD | | |
| BOOM: • STD BLACK (FDG-9000) | STANDARD | | |
| SPECIAL PAINT: Solid Colors | \$3,289.06 | | \$0.00 |
| SPECIAL PAINT: Metallic, Base Coat / Clear Coat | | | |
| MANUALS & TRAINING: | | | |
| Additional Paper Operator's Manual | \$96.06 | | \$0.00 |
| USB Operator's Manual | \$70.60 | | \$0.00 |

| | | | |
|---|--------------|---------------|-------------|
| Training - Customer Location (1 Day) | \$1,945.00 | | \$0.00 |
| Training - Customer Location (Additional Day) | \$1,945.00 | | \$0.00 |
| Training - Sewer Equipment University (DIXON, IL) (2 DAYS) **Includes Hotel & Meals** | \$2,750.00 | | \$0.00 |
| SPECIAL ITEMS: | | | |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| | | | \$0.00 |
| Non-Stock Chassis | | | |
| Make: | Year: | Model: | VIN: |
| | | | |
| SIGNATURE | | | DATE |
| Please return a signed copy to bigequipment@SewerEquipment.com | | | |




PO Box 13040 Spokane Valley, WA 99213

p (800) 892-7831 www.swsequipment.com

www.SewerEquipment.com



www.SWSEquipment.com

| | | |
|--|---|--|
| October 11, 2021 | PO# | |
| | Product Class: | |
| Payment Terms: | REV: | |
| Distributor: SWS Equipment (800) 892-7831 | WO# | |
| Salesman: |  | |
| End User: | | |
| Address: | | |
| City, State, Zip: | | |
| Phone: | | |
| Contact: | | |
| Email: | | |

RAMVAC HX-12-27 Truck Mounted Hydro Excavator

| | | |
|---|--|--|
| Water System: | | |
| 1300 gal Duraprolene tank capacity | Vacuum System: | Debris Tank: |
| Hydraulic Powered Water Pump Via Transmission PTO Drive (0 - 10 gpm @ 2500 psi) | Roots 5250 CFM Blower | 12 cubic yards (2500 gl) Debris Tank |
| Water Pressure Display | High Performance Silencer | Debris Level Indicator |
| 400,000 BTU Water Heater | 8" Vacuum Hose system | Hydraulic Dump, 50° Dump Angle (Cylinder) |
| 2.5" Hydrant Fill system w/ 25' hose | 27" Hg vacuum rating | Hydraulic Powered Open/Close Rear Door |
| Air Purge Valve, Recirculation System and Wash Station | Dual Cyclone Separators | Fold Down Pipe Rack |
| 75' of 3/8" Hose w/ retractable reel | Dual Heavy Duty Final Filter Box | |
| Electrical: | Blower Drive via Chassis Transfer Case | Accessories: |
| NEMA 4 Control Panel | Boom: | (4) 8" x 6' Extension Tubes |
| Wireless Remote Control | Powered boom | (5) Quick Clamps 8" |
| Hour Meter | 330° Working Radius | (1) 8" x 6' Digging Tube |
| Compartment: | Boom Reach - 17' extendable to 22' | Kit, Wand, Digging, Hydro-Ex Truck Wand, Digging, Hydro-Ex Truck |
| Steel shroud encloses all water component | Truck: | Washdown Gun Kit & Nozzle |
| 80,000 BTU Compartment Heater | Mounting to approved chassis | (1) Hydrant Wrench |
| Roll Up Doors | Alum Toolbox 18"x18"x30" | 25' Fill Hose |
| | Alum Toolbox 18"x18"x30" | (1) Paper Owner's Manual |
| | Mud flaps, Bumper | |
| | LED D.O.T. approved lighting | |

BASE UNIT AS OUTLINED ABOVE (200" CHASSIS CT REQUIRED) \$350,726.57 1 \$350,726.57

-----Specify Chassis Details-----

LIST PRICE OF SELECTED OPTIONS: \$0.00
LESS PERCENTAGE DISCOUNT (enter % →) **5%** \$ **(17,536.33)**

NET PRICE OF UNIT: \$333,190.24

ESTIMATED FREIGHT:

ESTIMATED TOTAL: \$ 333,190.24

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

STANDARD OPTIONS:

| ENCLOSURE AND TOOL TRAYS: | LIST PRICE | QTY | TOTAL |
|------------------------------------|---------------------|-----|--------|
| Upgrade to Aluminum Shroud | \$7,032.93 | | \$0.00 |
| Insulation of Shrouded Compartment | \$4,049.40 | | \$0.00 |
| Polar Pack insulation System | \$5,725.18 | | \$0.00 |
| Heated Equipment Locker | \$3,491.58 | | \$0.00 |
| Deduct for No Water Heater | (\$3,562.18) | | \$0.00 |
| Deduct for No Compartment Heater | (\$1,314.70) | | \$0.00 |

WATER SYSTEM ATTACHMENTS:

| | | | |
|---|-------------|--|--------|
| Anti-Freeze System (10 Gallon Tank) | \$1,606.34 | | \$0.00 |
| 2" Water Fill 'Y' Strainer | \$421.26 | | \$0.00 |
| Upgrade to High Capacity Water Pump (18 GPM @ 2500 PSI) | \$12,143.58 | | \$0.00 |
| Upgrade to High Capacity Boiler (800,000 BTU) | \$15,434.96 | | \$0.00 |
| Dual Operator Station (Second Reel w/ 75' of 3/8" Hose) Includes a Complete Set of Digging Wands and Extensions | \$2,588.89 | | \$0.00 |

EXCAVATION SYSTEM(S) ATTACHMENTS:

| | | | |
|---|-----------------|--|--------|
| Upgrade Remote Blower Engage At Operator's Station | Contact Factory | | \$0.00 |
| PTO Driven 185 CFM & 150 PSI Air Compressor Complete With Air Digging Tool, Air Hose And Retractable Reel Requires Access To Both Transmission PTO Windows, Manual Or Automatic | \$33,841.87 | | \$0.00 |
| Additional Air Digging Tool | \$3,894.33 | | \$0.00 |
| Debris Inlet Water Misting System | \$1,354.04 | | \$0.00 |
| Additional Extension Wand w/ high flow quick connect | \$405.06 | | \$0.00 |
| Additional Rotary Digging Wand w/ High Flow Quick Connect - (Must Select Flow Rate) | \$583.28 | | \$0.00 |
| Linear Digging Wand w/ High Flow Quick Connect - (Must Select Flow Rate) | \$674.71 | | \$0.00 |

DEBRIS BOX & BOOM:

| | | | |
|--|-------------|--|--------|
| Debris Body Pump Off System (4" & 800 gpm) and Accessories | \$10,339.35 | | \$0.00 |
| High Capacity Debris Tank (Requires chassis to have correct configuration for weight distribution) | \$15,347.00 | | \$0.00 |
| Central Lubrication System | \$2,995.10 | | \$0.00 |
| Body Vibrator (12 Volt Electric) | \$3,491.58 | | \$0.00 |
| Upgrade to Telescoping Boom | \$10,164.60 | | \$0.00 |
| Liquid Level Audible Alarm (Level Adjustable) | \$1,047.36 | | \$0.00 |
| Additional 6" Decant Port And Gate Valve On Rear Door (Directly Above Standard Port) | \$1,558.89 | | \$0.00 |
| Vacuum Enhancer | \$2,056.53 | | \$0.00 |
| Boom Catwalk (Access to Entire Length of Boom, Located on Driver Side, Complete with Tether Tie-Off's) | \$3,757.76 | | \$0.00 |
| Decant Screen On Rear Door Port (Swing Out Perforated Shield) | \$1,694.29 | | \$0.00 |
| Debris Tank Bin Meter - Opens Vacuum Relief System Once Debris Tank Reaches Capacity (Requires Vacuum Relief System To Be Ordered) | \$947.83 | | \$0.00 |

ELECTRICAL & LIGHTING:

| | | | |
|---|------------|--|--------|
| Tethered Pendant (with Boom Functions, Chassis Throttle, Vacuum Enhancer, Water Pump, Kill) | \$3,252.02 | | \$0.00 |
| Grounding Reel (75') & Spike | \$2,027.60 | | \$0.00 |
| LED Rotating Beacon (Factory Standard) | \$658.51 | | \$0.00 |
| LED Strobe Light (Factory Standard) | \$636.52 | | \$0.00 |
| LED Arrow Stick (Factory Standard) | \$1,293.87 | | \$0.00 |
| Boom Mounted Work Lights (2) | \$986.02 | | \$0.00 |
| Boom Mounted Work Lights w/ Limb Guards (2) | \$1,126.06 | | \$0.00 |
| Body Mounted Work Lights (2) on Shroud | \$1,253.36 | | \$0.00 |
| Rear Door Work Lights (2) | \$1,253.36 | | \$0.00 |
| Handheld Wireless 12v/110v Rechargeable LED Spotlight | \$406.21 | | \$0.00 |

CHASSIS:

| | | | |
|--|------------|--|--------|
| Non-Stock Chassis Mounting Alterations | \$4,297.07 | | \$0.00 |
| GPS Location System (Requires \$55/mo Service Fee) | \$742.99 | | \$0.00 |
| Air Purge Winterizations System (Powered by Chassis) | \$1,654.94 | | \$0.00 |
| Rear Back up Camera System W/ 7" Color Monitor Mounted in Cab | \$1,342.47 | | \$0.00 |
| Rear Back Up Camera System with Blind Spot Cameras (includes color monitor in cab) | \$2,980.06 | | \$0.00 |
| On-Board Scale System - Display Mounted In Cab | \$8,194.87 | | \$0.00 |
| On-Board Scale System - Display Mounted In Cab W/ Secondary Display On Wireless Remote (Requires Upgrade To Wireless Remote Control Pendant) | \$8,940.17 | | \$0.00 |
| Combination Heavy Duty Ball Hitch (20,000 LBS Maximum Load) with Cab Mounted Brake Controller | \$1,308.91 | | \$0.00 |
| Six (6) 28" D.O.T. Safety Cones and Holder | \$491.85 | | \$0.00 |

PAINT (SHROUD & DEBRIS TANK):

| | | | |
|---|------------|--|--------|
| SHROUD: • STERLING WHITE | INCLUDED | | |
| DEBRIS TANK: • STERLING WHITE | INCLUDED | | |
| BOOM: • STD BLACK (FDG-9000) | INCLUDED | | |
| SPECIAL PAINT: Solid Colors | \$3,289.06 | | \$0.00 |
| SPECIAL PAINT: Metallic, Base Coat / Clear Coat | | | |

MANUALS & TRAINING:

| | | | |
|------------------------------------|---------|--|--------|
| Additional Paper Operator's Manual | \$96.06 | | \$0.00 |
| USB Operator's Manual | \$70.60 | | \$0.00 |


| | | | |
|---|--------------|---------------|-------------|
| Training - Customer Location (1 Day) | \$1,945.00 | | \$0.00 |
| Training - Customer Location (Additional Day) | \$1,945.00 | | \$0.00 |
| Training - Sewer Equipment University (DIXON, IL) (2 DAYS) **Includes Hotel & Meals** | \$2,750.00 | | \$0.00 |
| SPECIAL ITEMS: | | | |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| | | | \$0.00 |
| Non-Stock Chassis | | | |
| Make: | Year: | Model: | VIN: |
| | | | |
| SIGNATURE | | DATE | |
| Please return a signed copy to bigequipment@SewerEquipment.com | | | |



PO Box 13040 Spokane Valley, WA 99213
 p (800) 892-7831 www.swsequipment.com
www.SewerEquipment.com



www.SWSEquipment.com

| | | |
|--|---|--|
| October 11, 2021 | PO# | |
| | Product Class: | |
| Payment Terms: | REV: | |
| Distributor: SWS Equipment (800) 892-7831 | WO# | |
| Salesman: |  | |
| End User: | | |
| Address: | | |
| City, State, Zip: | | |
| Phone: | | |
| Contact: | | |
| Email: | | |

RAMVAC HX-15 Truck Mounted Hydro Excavator

| | | |
|---|---|---|
| <p><u>Vacuum System:</u> 4400 CFM Blower 8" Vacuum Hose system 18" HG vacuum rating Cyclone Separator Heavy Duty Final Filter Box Vacuum Enhancer Directional Discharge System Hydrostatic Blower Drive via front mount chassis engine pump drive</p> <p><u>Electrical:</u> NEMA 4 Control Panel Wireless Remote Control Hour Meter</p> <p><u>Debris Tank:</u> 15 cubic yards (3000 gal) Debris Tank Debris Level Indicator Hydraulic Dump, 50° Dump Angle (Cylinder) Fold Down Pipe Rack Hydraulic Powered Open/Close Rear Door</p> | <p><u>Water System:</u> 1300 gal Durapolene tank capacity Hydraulic Powered Water Pump Via Transmission PTO Drive (0 - 10 gpm @ 2500 psi) Water Pressure Display 400,000 BTU Water Heater 2.5" Hydrant Fill system w/ 25' hose Air Purge Valve, Recirculation System and Wash Station 75' of 3/8" Hose w/ retractable reel</p> <p><u>Boom:</u> Powered boom 330° Working Radius Boom Reach - 17' extendable to 22'</p> <p><u>Compartment:</u> Steel shroud encloses all water components 80,000 BTU Compartment Heater Roll Up Doors</p> | <p><u>Truck:</u> Mounting to approved chassis Alum Toolbox 18"x18"x30" Alum Toolbox 18"x18"x36" driver Alum Toolbox 18"x18"x74" passenger Mud flaps, Bumper LED D.O.T. approved lighting</p> <p><u>Accessories:</u> (4) 8" x 6' Extension Tubes (5) Quick Clamps 8" (1) 8" x 6' Digging Tube Kit, Wand, Digging, Hydro-Ex Truck Wand, Digging, Hydro-Ex Truck Washdown Gun Kit & Nozzle (1) Hydrant Wrench 25' Fill Hose (1) Paper Owner's Manual</p> |
|---|---|---|

| | | | |
|--|---------------------|----------|---------------------|
| BASE UNIT AS OUTLINED ABOVE (210" TRIDEM CHASSIS CT REQUIRED) | \$336,394.53 | 1 | \$336,394.53 |
|--|---------------------|----------|---------------------|

| | |
|--|--|
| -----Specify Chassis Details----- | LIST PRICE OF SELECTED OPTIONS: \$0.00 |
| | LESS PERCENTAGE DISCOUNT (enter % →) 5% \$ (16,819.73) |
| | NET PRICE OF UNIT: \$319,574.80 |
| | FACTORY SUPPLIED CHASSIS: |
| | ESTIMATED FREIGHT: |
| | ESTIMATED TOTAL: \$ 319,574.80 |

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

STANDARD OPTIONS:

| <u>ENCLOSURE AND TOOL TRAYS:</u> | LIST PRICE | QTY | TOTAL |
|---|--------------|-----|--------|
| Behind the Cab Expanded Metal Tool Tray (8"H X 10"W X 62"L) | \$1,289.24 | 1 | \$0.00 |
| Upgrade to Aluminum Shroud | \$7,032.93 | 1 | \$0.00 |
| Insulation of Shrouded Compartment | \$4,049.40 | 1 | \$0.00 |
| Polar Pack insulation System | \$5,725.18 | 1 | \$0.00 |
| Heated Equipment Locker | \$3,491.58 | 1 | \$0.00 |
| Deduct for No Water Heater | (\$3,562.18) | 1 | \$0.00 |
| Deduct for No Compartment Heater | (\$1,314.70) | 1 | \$0.00 |

EXCAVATION SYSTEM(S) ATTACHMENTS:

| | | | |
|--|-------------|---|--------|
| Hibon SIAV 840 3300 CFM & 27" HG Vacuum System Upgrade (6" System - Blow Off System Not Supported by This Configuration) | \$43,637.28 | 1 | \$0.00 |
|--|-------------|---|--------|

| | | | |
|---|-------------|--|--------|
| PTO Driven 185 CFM & 150 PSI Air Compressor Complete With Air Digging Tool, Air Hose And Retractable Reel Requires Access To Both Transmission PTO Windows, Manual Or Automatic | \$33,841.87 | | \$0.00 |
| Vacuum Breaker Option (4400 CFM Blower Only) | \$3,375.85 | | \$0.00 |
| Additional Air Digging Tool | \$3,894.33 | | \$0.00 |
| Anti-Freeze System (10 Gallon Tank) | \$1,606.34 | | \$0.00 |
| Upgrade to High Capacity Water Pump (18 GPM @ 2500 PSI) | \$12,143.58 | | \$0.00 |
| Upgrade to High Capacity Boiler (800,000 BTU) | \$15,434.96 | | \$0.00 |
| 2" Water Fill 'Y' Strainer | \$421.26 | | \$0.00 |
| Debris Inlet Water Misting System | \$1,354.04 | | \$0.00 |
| Dual Operator Station (Second Reel w/ 75' of 3/8" Hose) Includes a Complete Set of Digging Wands and Extensions | \$2,588.89 | | \$0.00 |
| Additional Extension Wand w/ high flow quick connect | \$405.06 | | \$0.00 |
| Additional Rotary Digging Wand w/ High Flow Quick Connect - (Must Select Flow Rate) | \$583.28 | | \$0.00 |
| Linear Digging Wand w/ High Flow Quick Connect - (Must Select Flow Rate) | \$674.71 | | \$0.00 |
| DEBRIS BOX & BOOM: | | | |
| Debris Body Pump Off System (4" & 800 gpm) and Accessories | \$10,339.35 | | \$0.00 |
| Central Lubrication System | \$2,995.10 | | \$0.00 |
| Body Vibrator (12 Volt Electric) | \$3,491.58 | | \$0.00 |
| Liquid Level Audible Alarm (Level Adjustable) | \$1,047.36 | | \$0.00 |
| Upgrade to Telescoping Boom | \$10,164.60 | | \$0.00 |
| Boom Catwalk (Access to Entire Length of Boom, Located on Driver Side, Complete with Tether Tie-Off's) | \$4,382.71 | | \$0.00 |
| Decant Screen On Rear Door Port (Swing Out Perforated Shield) | \$1,694.29 | | \$0.00 |
| Debris Tank Bin Meter - Opens Vacuum Relief System Once Debris Tank Reaches Capacity (Requires Vacuum Relief System To Be Ordered) | \$947.83 | | \$0.00 |
| ELECTRICAL & LIGHTING: | | | |
| Tethered Pendant (with Boom Functions, Chassis Throttle, Vacuum Enhancer, Water Pump, Kill) | \$3,252.02 | | \$0.00 |
| Grounding Reel (75') & Spike | \$2,027.60 | | \$0.00 |
| LED Rotating Beacon (Factory Standard) | \$658.51 | | \$0.00 |
| LED Strobe Light (Factory Standard) | \$636.52 | | \$0.00 |
| LED Arrow Stick (Factory Standard) | \$1,293.87 | | \$0.00 |
| Boom Mounted Work Lights (2) | \$986.02 | | \$0.00 |
| Boom Mounted Work Lights w/ Limb Guards (2) | \$1,126.06 | | \$0.00 |
| Body Mounted Work Lights (2) on Shroud | \$1,253.36 | | \$0.00 |
| Rear Door Work Lights (2) | \$1,253.36 | | \$0.00 |
| Handheld Wireless 12v/110v Rechargeable LED Spotlight | \$406.21 | | \$0.00 |
| CHASSIS: | | | |
| Non-Stock Chassis Mounting Alterations | \$4,297.07 | | \$0.00 |
| GPS Location System (Requires \$55/mo Service Fee) | \$742.99 | | \$0.00 |
| Air Purge Winterizations System (Powered by Chassis) | \$1,654.94 | | \$0.00 |
| Rear Back up Camera System W/ 7" Color Monitor Mounted in Cab | \$1,342.47 | | \$0.00 |
| Rear Back Up Camera System with Blind Spot Cameras (includes color monitor in cab) | \$2,980.06 | | \$0.00 |
| On-Board Scale System - Display Mounted In Cab | \$8,194.87 | | \$0.00 |
| On-Board Scale System - Display Mounted In Cab W/ Secondary Display On Wireless Remote (Requires Upgrade To Wireless Remote Control Pendant) | \$8,940.17 | | \$0.00 |
| Combination Heavy Duty Ball Hitch (20,000 LBS Maximum Load) with Cab Mounted Brake Controller | \$1,308.91 | | \$0.00 |
| Six (6) 28" D.O.T. Safety Cones and Holder | \$491.85 | | \$0.00 |
| PAINT (SHROUD & DEBRIS TANK): | | | |
| SHROUD: • STERLING WHITE | INCLUDED | | |
| DEBRIS TANK: • STERLING WHITE | INCLUDED | | |
| BOOM: • STD BLACK (FDG-9000) | INCLUDED | | |
| SPECIAL PAINT: Solid Colors | \$3,289.06 | | \$0.00 |
| SPECIAL PAINT: Metallic, Base Coat / Clear Coat | | | |
| MANUALS & TRAINING: | | | |
| Additional Paper Operator's Manual | \$96.06 | | \$0.00 |

| | | | |
|---|--------------|---------------|-------------|
| USB Operator's Manual | \$70.60 | | \$0.00 |
| Training - Customer Location (1 Day) | \$1,945.00 | | \$0.00 |
| Training - Customer Location (Additional Day) | \$1,945.00 | | \$0.00 |
| Training - Sewer Equipment University (DIXON, IL) (2 DAYS) **Includes Hotel & Meals** | \$2,750.00 | | \$0.00 |
| SPECIAL ITEMS: | | | |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| | | | \$0.00 |
| Non-Stock Chassis | | | |
| Make: | Year: | Model: | VIN: |
| | | | |
| SIGNATURE | | DATE | |
| Please return a signed copy to bigequipment@SewerEquipment.com | | | |



PO Box 13040 Spokane Valley, WA 99213

p (800) 892-7831 www.swsequipment.com

www.SewerEquipment.com



www.SWSEquipment.com

| | | |
|--|-----------------------|--|
| October 11, 2021 | PO# | |
| | Product Class: | |
| Payment Terms: | REV: | |
| Distributor: SWS Equipment (800) 892-7831 | WO# | |
| Salesman: | | |
| End User: | | |
| Address: | | |
| City, State, Zip: | | |
| Phone: | | |
| Contact: | | |
| Email: | | |

RAMVAC HX-15-27 Truck Mounted Hydro Excavator

Water System:

1300 gal Duraprolene tank capacity
 Hydraulic Powered Water Pump Via
 Transmission PTO Drive
 (0 - 10 gpm @ 2500 psi)
 Water Pressure Display
 400,000 BTU Water Heater
 2.5" Hydrant Fill system w/ 25' hose
 Air Purge Valve, Recirculation
 System and Wash Station
 75' of 3/8" Hose w/ retractable reel

Vacuum System:

Roots 5250 CFM Blower
 High Performance Silencer
 8" Vacuum Hose system
 27" Hg vacuum rating
 Dual Cyclone Separators
 Dual Heavy Duty Final Filter Box
 Blower Drive via Chassis Transfer Case

Debris Tank:

15 cubic yards (3000 gl) Debris Tank
 Debris Level Indicator
 Hydraulic Dump, 50° Dump Angle
 (Cylinder)
 Hydraulic Powered Open/Close
 Rear Door
 Fold Down Pipe Rack

Electrical:

NEMA 4 Control Panel
 Wireless Remote Control
 Hour Meter

Boom:

Powered boom
 330° Working Radius
 Boom Reach - 17' extendable to 22'

Accessories:

(4) 8" x 6' Extension Tubes
 (5) Quick Clamps 8"
 (1) 8" x 6' Digging Tube
 Kit, Wand, Digging, Hydro-Ex Truck
 Wand, Digging, Hydro-Ex Truck
 Washdown Gun Kit & Nozzle
 (1) Hydrant Wrench
 25' Fill Hose
 (1) Paper Owner's Manual

Compartment:


Steel shroud encloses all water component
 80,000 BTU Compartment Heater
 Roll Up Doors

Truck:

Mounting to approved chassis
 Alum Toolbox 18"x18"x30"
 Alum Toolbox 18"x18"x30"
 Mud flaps, Bumper
 LED D.O.T. approved lighting

| | | | |
|---|---------------------|----------|---------------------|
| BASE UNIT AS OUTLINED ABOVE (210" TRIDEM CHASSIS CT REQ) | \$372,290.61 | 1 | \$372,290.61 |
|---|---------------------|----------|---------------------|

-----Specify Chassis Details-----



| | |
|--|-----------------------|
| LIST PRICE OF SELECTED OPTIONS: | \$0.00 |
| LESS PERCENTAGE DISCOUNT (enter % →) 5% | \$ (18,614.53) |
| NET PRICE OF UNIT: | \$353,676.08 |
| FACTORY SUPPLIED CHASSIS: | |
| ESTIMATED FREIGHT: | |
| ESTIMATED TOTAL: | \$ 353,676.08 |

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

STANDARD OPTIONS:

| <u>ENCLOSURE AND TOOL TRAYS:</u> | LIST PRICE | QTY | TOTAL |
|---|-----------------------|------------|--------------|
| Upgrade to Aluminum Shroud | \$7,032.93 | | \$0.00 |
| Insulation of Shrouded Compartment | \$4,049.40 | | \$0.00 |
| Polar Pack insulation System | \$5,725.18 | | \$0.00 |
| Heated Equipment Locker | \$3,491.58 | | \$0.00 |
| Deduct for No Water Heater | (\$3,562.18) | | \$0.00 |
| Deduct for No Compartment Heater | (\$1,314.70) | | \$0.00 |

WATER SYSTEM ATTACHMENTS:

| | | | |
|---|-------------|--|--------|
| Anti-Freeze System (10 Gallon Tank) | \$1,606.34 | | \$0.00 |
| Upgrade to High Capacity Water Pump (18 GPM @ 2500 PSI) | \$12,143.58 | | \$0.00 |
| Upgrade to High Capacity Boiler (800,000 BTU) | \$15,434.96 | | \$0.00 |
| 2" Water Fill 'Y' Strainer | \$421.26 | | \$0.00 |

| | | | |
|---|-----------------|--|--------|
| Dual Operator Station (Second Reel w/ 75' of 3/8" Hose) Includes a Complete Set of Digging Wands and Extensions | \$2,588.89 | | \$0.00 |
| EXCAVATION SYSTEM(S) ATTACHMENTS: | | | |
| Upgrade Remote Blower Engage At Operator's Station | Contact Factory | | \$0.00 |
| PTO Driven 185 CFM & 150 PSI Air Compressor Complete With Air Digging Tool, Air Hose And Retractable Reel Requires Access To Both Transmission PTO Windows, Manual Or Automatic | \$33,841.87 | | \$0.00 |
| Additional Air Digging Tool | \$3,894.33 | | \$0.00 |
| Debris Inlet Water Misting System | \$1,354.04 | | \$0.00 |
| Additional Extension Wand w/ high flow quick connect | \$405.06 | | \$0.00 |
| Additional Rotary Digging Wand w/ High Flow Quick Connect (Must Select Flow Rate) | \$583.28 | | \$0.00 |
| Linear Digging Wand w/ High Flow Quick Connect (Must Select Flow Rate) | \$583.28 | | \$0.00 |
| DEBRIS BOX & BOOM: | | | |
| Debris Body Pump Off System (4"& 800 gpm) and Accessories | \$10,339.35 | | \$0.00 |
| Central Lubrication System | \$2,995.10 | | \$0.00 |
| Body Vibrator (12 Volt Electric) | \$3,491.58 | | \$0.00 |
| Liquid Level Audible Alarm (Level Adjustable) | \$1,047.36 | | \$0.00 |
| Additional 6" Decant Port And Gate Valve On Rear Door (Directly Above Standard Port) | \$1,558.89 | | \$0.00 |
| Upgrade to Telescoping Boom | \$10,164.60 | | \$0.00 |
| Vacuum Enhancer | \$2,056.53 | | \$0.00 |
| Boom Catwalk (Access to Entire Length of Boom, Located on Driver Side, Complete with Tether Tie-Off's) | \$4,382.71 | | \$0.00 |
| Decant Screen On Rear Door Port (Swing Out Perforated Shield) | \$1,694.29 | | \$0.00 |
| Debris Tank Bin Meter - Opens Vacuum Relief System Once Debris Tank Reaches Capacity (Requires Vacuum Relief System To Be Ordered) | \$947.83 | | \$0.00 |
| ELECTRICAL & LIGHTING: | | | |
| Tethered Pendant (with Boom Functions, Chassis Throttle, Vacuum Enhancer, Water Pump, Kill) | \$3,252.02 | | \$0.00 |
| Grounding Reel (75') & Spike | \$2,027.60 | | \$0.00 |
| LED Rotating Beacon (Factory Standard) | \$658.51 | | \$0.00 |
| LED Strobe Light (Factory Standard) | \$636.52 | | \$0.00 |
| LED Arrow Stick (Factory Standard) | \$1,293.87 | | \$0.00 |
| Boom Mounted Work Lights (2) | \$986.02 | | \$0.00 |
| Boom Mounted Work Lights w/ Limb Guards (2) | \$1,126.06 | | \$0.00 |
| Body Mounted Work Lights (2) on Shroud | \$1,253.36 | | \$0.00 |
| Rear Door Work Lights (2) | \$1,253.36 | | \$0.00 |
| Handheld Wireless 12v/110v Rechargeable LED Spotlight | \$406.21 | | \$0.00 |
| CHASSIS: | | | |
| Non-Stock Chassis Mounting Alterations | \$4,297.07 | | \$0.00 |
| GPS Location System (Requires \$55/mo Service Fee) | \$742.99 | | \$0.00 |
| Air Purge Winterizations System (Powered by Chassis) | \$1,654.94 | | \$0.00 |
| Rear Back up Camera System W/ 7" Color Monitor Mounted in Cab | \$1,342.47 | | \$0.00 |
| Rear Back Up Camera System with Blind Spot Cameras (includes color monitor in cab) | \$2,980.06 | | \$0.00 |
| On-Board Scale System - Display Mounted In Cab | \$8,194.87 | | \$0.00 |
| On-Board Scale System - Display Mounted In Cab W/ Secondary Display On Wireless Remote (Requires Upgrade To Wireless Remote Control Pendant) | \$8,940.17 | | \$0.00 |
| Combination Heavy Duty Ball Hitch (20,000 LBS Maximum Load) with Cab Mounted Brake Controller | \$1,308.91 | | \$0.00 |
| Six (6) 28" D.O.T. Safety Cones and Holder | \$491.85 | | \$0.00 |
| PAINT (SHROUD & DEBRIS TANK): | | | |
| SHROUD: • STERLING WHITE | INCLUDED | | |
| DEBRIS TANK: • STERLING WHITE | INCLUDED | | |
| BOOM: • STD BLACK (FDG-9000) | INCLUDED | | |
| SPECIAL PAINT: Solid Colors | \$3,289.06 | | \$0.00 |
| SPECIAL PAINT: Metallic, Base Coat / Clear Coat | | | |
| MANUALS & TRAINING: | | | |
| Additional Paper Operator's Manual | \$96.06 | | \$0.00 |
| USB Operator's Manual | \$70.60 | | \$0.00 |
| Training - Customer Location (1 Day) | \$1,945.00 | | \$0.00 |
| Training - Customer Location (Additional Day) | \$1,945.00 | | \$0.00 |

| | | | |
|---|--------------|---------------|-------------|
| Training - Sewer Equipment University (DIXON, IL) (2 DAYS) **Includes Hotel & Meals** | \$2,750.00 | | \$0.00 |
| SPECIAL ITEMS: | | | |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| | | | \$0.00 |
| Non-Stock Chassis | | | |
| Make: | Year: | Model: | VIN: |
| | | | |
| SIGNATURE | | DATE | |
| Please return a signed copy to bigequipment@SewerEquipment.com | | | |



PO Box 13040 Spokane Valley, WA 99213
 p (800) 892-7831 www.swsequipment.com
www.SewerEquipment.com



www.SWSEquipment.com

October 11, 2021

Payment Terms:

Distributor: **SWS Equipment (800) 892-7831**

Salesman:

End User:

Address:

City, State, Zip:

Phone:

Contact:

Email:

| | |
|-----------------------|--|
| PO# | |
| Product Class: | |
| REV: | |
| WO# | |



747-FR2000 CLASSIC Trailer Mounted High Pressure Sewer Cleaner

| | | |
|---|---|---|
| Engine & Pump: 2.5L Ford Engine (No Shroud) Giant 40 GPM @ 2000 PSI w/30 Min Run Dry Capability Lighted Nema 4 Control Panel Tachometer / Hour Meter Auto Shutdown (High Eng Temp / Low Oil Pressure / Low Oil Pressure) Air Purge Valve Recirculation System Painted Steel Shroud Enclosure w/Locking Access Doors Engine Display Electronic Throttle Control | Hose Reel & Hose: Rotating Safety Reel w/800' Capacity of 3/4" Hose Tank & Fill: 700 Gal. Black Super-Poly Water Tank 2.5" Fill System Trailer: Tandem Axles 14,000 GVWR Electric Brakes w/2-5/16" Ball Hitch (1) Aluminum Toolbox - Fender Mounted D.O.T. Approved LED Lighting | Accessories: 10' Leader Hose BB Hose Guide Tri-Star (Chisel Point) Nozzle DD (High Flow) Nozzle Finned Nozzle Extension Nozzle Rack 25' Fill Hose Washdown Gun w/25' Ext. Hose Upstream Pulley Guide Paper Operator / Owner Manual |
|---|---|---|

| | | | |
|------------------------------------|--|----------|----------------------|
| BASE UNIT AS OUTLINED ABOVE | \$72,792.07 | 1 | \$72,792.07 |
| | LIST PRICE OF SELECTED OPTIONS: | | \$0.00 |
| | LESS PERCENTAGE DISCOUNT (enter % →) 5% | | \$ (3,639.60) |
| | NET PRICE OF UNIT: | | \$69,152.46 |
| | ESTIMATED FREIGHT: | | |
| | ESTIMATED TOTAL: | | \$69,152.46 |

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

| <u>STANDARD OPTIONS:</u> | <u>LIST PRICE</u> | <u>QTY</u> | <u>TOTAL</u> |
|--|---------------------|------------|--------------|
| ENGINE & PUMP OPTIONS: | | | |
| UPGRADE TO KOHLER 74HP DIESEL ENGINE | \$6,258.70 | | \$0.00 |
| UPGRADE WATER PUMP TO GIANT 30 GPM @ 3000 PSI PLUNGER STYLE TRIPLEX WATER PUMP W/30 MINUTE RUN DRY CAPABILITY | \$4,768.09 | | \$0.00 |
| HYDRAULIC TOOL CIRCUIT (RATED @ 9.5 GPM, SYSTEM ENGAGED VIA MANUAL DIVERTER VALVE AND SUPPLIED W/ PARKER 60 SERIES CONNECTORS) | \$2,458.11 | | \$0.00 |
| GIANT PUMP PULSATION SYSTEM | \$295.11 | | \$0.00 |
| ELECTRONIC WATER ON/OFF CONTROL (INCLUDED W/MASTER & WIRELESS PENDANT) | \$1,536.90 | | \$0.00 |
| HYDRAULIC PRESSURE GAUGE | \$380.75 | | \$0.00 |
| DRAIN VALVES FOR WATER PUMP *RECOMMENDED FOR COLD CLIMATES* | \$196.74 | | \$0.00 |
| UPGRADE TO ALUMINUM SHROUD | \$3,668.65 | | \$0.00 |
| UPGRADE TO ALUMINUM SHROUD (PAINTED) | \$4,823.64 | | \$0.00 |
| ELECTRONIC/HYDRAULIC CLUTCH ENGAGE (TOGGLE SWITCH IN LIEU OF MECHANICAL ENGAGE) | \$1,548.47 | | \$0.00 |
| HOSE REEL & HOSE OPTIONS: | | | |
| DEDUCT FOR "FIXED" HOSE REEL | (\$2,024.12) | | \$0.00 |
| AUTOMATIC LEVELWIND WITH HYDRAULIC UP/DOWN ACTION | \$6,880.17 | | \$0.00 |
| UPGRADE TO 1000' CAPACITY HOSE REEL IN LIEU OF STANDARD CAPACITY | \$3,326.09 | | \$0.00 |

| | | | |
|---|------------------------|--|--------|
| DIGITAL 'SMART COUNTER' FOOTAGE METER | \$0.00 | | \$0.00 |
| REFERENCE DISTANCE METER | \$910.80 | | \$0.00 |
| DIGITAL 'SMART COUNTER' FOOTAGE METER ±3% ACCURACY | \$0.00 | | \$0.00 |
| SEWER HOSE (3/4" I.D. X 2500 PSI OPERATING PRESSURE) PER FT. | \$4.93 | | \$0.00 |
| SEWER HOSE (3/4" I.D. X 3000 PSI OPERATING PRESSURE) PER FT. | \$5.34 | | \$0.00 |
| TESTING FEE (FOR UNITS ORDERD W/OUT SEWER HOSE) | \$549.72 | | \$0.00 |
| 25' X 3/4" LEADER HOSE (IN LIEU OF STANDARD 10') | \$262.71 | | \$0.00 |
| LATERAL LINE CLEANING KIT (150' X 1/2" HOSE W/NOZZLE MOUNTED ON A ROLLING CART WITH TONGUE STORAGE PAD, INCLUDES ADDITION OF 1200 PSI AUXILIARY CLEANING CIRCUIT ON JET UNIT) | \$4,922.01 | | \$0.00 |
| MINI MISSILE NOZZLE | \$536.99 | | \$0.00 |
| PATRIOT II ROOT CUTTER KIT (RING & ADJ. ROLLER SKIDS, 4" TO 15" SAWS) | \$3,226.56 | | \$0.00 |
| DUAL REEL OPTIONS: | | | |
| DUAL HOSE REEL (3/4" OR 1" X 600' CAPACITY REEL AND A SECOND REEL WITH 1/2" X 600' CAPACITY / INCLUDES (2) ADDITIONAL NOZZLES AND NOZZLE RACK *SEE ABOVE SECTION TO ORDER SEWER HOSE NEEDED*) | \$8,347.63 | | \$0.00 |
| AUTOMATIC LEVELWIND W/HYDRAULIC UP/DOWN ACTION ON BOTH REELS | \$14,068.18 | | \$0.00 |
| DIGITAL 'SMART COUNTER' FOR DUAL REEL UNITS | \$5,123.38 | | \$0.00 |
| SEWER HOSE (1/2" I.D. X 4000 PSI OPERATING PRESSURE) PER FT. | \$4.79 | | \$0.00 |
| TANK & FILL OPTIONS: | | | |
| UPGRADE TO 700 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY | \$6,303.83 | | \$0.00 |
| FILL HOSE STORAGE RACK | \$255.76 | | \$0.00 |
| WINTERIZATION SYSTEM (ANTI-FREEZE SYSTEM W/26 GALLON RESERVIOR) | \$1,453.57 | | \$0.00 |
| TOOL STORAGE OPTIONS: | | | |
| HOSE GUIDE/WASH-DOWN GUN/UPSTREAM PULLEY GUIDE STORAGE TRAY | \$1,112.17 | | \$0.00 |
| ADD ADDITIONAL TOP OPENING ALUMINUM TOOLBOX | \$894.60 | | \$0.00 |
| SIX (6) 28" D.O.T. SAFETY CONES AND HOLDER | \$495.33 | | \$0.00 |
| LONG HANDLED TOOL STORAGE TUBE (MAY REQUIRE ADDITIONAL TOOLBOX) | \$238.40 | | \$0.00 |
| ROOT CUTTER MAINTENANCE BOX | \$2,927.98 | | \$0.00 |
| ELECTRICAL & LIGHTING: | | | |
| ENGINE/WATER PUMP COMPARTMENT LIGHT | \$256.92 | | \$0.00 |
| LED FLOOD LIGHT (FACTORY STANDARD) | \$546.25 | | \$0.00 |
| LED Amber Strobe Light (Factory Standard) | \$636.52 | | \$0.00 |
| LED ARROW STICK (FACTORY STANDARD) | \$1,293.87 | | \$0.00 |
| LED ARROW BOARD (FACTORY STANDARD) | \$1,536.90 | | \$0.00 |
| HAND-HELD WIRELESS 12v/110v RECHARGEABLE LED SPOTLIGHT W/STORAGE BRACKET | \$406.21 | | \$0.00 |
| WIRELESS REMOTE PENDANT CONTROL (WITH HOSE REEL F-N-R CONTROL, THROTTLE UP/DOWN, WATER ON/OFF, AND KILL SWITCH) INCLUDES MANIFOLD HYDRAULICS | \$8,758.47 | | \$0.00 |
| PENDANT REMOTE PRESSURE DISPLAY (REQUIRES WIRELESS PENDANT) | \$1,067.03 | | \$0.00 |
| PAINT: | | | |
| SHROUD: STANDARD WHITE PAINT | INCLUDED | | |
| TOOLBOX: STANDARD WHITE PAINT | INCLUDED | | |
| HOSE REEL - UPRIGHT: SEWER BLUE | INCLUDED | | |
| FENDERS: STANDARD BLACK | INCLUDED | | |
| SPECIAL PAINT: SOLID COLORS | \$830.94 | | \$0.00 |
| SPECIAL PAINT: METALLIC, BASE COAT / CLEAR COAT | CONTACT FACTORY | | |
| TRAILER OPTIONS: | | | |
| SPARE TIRE AND RIM | \$583.28 | | \$0.00 |
| SPARE TIRE MOUNTING BRACKET | \$509.21 | | \$0.00 |
| HYDRAULIC BRAKES | \$1,654.94 | | \$0.00 |
| POWER JACK | \$969.82 | | \$0.00 |
| CHIP GUARD COATING | \$969.82 | | \$0.00 |
| MANUALS & TRAINING: | | | |
| ADDITIONAL PAPER OPERATOR'S MANUAL | \$96.06 | | \$0.00 |
| USB OPERATOR'S MANUAL | \$71.75 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | \$1,945.00 | | \$0.00 |

| | | | |
|--|------------|--|--------|
| TRAINING - SEWER EQUIPMENT UNIVERSITY (DIXON, IL / 1 DAY) **INCLUDES HOTELS & MEALS** | \$2,750.00 | | \$0.00 |
| SPECIAL ITEMS: | | | #REF! |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| | | | \$0.00 |
| SIGNATURE _____ DATE _____ | | | |
| Please return a signed copy to bigequipment@SewerEquipment.com | | | |



PO Box 13040 Spokane Valley, WA 99213

p (800) 892-7831 www.swsequipment.com

www.SewerEquipment.com



www.SWSEquipment.com

October 11, 2021

Payment Terms:

Distributor: **SWS Equipment (800) 892-7831**

Salesman:

End User:

Address:

City, State, Zip:

Phone:

Contact:

Email:

PO#
Product Class:

REV:
WO#



747-FR2000 ECO Trailer Mounted High Pressure Sewer Cleaner

| <u>Engine & Pump:</u> | <u>Hose Reel & Hose:</u> | <u>Accessories:</u> |
|---|---------------------------------------|--------------------------------|
| 74 HP Kohler Diesel Tier IV Engine | Rotating Safety Reel | 10' Leader Hose |
| Giant 40 GPM @ 2000 PSI | w/800' Capacity of 3/4" Hose | BB Hose Guide |
| w/30 Min Run Dry Capability | | Tri-Star (Chisel Point) Nozzle |
| Lighted Nema 4 Control Panel | | DD (High Flow) Nozzle |
| Auto Shutdown (High Eng Temp / Low Oil Press. / Low Oil Pressure) | <u>Tank & Fill:</u> | Finned Nozzle Extension |
| Air Purge Valve | 700 Gal. Black Super-Poly Water Tank | Nozzle Rack |
| Recirculation System | 2.5" Fill System | 25' Fill Hose |
| Painted Steel Shroud Enclosure | <u>Trailer:</u> | Washdown Gun w/25' Ext. Hose |
| w/Locking Access Doors | Tandem Axles 14,000 GVWR | Upstream Pulley Guide |
| Engine Display | Electric Brakes w/2-5/16" Ball Hitch | Paper Operator / Owner Manual |
| Electronic Throttle Control | (1) Aluminum Toolbox - Fender Mounted | |
| | D.O.T. Approved LED Lighting | |

BASE UNIT AS OUTLINED ABOVE **\$79,049.61** 1 **\$79,049.61**

LIST PRICE OF SELECTED OPTIONS: \$0.00
 LESS PERCENTAGE DISCOUNT (enter % →) **5%** \$ **(3,952.48)**
NET PRICE OF UNIT: \$75,097.13
 ESTIMATED FREIGHT:
ESTIMATED TOTAL: \$75,097.13

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

| <u>STANDARD OPTIONS:</u> | <u>LIST PRICE</u> | <u>QTY</u> | <u>TOTAL</u> |
|--|--------------------------|-------------------|------------------------|
| <u>ENGINE & PUMP OPTIONS:</u> | | | |
| UPGRADE WATER PUMP TO GIANT 35 GPM @ 3000 PSI PLUNGER STYLE TRIPLEX WATER PUMP W/30 MINUTE RUN DRY CAPABILITY | \$5,244.90 | | \$0.00 |
| FOR OPERATING AT ALTITUDES ABOVE 2000 FT. | | | CONTACT FACTORY |
| ELECTRONIC/HYDRAULIC CLUTCH ENGAGE (TOGGLE SWITCH IN LIEU OF MECHANICAL ENGAGE) | \$1,548.47 | | \$0.00 |
| HYDRAULIC TOOL CIRCUIT (RATED @ 9.5 GPM, SYSTEM ENGAGED VIA MANUAL DIVERTER VALVE AND SUPPLIED W/ PARKER 60 SERIES CONNECTORS) | \$2,458.11 | | \$0.00 |
| GIANT PUMP PULSATION SYSTEM | \$295.11 | | \$0.00 |
| ELECTRONIC WATER ON/OFF CONTROL (INCLUDED W/MASTER & WIRELESS PENDANT) | \$1,536.90 | | \$0.00 |
| HYDRAULIC PRESSURE GAUGE | \$380.75 | | \$0.00 |
| DRAIN VALVES FOR WATER PUMP *RECOMMENDED FOR COLD CLIMATES* | \$196.74 | | \$0.00 |
| UPGRADE TO ALUMINUM SHROUD | \$3,668.65 | | \$0.00 |
| UPGRADE TO ALUMINUM SHROUD (PAINTED) | \$4,823.64 | | \$0.00 |
| WASHDOWN SYSTEM W/50' RETRACTABLE HOSE REEL | \$1,609.81 | | \$0.00 |
| <u>HOSE REEL & HOSE OPTIONS:</u> | | | |
| DEDUCT FOR "FIXED" HOSE REEL | (\$2,024.12) | | \$0.00 |
| AUTOMATIC LEVELWIND WITH HYDRAULIC UP/DOWN ACTION | \$6,880.17 | | \$0.00 |
| UPGRADE TO 1000' CAPACITY HOSE REEL IN LIEU OF STANDARD CAPACITY | \$3,326.09 | | \$0.00 |
| REFERENCE DISTANCE METER | \$910.80 | | \$0.00 |

| | | | |
|---|------------------------|--|--------|
| DIGITAL 'SMART COUNTER' FOOTAGE METER ±3% ACCURACY | \$3,589.96 | | \$0.00 |
| FOOTAGE METER (MOUNTED ON MANUAL LEVELWIND - NOT AVAILABLE W/ALW) | \$0.00 | | \$0.00 |
| SEWER HOSE (3/4" I.D. X 2500 PSI OPERATING PRESSURE) PER FT. | \$4.93 | | \$0.00 |
| SEWER HOSE (3/4" I.D. X 3000 PSI OPERATING PRESSURE) PER FT. | \$5.34 | | \$0.00 |
| SEWER HOSE (1" I.D. X 2500 PSI OPERATING PRESSURE) PER FT. | \$5.44 | | \$0.00 |
| SEWER HOSE (1" I.D. X 3000 PSI OPERATING PRESSURE) PER FT. | \$6.52 | | \$0.00 |
| TESTING FEE (FOR UNITS ORDERD W/OUT SEWER HOSE) | \$549.72 | | \$0.00 |
| 25' X 3/4" LEADER HOSE (IN LIEU OF STANDARD 10') | \$262.71 | | \$0.00 |
| 25' X 1" LEADER HOSE (IN LIEU OF STANDARD 10') | \$425.89 | | \$0.00 |
| LATERAL LINE CLEANING KIT (150' X 1/2" HOSE W/NOZZLE MOUNTED ON A ROLLING CART WITH TONGUE STORAGE PAD, INCLUDES ADDITION OF 1200 PSI AUXILIARY CLEANING CIRCUIT ON JET UNIT) | \$4,922.01 | | \$0.00 |
| MINI MISSILE NOZZLE | \$536.99 | | \$0.00 |
| PATRIOT II ROOT CUTTER KIT (RING & ADJ. ROLLER SKIDS, 4" TO 15" SAWS) | \$3,226.56 | | \$0.00 |
| DUAL REEL OPTIONS: | | | |
| DUAL HOSE REEL (3/4" OR 1" X 600' CAPACITY REEL AND A SECOND REEL WITH 1/2" X 600' CAPACITY / INCLUDES (2) ADDITIONAL NOZZLES AND NOZZLE RACK *SEE ABOVE SECTION TO ORDER SEWER HOSE NEEDED*) | \$8,347.63 | | \$0.00 |
| AUTOMATIC LEVELWIND W/HYDRAULIC UP/DOWN ACTION ON BOTH REELS | \$14,068.18 | | \$0.00 |
| DIGITAL 'SMART COUNTER' FOR DUAL REEL UNITS | \$5,123.38 | | \$0.00 |
| SEWER HOSE (1/2" I.D. X 4000 PSI OPERATING PRESSURE) PER FT. | \$4.84 | | \$0.00 |
| TANK & FILL OPTIONS: | | | |
| UPGRADE TO 700 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY | \$6,303.83 | | \$0.00 |
| FILL HOSE STORAGE RACK | \$255.76 | | \$0.00 |
| WINTERIZATION SYSTEM (ANTI-FREEZE SYSTEM W/26 GALLON RESERVIOR) | \$1,453.57 | | \$0.00 |
| TOOL STORAGE OPTIONS: | | | |
| HOSE GUIDE/WASH-DOWN GUN/UPSTREAM PULLEY GUIDE STORAGE TRAY | \$1,112.17 | | \$0.00 |
| ADD ADDITIONAL TOP OPENING ALUMINUM TOOLBOX | \$894.60 | | \$0.00 |
| SIX (6) 28" D.O.T. SAFETY CONES AND HOLDER | \$495.33 | | \$0.00 |
| LONG HANDLED TOOL STORAGE TUBE (MAY REQUIRE ADDITIONAL TOOLBOX) | \$238.40 | | \$0.00 |
| ROOT CUTTER MAINTENANCE BOX | \$2,927.98 | | \$0.00 |
| ELECTRICAL & LIGHTING: | | | |
| ENGINE/WATER PUMP COMPARTMENT LIGHT | \$256.92 | | \$0.00 |
| LED FLOOD LIGHT (FACTORY STANDARD) | \$546.25 | | \$0.00 |
| LED Amber Strobe Light (Factory Standard) | \$636.52 | | \$0.00 |
| LED ARROW STICK (FACTORY STANDARD) | \$1,293.87 | | \$0.00 |
| LED ARROW BOARD (FACTORY STANDARD) | \$1,536.90 | | \$0.00 |
| HAND-HELD WIRELESS 12v/110v RECHARGEABLE LED SPOTLIGHT W/STORAGE BRACKET | \$406.21 | | \$0.00 |
| WIRELESS REMOTE PENDANT CONTROL (WITH HOSE REEL F-N-R CONTROL, THROTTLE UP/DOWN, WATER ON/OFF, AND KILL SWITCH) INCLUDES MANIFOLD HYDRAULICS | \$8,758.47 | | \$0.00 |
| PENDANT REMOTE PRESSURE DISPLAY (REQUIRES WIRELESS PENDANT) | \$1,067.03 | | \$0.00 |
| PAINT: | | | |
| SHROUD: STANDARD WHITE PAINT | INCLUDED | | |
| TOOLBOXES: ALUMINUM NO PAINT | N/A | | |
| HOSE REEL - UPRIGHT: SEWER BLUE | INCLUDED | | |
| FENDERS: STANDARD BLACK | INCLUDED | | |
| SPECIAL PAINT: SOLID COLORS | \$830.94 | | \$0.00 |
| SPECIAL PAINT: METALLIC, BASE COAT / CLEAR COAT | CONTACT FACTORY | | |
| TRAILER OPTIONS: | | | |
| SPARE TIRE AND RIM | \$583.28 | | \$0.00 |
| SPARE TIRE MOUNTING BRACKET | \$509.21 | | \$0.00 |
| HYDRAULIC BRAKES | \$1,654.94 | | \$0.00 |
| POWER JACK | \$969.82 | | \$0.00 |
| CHIP GUARD COATING | \$969.82 | | \$0.00 |
| MANUALS & TRAINING: | | | |
| ADDITIONAL PAPER OPERATOR'S MANUAL | \$96.06 | | \$0.00 |
| USB OPERATOR'S MANUAL | \$71.75 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$1,945.00 | | \$0.00 |

| | | | |
|--|------------|--|--------|
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - SEWER EQUIPMENT UNIVERSITY (DIXON, IL / 1 DAY) **INCLUDES HOTELS & MEALS** | \$2,750.00 | | \$0.00 |
| SPECIAL ITEMS: | | | #REF! |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| | | | \$0.00 |
| | | | |
| SIGNATURE | | | DATE |
| Please return a signed copy to bigequipment@SewerEquipment.com | | | |



PO Box 13040 Spokane Valley, WA 99213

p (800) 892-7831 www.swsequipment.com

www.SewerEquipment.com



www.SWSEquipment.com

October 11, 2021

Payment Terms:

Distributor:

SWS Equipment (800) 892-7831

Salesman:

End User:

Address:

City, State, Zip:

Phone:

Contact:

Email:

PO#

Product Class:

REV:

WO#



747-FR2000 TV ECO

Trailer Mounted High Pressure Sewer Cleaner w/ TV System

Engine & Pump:

74 HP Kohler Diesel Tier IV Engine
 Giant 40 GPM @ 2000 PSI
 w/30 Min Run Dry Capability
 Lighted Nema 4 Control Panel
 Auto Shutdown (For High Engine
 Temp / Low Oil Pressure)
 Air Purge Valve
 Painted Steel Shroud Enclosure
 w/Locking Access Doors
 Recirculation System
 Engine Display

Hose Reel & Hose:

Rotating Dual Hose Reel
 Reel A - Rotating Safety Reel
 w/500' of Umbilical Cord™ @ 2500 PSI
 Reel B - Rotating Safety Reel
 w/600' of 3/4" Hose
 Digital 'Smart Counter' For Dual Reel Units

TV System:

Self-Leveling Color TV Camera
 (1) 4" Jet Pod Skid
 Color Monitor
 DVR w/Removable SD Card

Accessories:

10' Leader Hose
 BB Hose Guide
 Tri-Star (Chisel Point) Nozzle
 DD (High Flow) Nozzle
 Finned Nozzle Extension
 Nozzle Rack
 25' Fill Hose
 Washdown Gun w/25' Ext. Hose
 Upstream Pulley Guide
 Paper Operator / Owner Manual

Tank & Fill:

700 Gal. Black Super-Poly Water Tank
 2.5" Fill System

Trailer:

Tandem Axles 14,000 GVWR
 Electric Brakes w/2-5/16" Ball Hitch
 (1) Aluminum Toolbox - Fender Mounted
 D.O.T. Approved LED Lighting

BASE UNIT AS OUTLINED ABOVE **\$139,830.02** 1 **\$139,830.02**

LIST PRICE OF SELECTED OPTIONS: \$0.00
 LESS PERCENTAGE DISCOUNT (enter % →) **5%** \$ **(6,991.50)**

NET PRICE OF UNIT: \$132,838.52

ESTIMATED FREIGHT:

ESTIMATED TOTAL: \$132,838.52

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

STANDARD OPTIONS:

TV OPTIONS:

| STANDARD OPTIONS: | LIST PRICE | QTY | TOTAL |
|--|------------|-----|--------|
| ADDITIONAL SELF-LEVELING CAMERA HEAD | \$7,119.73 | 0 | \$0.00 |
| ADDITIONAL 4" JET POD FOR STRAIGHT VIEW CAMERA | \$3,125.88 | 0 | \$0.00 |
| 6" JET POD TV SKID EXTENSION - STRAIGHT VIEW CAMERA | \$800.85 | 0 | \$0.00 |
| 8" JET POD TV SKID EXTENSION - STRAIGHT VIEW CAMERA | \$851.78 | 0 | \$0.00 |
| 10" JET POD TV SKID EXTENSION - STRAIGHT VIEW CAMERA | \$454.82 | 0 | \$0.00 |
| 12" JET POD TV SKID EXTENSION - STRAIGHT VIEW CAMERA | \$572.87 | 0 | \$0.00 |
| 15" JET POD TV SKID EXTENSION - STRAIGHT VIEW CAMERA | \$592.54 | 0 | \$0.00 |
| 18" JET POD TV SKID EXTENSION - STRAIGHT VIEW CAMERA | \$616.84 | 0 | \$0.00 |

ENGINE & PUMP OPTIONS:

| | | | |
|---|------------------------|---|--------|
| UPGRADE WATER PUMP TO GIANT 35 GPM @ 3000 PSI PLUNGER STYLE TRIPLEX WATER PUMP W/30 MINUTE RUN DRY CAPABILITY | \$5,244.90 | 0 | \$0.00 |
| FOR OPERATING AT ALTITUDES ABOVE 2000 FT. | CONTACT FACTORY | | |
| ELECTRONIC WATER ON/OFF CONTROL (INCLUDED W/MASTER & WIRELESS PENDANT) | \$0.00 | 0 | \$0.00 |

| | | | |
|---|------------------------|--|--------|
| ELECTRONIC/HYDRAULIC CLUTCH ENGAGE (TOGGLE SWITCH IN LIEU OF MECHANICAL ENGAGE) | \$1,536.90 | | \$0.00 |
| HYDRAULIC PRESSURE GAUGE | \$1,548.47 | | \$0.00 |
| GIANT PUMP PULSATION SYSTEM | \$380.75 | | \$0.00 |
| DRAIN VALVES FOR WATER PUMP *RECOMMENDED FOR COLD CLIMATES* | \$295.11 | | \$0.00 |
| HYDRAULIC TOOL CIRCUIT (RATED @ 9.5 GPM, SYSTEM ENGAGED VIA MANUAL DIVERTER VALVE AND SUPPLIED W/ PARKER 60 SERIES CONNECTORS) | \$196.74 | | \$0.00 |
| UPGRADE TO ALUMINUM SHROUD | \$2,458.11 | | \$0.00 |
| UPGRADE TO ALUMINUM SHROUD (PAINTED) | \$3,668.65 | | \$0.00 |
| WASHDOWN SYSTEM W/50' RETRACTABLE HOSE REEL | \$4,823.64 | | \$0.00 |
| <u>HOSE REEL & HOSE OPTIONS:</u> | | | |
| DEDUCT FOR "FIXED" HOSE REEL | \$0.00 | | \$0.00 |
| AUTOMATIC LEVELWIND WITH HYDRAULIC UP/DOWN ACTION | (\$2,024.12) | | \$0.00 |
| UPGRADE TO 1000' CAPACITY HOSE REEL IN LIEU OF STANDARD CAPACITY | \$6,880.17 | | \$0.00 |
| LATERAL LINE CLEANING KIT (150' X 1/2" HOSE W/NOZZLE MOUNTED ON A ROLLING CART WITH TONGUE STORAGE PAD, INCLUDES ADDITION OF 1200 PSI AUXILIARY CLEANING CIRCUIT ON JET UNIT) | \$0.00 | | \$0.00 |
| PINCH ROLLER | \$4,922.01 | | \$0.00 |
| 25' X 3/4" LEADER HOSE (IN LIEU OF STANDARD 10') | \$1,591.29 | | \$0.00 |
| <u>TANK & FILL OPTIONS:</u> | | | |
| UPGRADE TO 700 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY | \$0.00 | | \$0.00 |
| FILL HOSE STORAGE RACK | \$6,303.83 | | \$0.00 |
| WINTERIZATION SYSTEM (ANTI-FREEZE SYSTEM W/26 GALLON RESERVIOR) | \$255.76 | | \$0.00 |
| <u>TOOL STORAGE OPTIONS:</u> | | | |
| HOSE GUIDE/WASH-DOWN GUN/UPSTREAM PULLEY GUIDE STORAGE TRAY | \$0.00 | | \$0.00 |
| ADD ADDITIONAL TOP OPENING ALUMINUM TOOLBOX | \$1,112.17 | | \$0.00 |
| SIX (6) 28" D.O.T. SAFETY CONES AND HOLDER | \$894.60 | | \$0.00 |
| LONG HANDLED TOOL STORAGE TUBE (MAY REQUIRE ADDITIONAL TOOLBOX) | \$495.33 | | \$0.00 |
| ROOT CUTTER MAINTENANCE BOX | \$238.40 | | \$0.00 |
| <u>ELECTRICAL & LIGHTING:</u> | | | |
| ENGINE/WATER PUMP COMPARTMENT LIGHT | \$0.00 | | \$0.00 |
| LED FLOOD LIGHT (FACTORY STANDARD) | \$256.92 | | \$0.00 |
| LED STROBE LIGHT (FACTORY STANDARD) | \$546.25 | | \$0.00 |
| LED ARROW STICK (FACTORY STANDARD) | \$636.52 | | \$0.00 |
| LED ARROW BOARD (FACTORY STANDARD) | \$1,293.87 | | \$0.00 |
| HAND-HELD WIRELESS 12v/110v RECHARGEABLE LED SPOTLIGHT W/STORAGE BRACKET | \$1,536.90 | | \$0.00 |
| WIRELESS REMOTE PENDANT CONTROL (WITH HOSE REEL F-N-R CONTROL, THROTTLE UP/DOWN, WATER ON/OFF, AND KILL SWITCH) INCLUDES MANIFOLD HYDRAULICS | \$406.21 | | \$0.00 |
| PENDANT REMOTE PRESSURE DISPLAY (REQUIRES WIRELESS PENDANT) | \$8,758.47 | | \$0.00 |
| <u>PAINT:</u> | | | |
| SHROUD: STANDARD WHITE PAINT | INCLUDED | | |
| TOOLBOX: STANDARD WHITE PAINT | INCLUDED | | |
| HOSE REEL - UPRIGHT: SEWER BLUE | INCLUDED | | |
| FENDERS: STANDARD BLACK | INCLUDED | | |
| SPECIAL PAINT: SOLID COLORS | \$830.94 | | \$0.00 |
| SPECIAL PAINT: METALLIC, BASE COAT / CLEAR COAT | CONTACT FACTORY | | |
| <u>TRAILER OPTIONS:</u> | | | |
| SPARE TIRE AND RIM | \$583.28 | | \$0.00 |
| SPARE TIRE MOUNTING BRACKET | \$509.21 | | \$0.00 |
| HYDRAULIC BRAKES | \$1,654.94 | | \$0.00 |
| POWER JACK | \$969.82 | | \$0.00 |
| CHIP GUARD COATING | \$969.82 | | \$0.00 |
| <u>MANUALS & TRAINING:</u> | | | |
| ADDITIONAL PAPER OPERATOR'S MANUAL | \$96.06 | | \$0.00 |
| USB OPERATOR'S MANUAL | \$71.75 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | \$1,945.00 | | \$0.00 |

| | | | |
|--|------------|-------|--------|
| TRAINING - SEWER EQUIPMENT UNIVERSITY (DIXON, IL / 1 DAY) **INCLUDES HOTELS & MEALS** | \$2,750.00 | | \$0.00 |
| SPECIAL ITEMS: | | #REF! | |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| | | | \$0.00 |
| | | | |
| SIGNATURE | | | DATE |
| Please return a signed copy to bigequipment@SewerEquipment.com | | | |



PO Box 13040 Spokane Valley, WA 99213

p (800) 892-7831 www.swsequipment.com

www.SewerEquipment.com



www.SWSEquipment.com

October 11, 2021

PO#

Product Class:

REV:

WO#

Payment Terms:

Distributor: **SWS Equipment (800) 892-7831**

Salesman:

End User:

Address:

City, State, Zip:

Phone:

Contact:

Email:



747-TK CLASSIC Truck Mounted High Pressure Sewer Cleaner

Engine & Pump:

2.5L Ford Engine (No Shroud)
Giant 40 GPM @ 2000 PSI
w/30 Min Run Dry Capability

Lighted Nema 4 Control Panel
Tachometer / Hour Meter

Auto Shutdown (High Eng Temp / Low Oil Press.
Low Oil Pressure)

Air Purge Valve

Painted Steel Shroud Enclosure
w/Locking Access Doors

Recirculation System

Electronic Clutch Engagement

Engine Display

Electronic Throttle Control

Hose Reel & Hose:

Rotating Safety Reel
w/800' Capacity of 3/4" Hose

Tank & Fill:

700 Gal. Black Super-Poly Water Tank
2.5" Fill System

Truck:

Mounting to Approved Chassis
Mudflaps
(1) Aluminum Underbody Toolbox
D.O.T. Approved LED Lighting
Auxiliary Fuel Tank

Accessories:

10' Leader Hose
BB Hose Guide
Tri-Star (Chisel Point) Nozzle
DD (High Flow) Nozzle
Finned Nozzle Extension
Nozzle Rack
25' Fill Hose
Washdown Gun w/25' Ext. Hose
Upstream Pulley Guide
Paper Operator / Owner Manual

BASE UNIT AS OUTLINED ABOVE

\$84,411.39 1 \$84,411.39

LIST PRICE OF SELECTED OPTIONS: \$0.00

LESS PERCENTAGE DISCOUNT (enter % →) **5% \$ (4,220.57)**

NET PRICE OF UNIT: \$80,190.82

FACTORY SUPPLIED CHASSIS:

ESTIMATED FREIGHT:

ESTIMATED TOTAL: \$80,190.82

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

STANDARD OPTIONS:

LIST PRICE QTY TOTAL

ENGINE & PUMP OPTIONS:

| | | | |
|--|------------|--|--------|
| UPGRADE TO KOHLER 74HP DIESEL ENGINE | \$6,258.70 | | \$0.00 |
| UPGRADE WATER PUMP TO GIANT 30 GPM @ 3000 PSI PLUNGER STYLE TRIPLEX WATER PUMP W/30 MINUTE RUN DRY CAPABILITY | \$4,768.09 | | \$0.00 |
| HYDRAULIC TOOL CIRCUIT (RATED @ 9.5 GPM, SYSTEM ENGAGED VIA MANUAL DIVERTER VALVE AND SUPPLIED W/ PARKER 60 SERIES CONNECTORS) | \$2,458.11 | | \$0.00 |
| ELECTRONIC WATER ON/OFF CONTROL (INCLUDED W/MASTER & WIRELESS PENDANT) | \$1,536.90 | | \$0.00 |
| HYDRAULIC PRESSURE GAUGE | \$380.75 | | \$0.00 |
| DRAIN VALVES FOR WATER PUMP *RECOMMENDED FOR COLD CLIMATES* | \$196.74 | | \$0.00 |
| UPGRADE TO ALUMINUM SHROUD | \$3,668.65 | | \$0.00 |
| UPGRADE TO ALUMINUM SHROUD (PAINTED) | \$4,823.64 | | \$0.00 |
| GIANT PUMP PULSATION SYSTEM | \$295.11 | | \$0.00 |

HOSE REEL & HOSE OPTIONS:

| | | | |
|---|--------------|--|--------|
| DEDUCT FOR "FIXED" HOSE REEL | (\$2,024.12) | | \$0.00 |
| AUTOMATIC LEVELWIND WITH HYDRAULIC UP/DOWN ACTION | \$6,880.17 | | \$0.00 |

| | | | |
|---|------------------------|--|--------|
| UPGRADE TO 1000' CAPACITY HOSE REEL IN LIEU OF STANDARD CAPACITY | \$3,326.09 | | \$0.00 |
| DIGITAL 'SMART COUNTER' FOOTAGE METER | \$0.00 | | \$0.00 |
| REFERENCE DISTANCE METER | \$910.80 | | \$0.00 |
| DIGITAL 'SMART COUNTER' FOOTAGE METER ±3% ACCURACY | \$3,589.96 | | \$0.00 |
| SEWER HOSE (3/4" I.D. X 2500 PSI OPERATING PRESSURE) PER FT. | \$4.93 | | \$0.00 |
| SEWER HOSE (3/4" I.D. X 3000 PSI OPERATING PRESSURE) PER FT. | \$5.34 | | \$0.00 |
| SEWER HOSE (5/8" I.D. X 4000 PSI OPERATING PRESSURE) PER FT. | \$5.07 | | \$0.00 |
| SEWER HOSE (1/2" I.D. X 4000 PSI OPERATING PRESSURE) PER FT. | \$4.79 | | \$0.00 |
| TESTING FEE (FOR UNITS ORDERD W/OUT SEWER HOSE) | \$549.72 | | \$0.00 |
| 25' X 3/4" LEADER HOSE (IN LIEU OF STANDARD 10') | \$262.71 | | \$0.00 |
| LATERAL LINE CLEANING KIT (300' X 1/2" HOSE W/NOZZLE MOUNTED ON A STATIONARY REEL W/ ELECTRIC REWIND, INCLUDES ADDITION OF 1200 PSI AUXILIARY CLEANING CIRCUIT ON JET UNIT) | \$4,922.01 | | \$0.00 |
| MINI MISSILE NOZZLE | \$536.99 | | \$0.00 |
| PATRIOT II ROOT CUTTER KIT (RING & ADJ. ROLLER SKIDS, 4" TO 15" SAWS) | \$3,226.56 | | \$0.00 |
| DUAL REEL OPTIONS: | | | |
| DUAL HOSE REEL (3/4" OR 1" X 600' CAPACITY REEL AND A SECOND REEL WITH 1/2" X 600' CAPACITY / INCLUDES (2) ADDITIONAL NOZZLES AND NOZZLE RACK *SEE ABOVE SECTION TO ORDER SEWER HOSE NEEDED*) | \$8,347.63 | | \$0.00 |
| AUTOMATIC LEVELWIND W/HYDRAULIC UP/DOWN ACTION ON BOTH REELS | \$14,068.18 | | \$0.00 |
| DIGITAL 'SMART COUNTER' FOR DUAL REEL UNITS | \$5,123.38 | | \$0.00 |
| TANK & FILL OPTIONS: | | | |
| UPGRADE TO 700 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY | \$6,973.91 | | \$0.00 |
| FILL HOSE STORAGE RACK | \$255.76 | | \$0.00 |
| WINTERIZATION SYSTEM (ANTI-FREEZE SYSTEM W/26 GALLON RESERVIOR) | \$1,453.57 | | \$0.00 |
| TOOL STORAGE OPTIONS: | | | |
| HOSE GUIDE/WASH-DOWN GUN/UPSTREAM PULLEY GUIDE STORAGE TRAY | \$1,112.17 | | \$0.00 |
| SIX (6) 28" D.O.T. SAFETY CONES AND HOLDER | \$495.33 | | \$0.00 |
| LONG HANDLED TOOL STORAGE TUBE (MAY REQUIRE ADDITIONAL TOOLBOX) | \$238.40 | | \$0.00 |
| ROOT CUTTER MAINTENANCE BOX | \$2,927.98 | | \$0.00 |
| ELECTRICAL & LIGHTING: | | | |
| ENGINE/WATER PUMP COMPARTMENT LIGHT | \$256.92 | | \$0.00 |
| LED FLOOD LIGHT (FACTORY STANDARD) | \$546.25 | | \$0.00 |
| LED Amber Strobe Light (Factory Standard) | \$636.52 | | \$0.00 |
| LED ARROW STICK (FACTORY STANDARD) | \$1,293.87 | | \$0.00 |
| LED ARROW BOARD (FACTORY STANDARD) | \$1,536.90 | | \$0.00 |
| HAND-HELD WIRELESS 12v/110v RECHARGEABLE LED SPOTLIGHT W/STORAGE BRACKET | \$406.21 | | \$0.00 |
| WIRELESS REMOTE PENDANT CONTROL (WITH HOSE REEL F-N-R CONTROL, THROTTLE UP/DOWN, WATER ON/OFF, AND KILL SWITCH) INCLUDES MANIFOLD HYDRAULICS | \$8,758.47 | | \$0.00 |
| PENDANT REMOTE PRESSURE DISPLAY (REQUIRES WIRELESS PENDANT) | \$1,067.03 | | \$0.00 |
| PAINT: | | | |
| SHROUD: STANDARD WHITE PAINT | INCLUDED | | |
| TOOLBOX: STANDARD WHITE PAINT | INCLUDED | | |
| HOSE REEL - UPRIGHT: SEWER BLUE | INCLUDED | | |
| FENDERS: STANDARD BLACK | INCLUDED | | |
| SPECIAL PAINT: SOLID COLORS | \$830.94 | | \$0.00 |
| SPECIAL PAINT: METALLIC, BASE COAT / CLEAR COAT | CONTACT FACTORY | | |
| TRUCK OPTIONS: | | | |
| NON-STOCK CHASSIS MOUNTING ALTERATIONS | \$3,069.17 | | \$0.00 |
| ADD ADDITIONAL FRONT OPENING ALUMINUM TOOLBOX | \$953.62 | | \$0.00 |
| AIR PURGE SYSTEM (POWERED VIA CHASSIS) | \$1,654.94 | | \$0.00 |
| SPRAY BAR (FRONT FRAME MOUNTED) | \$1,553.10 | | \$0.00 |
| REAR BACK UP CAMERA W/7 INCH COLOR MONITOR MOUNTED IN CAB | \$1,345.94 | | \$0.00 |
| COMBINATION HEAVY DUTY BALL HITCH (20,000 LBS MAXIMUM LOAD) W/CAB MOUNTED BRAKE CONTROLLER AND 7-PIN RV TYPE RECEPTACLE | \$1,308.91 | | \$0.00 |
| HITCH - REESE STYLE (10,000 LBS MAXIMUM) W/CAB MOUNTED BRAKE CONTROLLER AND 7-PIN RV TYPE RECEPTACLE | \$3,069.17 | | \$0.00 |

MANUALS & TRAINING:

| | | | |
|--|------------|--|--------|
| ADDITIONAL PAPER OPERATOR'S MANUAL | \$96.06 | | \$0.00 |
| USB OPERATOR'S MANUAL | \$71.75 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - SEWER EQUIPMENT UNIVERSITY (DIXON, IL / 1 DAY) **INCLUDES HOTELS & MEALS** | \$2,750.00 | | \$0.00 |

SPECIAL ITEMS:

#REF!

| | | | |
|--|----------|--|--------|
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |

#REF!

SIGNATURE

DATE

Please return a signed copy to bigequipment@SewerEquipment.com



PO Box 13040 Spokane Valley, WA 99213

p (800) 892-7831 www.swsequipment.com

www.SewerEquipment.com



www.SWSEquipment.com

| | | |
|--|-----------------------|--|
| October 11, 2021 | PO# | |
| | Product Class: | |
| Payment Terms: | REV: | |
| Distributor: SWS Equipment (800) 892-7831 | WO# | |
| Salesman: | | |
| End User: | | |
| Address: | | |
| City, State, Zip: | | |
| Phone: | | |
| Contact: | | |
| Email: | | |

747-TK ECO Truck Mounted High Pressure Sewer Cleaner

| | | |
|---|---|---|
| Engine & Pump: 74 HP Kohler Diesel Tier IV Engine Giant 40 GPM @ 2000 PSI w/30 Min Run Dry Capability Lighted Nema 4 Control Panel Auto Shutdown (High Eng Temp / Low Oil Press. Low Oil Pressure) Air Purge Valve Painted Steel Shroud Enclosure w/Locking Access Doors Recirculation System Electronic Clutch Engagement Engine Display Electronic Throttle Control | Hose Reel & Hose: Rotating Safety Reel w/800' Capacity of 3/4" Hose Tank & Fill: 700 Gal. Black Super-Poly Water Tank 2.5" Fill System Truck: Mounting to Approved Chassis Mudflaps (1) Aluminum Underbody Toolbox D.O.T. Approved LED Lighting Auxiliary Fuel Tank | Accessories: 10' Leader Hose BB Hose Guide Tri-Star (Chisel Point) Nozzle DD (High Flow) Nozzle Finned Nozzle Extension Nozzle Rack 25' Fill Hose Washdown Gun w/25' Ext. Hose Upstream Pulley Guide Paper Operator / Owner Manual |
|---|---|---|

| | | | |
|------------------------------------|--|---|----------------------|
| BASE UNIT AS OUTLINED ABOVE | \$90,670.09 | 1 | \$90,670.09 |
| | LIST PRICE OF SELECTED OPTIONS: | | \$0.00 |
| | LESS PERCENTAGE DISCOUNT (enter % →) 5% | | \$ (4,533.50) |
| | NET PRICE OF UNIT: | | \$86,136.59 |
| | FACTORY SUPPLIED CHASSIS: | | |
| | ESTIMATED FREIGHT: | | |
| | ESTIMATED TOTAL: | | \$86,136.59 |

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

| <u>STANDARD OPTIONS:</u> | <u>LIST PRICE</u> | <u>QTY</u> | <u>TOTAL</u> |
|--|------------------------|------------|--------------|
| ENGINE & PUMP OPTIONS: | | | |
| UPGRADE WATER PUMP TO GIANT 35 GPM @ 3000 PSI PLUNGER STYLE TRIPLEX WATER PUMP W/30 MINUTE RUN DRY CAPABILITY | \$5,244.90 | 1 | \$5,244.90 |
| FOR OPERATING AT ALTITUDES ABOVE 2000 FT. | CONTACT FACTORY | | |
| HYDRAULIC TOOL CIRCUIT (RATED @ 9.5 GPM, SYSTEM ENGAGED VIA MANUAL DIVERTER VALVE AND SUPPLIED W/ PARKER 60 SERIES CONNECTORS) | \$2,458.11 | 1 | \$2,458.11 |
| ELECTRONIC WATER ON/OFF CONTROL (INCLUDED W/MASTER & WIRELESS PENDANT) | \$877.24 | 1 | \$877.24 |
| GIANT PUMP PULSATION SYSTEM | \$295.11 | 1 | \$295.11 |
| HYDRAULIC PRESSURE GAUGE | \$380.75 | 1 | \$380.75 |
| DRAIN VALVES FOR WATER PUMP *RECOMMENDED FOR COLD CLIMATES* | \$196.74 | 1 | \$196.74 |
| UPGRADE TO ALUMINUM SHROUD | \$3,668.65 | 1 | \$3,668.65 |
| UPGRADE TO ALUMINUM SHROUD (PAINTED) | \$4,823.64 | 1 | \$4,823.64 |
| VAPOROOTER SYSTEM: INCLUDES PATENTED ROOT FOAMING SYSTEM W/TOUCH SCREEN CONTROLLER AND AUTOMATIC MIXING SYSTEM FOR AIR, WATER, & FOAMING AGENT (REQUIRES CHASSIS TO HAVE AIR COMPRESSOR) | \$49,496.71 | 1 | \$49,496.71 |
| VAPOROOTER INSTALLATION | \$5,210.18 | 1 | \$5,210.18 |

HOSE REEL & HOSE OPTIONS:

| | | | |
|---|------------------------|--|--------|
| DEDUCT FOR "FIXED" HOSE REEL | (\$2,024.12) | | \$0.00 |
| AUTOMATIC LEVELWIND WITH HYDRAULIC UP/DOWN ACTION | \$6,880.17 | | \$0.00 |
| UPGRADE TO 1000' CAPACITY HOSE REEL IN LIEU OF STANDARD CAPACITY | \$3,326.09 | | \$0.00 |
| DIGITAL 'SMART COUNTER' FOOTAGE METER ±3% ACCURACY | \$3,589.96 | | \$0.00 |
| REFERENCE DISTANCE METER | \$910.80 | | \$0.00 |
| SEWER HOSE (3/4" I.D. X 2500 PSI OPERATING PRESSURE) PER FT. | \$4.93 | | \$0.00 |
| SEWER HOSE (3/4" I.D. X 3000 PSI OPERATING PRESSURE) PER FT. | \$5.34 | | \$0.00 |
| SEWER HOSE (1" I.D. X 2500 PSI OPERATING PRESSURE) PER FT. | \$5.44 | | \$0.00 |
| SEWER HOSE (1" I.D. X 3000 PSI OPERATING PRESSURE) PER FT. | \$6.52 | | \$0.00 |
| SEWER HOSE (5/8" I.D. X 4000 PSI OPERATING PRESSURE) PER FT. | \$5.07 | | \$0.00 |
| SEWER HOSE (1/2" I.D. X 4000 PSI OPERATING PRESSURE) PER FT. | \$4.79 | | \$0.00 |
| TESTING FEE (FOR UNITS ORDERD W/OUT SEWER HOSE) | \$549.72 | | \$0.00 |
| 25' X 3/4" LEADER HOSE (IN LIEU OF STANDARD 10') | \$262.71 | | \$0.00 |
| 25' X 1" LEADER HOSE (IN LIEU OF STANDARD 10') | \$425.89 | | \$0.00 |
| LATERAL LINE CLEANING KIT (300' X 1/2" HOSE W/NOZZLE MOUNTED ON A STATIONARY REEL W/ ELECTRIC REWIND, INCLUDES ADDITION OF 1200 PSI AUXILIARY CLEANING CIRCUIT ON JET UNIT) | \$4,922.01 | | \$0.00 |
| MINI MISSILE NOZZLE | \$536.99 | | \$0.00 |
| PATRIOT II ROOT CUTTER KIT (RING & ADJ. ROLLER SKIDS, 4" TO 15" SAWS) | \$3,226.56 | | \$0.00 |
| DUAL REEL OPTIONS: | | | |
| DUAL HOSE REEL (3/4" OR 1" X 600' CAPACITY REEL AND A SECOND REEL WITH 1/2" X 600' CAPACITY / INCLUDES (2) ADDITIONAL NOZZLES AND NOZZLE RACK *SEE ABOVE SECTION TO ORDER SEWER HOSE NEEDED*) | \$8,347.63 | | \$0.00 |
| AUTOMATIC LEVELWIND W/HYDRAULIC UP/DOWN ACTION ON BOTH REELS | \$14,068.18 | | \$0.00 |
| DIGITAL 'SMART COUNTER' FOR DUAL REEL UNITS | \$5,123.38 | | \$0.00 |
| TANK & FILL OPTIONS: | | | |
| UPGRADE TO 700 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY | \$6,973.91 | | \$0.00 |
| UPGRADE TO 1000 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY | \$8,771.20 | | \$0.00 |
| UPGRADE TO 1500 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY | \$18,404.60 | | \$0.00 |
| UPGRADE TO 2000 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY | \$25,592.61 | | \$0.00 |
| UPGRADE TO 2500 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY | \$41,407.16 | | \$0.00 |
| UPGRADE TO 3000 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY | \$45,002.90 | | \$0.00 |
| UPGRADE TO 10 FT. X 6 INCH LOW PROFILE 1500 GALLON WATER TANK | \$23,031.49 | | \$0.00 |
| FILL HOSE STORAGE RACK | \$255.76 | | \$0.00 |
| WINTERIZATION SYSTEM (ANTI-FREEZE SYSTEM W/26 GALLON RESERVIOR) | \$1,453.57 | | \$0.00 |
| TOOL STORAGE OPTIONS: | | | |
| HOSE GUIDE/WASH-DOWN GUN/UPSTREAM PULLEY GUIDE STORAGE TRAY | \$1,112.17 | | \$0.00 |
| SIX (6) 28" D.O.T. SAFETY CONES AND HOLDER | \$495.33 | | \$0.00 |
| LONG HANDLED TOOL STORAGE TUBE (MAY REQUIRE ADDITIONAL TOOLBOX) | \$238.40 | | \$0.00 |
| ROOT CUTTER MAINTENANCE BOX | \$2,927.98 | | \$0.00 |
| ELECTRICAL & LIGHTING: | | | |
| ENGINE/WATER PUMP COMPARTMENT LIGHT | \$256.92 | | \$0.00 |
| LED FLOOD LIGHT (FACTORY STANDARD) | \$546.25 | | \$0.00 |
| LED Amber Strobe Light (Factory Standard) | \$636.52 | | \$0.00 |
| LED ARROW STICK (FACTORY STANDARD) | \$1,293.87 | | \$0.00 |
| LED ARROW BOARD (FACTORY STANDARD) | \$1,536.90 | | \$0.00 |
| HAND-HELD WIRELESS 12v/110v RECHARGEABLE LED SPOTLIGHT W/STORAGE BRACKET | \$406.21 | | \$0.00 |
| WIRELESS REMOTE PENDANT CONTROL (WITH HOSE REEL F-N-R CONTROL, THROTTLE UP/DOWN, WATER ON/OFF, AND KILL SWITCH) INCLUDES MANIFOLD HYDRAULICS | \$8,758.47 | | \$0.00 |
| PENDANT REMOTE PRESSURE DISPLAY (REQUIRES WIRELESS PENDANT) | \$1,067.03 | | \$0.00 |
| PAINT: | | | |
| SHROUD: STANDARD WHITE PAINT | INCLUDED | | |
| TOOLBOX: STANDARD WHITE PAINT | INCLUDED | | |
| HOSE REEL - UPRIGHT: SEWER BLUE | INCLUDED | | |
| FENDERS: STANDARD BLACK | INCLUDED | | |
| SPECIAL PAINT: SOLID COLORS | \$830.94 | | \$0.00 |
| SPECIAL PAINT: METALLIC, BASE COAT / CLEAR COAT | CONTACT FACTORY | | |

| TRUCK OPTIONS: | | | |
|---|------------|-------|--------|
| NON-STOCK CHASSIS MOUNTING ALTERATIONS | \$3,069.17 | | \$0.00 |
| ADD ADDITIONAL FRONT OPENING ALUMINUM TOOLBOX | \$953.62 | | \$0.00 |
| AIR PURGE SYSTEM (REQUIRES CHASSIS TO HAVE AIR COMPRESSOR) | \$1,654.94 | | \$0.00 |
| SPRAY BAR (FRONT FRAME MOUNTED) | \$1,553.10 | | \$0.00 |
| HYDROSTATIC DRIVE VIA TRANSMISSION (ECO) RDS 3000 TRANS. REQUIRED | \$307.84 | | \$0.00 |
| REAR BACK UP CAMERA W/7 INCH COLOR MONITOR MOUNTED IN CAB | \$1,345.94 | | \$0.00 |
| COMBINATION HEAVY DUTY BALL HITCH (20,000 LBS MAXIMUM LOAD) W/CAB MOUNTED BRAKE CONTROLLER AND 7-PIN RV TYPE RECEPTACLE | \$1,308.91 | | \$0.00 |
| HITCH - REESE STYLE (10,000 LBS MAXIMUM) W/CAB MOUNTED BRAKE CONTROLLER AND 7-PIN RV TYPE RECEPTACLE | \$921.21 | | \$0.00 |
| MANUALS & TRAINING: | | | |
| ADDITIONAL PAPER OPERATOR'S MANUAL | \$96.06 | | \$0.00 |
| USB OPERATOR'S MANUAL | \$71.75 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - SEWER EQUIPMENT UNIVERSITY (DIXON, IL / 1 DAY) **INCLUDES HOTELS & MEALS** | \$2,750.00 | | \$0.00 |
| SPECIAL ITEMS: | | | |
| | | #REF! | |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| | | | \$0.00 |
| SIGNATURE | | DATE | |
| Please return a signed copy to bigequipment@SewerEquipment.com | | | |



PO Box 13040 Spokane Valley, WA 99213

p (800) 892-7831 www.swsequipment.com

www.SewerEquipment.com



www.SWSEquipment.com

October 11, 2021

Payment Terms:

Distributor: **SWS Equipment (800) 892-7831**

Salesman:

End User:

Address:

City, State, Zip:

Phone:

Contact:

Email:

PO#

Product Class:

REV:

WO#



747-TK/TV ECO Truck Mounted High Pressure Sewer Cleaner w/ TV System

Engine & Pump:

74 HP Kohler Diesel Tier IV Engine
Giant 40 GPM @ 2000 PSI
w/30 Min Run Dry Capability
Lighted Nema 4 Control Panel
Auto Shutdown (For High Engine
Temp / Low Oil Pressure)
Air Purge Valve
Painted Steel Shroud Enclosure
w/Locking Access Doors
Recirculation System
Electronic Clutch Engagement
Engine Display
Electronic Throttle Control

Tank & Fill:

700 Gal. Black Super-Poly Water Tank
2.5" Fill System

Hose Reel & Hose:

Rotating Dual Hose Reel
Reel A - Rotating Safety Reel
w/500' of Umbilical Cord™ @ 2500 PSI
Reel B - Rotating Safety Reel
w/600' of 3/4" Hose
Digital 'Smart Counter' For Dual Reel Units

TV System:

Self-Leveling Color TV Camera
(1) 4" Jet Pod Skid
Color Monitor
DVR w/Removable SD Card

Truck:

Mounting to Approved Chassis
Mudflaps
(1) Aluminum Underbody Toolbox
D.O.T. Approved LED Lighting
Auxiliary Fuel Tank

Accessories:

10' Leader Hose
BB Hose Guide
Tri-Star (Chisel Point) Nozzle
DD (High Flow) Nozzle
Finned Nozzle Extension
Nozzle Rack
25' Fill Hose
Washdown Gun w/25' Ext. Hose
Upstream Pulley Guide
Paper Operator / Owner Manual

| | | | |
|------------------------------------|---------------------|---|---------------------|
| BASE UNIT AS OUTLINED ABOVE | \$156,987.04 | 1 | \$156,987.04 |
|------------------------------------|---------------------|---|---------------------|

| | |
|--|----------------------|
| LIST PRICE OF SELECTED OPTIONS: | \$0.00 |
| LESS PERCENTAGE DISCOUNT (enter % →) 5% | \$ (7,849.35) |

NET PRICE OF UNIT: \$149,137.69

CHASSIS:

ESTIMATED FREIGHT:

ESTIMATED TOTAL: \$149,137.69

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

| <u>STANDARD OPTIONS:</u> | <u>LIST PRICE</u> | <u>QTY</u> | <u>TOTAL</u> |
|--|-------------------|------------|--------------|
| TV OPTIONS: | | | |
| ADDITIONAL SELF-LEVELING CAMERA HEAD | \$7,119.73 | 0 | \$0.00 |
| ADDITIONAL 4" JET POD FOR STRAIGHT VIEW CAMERA | \$3,125.88 | 0 | \$0.00 |
| 6" JET POD TV SKID EXTENSION - STRAIGHT VIEW CAMERA | \$800.85 | 0 | \$0.00 |
| 8" JET POD TV SKID EXTENSION - STRAIGHT VIEW CAMERA | \$851.78 | 0 | \$0.00 |
| 10" JET POD TV SKID EXTENSION - STRAIGHT VIEW CAMERA | \$454.82 | 0 | \$0.00 |
| 12" JET POD TV SKID EXTENSION - STRAIGHT VIEW CAMERA | \$572.87 | 0 | \$0.00 |
| 15" JET POD TV SKID EXTENSION - STRAIGHT VIEW CAMERA | \$592.54 | 0 | \$0.00 |
| 18" JET POD TV SKID EXTENSION - STRAIGHT VIEW CAMERA | \$616.84 | 0 | \$0.00 |

ENGINE & PUMP OPTIONS:

| | | | |
|--|------------------------|--|--------|
| UPGRADE WATER PUMP TO GIANT 35 GPM @ 3000 PSI PLUNGER STYLE TRIPLEX WATER PUMP W/30 MINUTE RUN DRY CAPABILITY | \$5,244.90 | | \$0.00 |
| FOR OPERATING AT ALTITUDES ABOVE 2000 FT. | CONTACT FACTORY | | |
| ELECTRONIC WATER ON/OFF CONTROL (INCLUDED W/MASTER & WIRELESS PENDANT) | \$1,536.90 | | \$0.00 |
| GIANT PUMP PULSATION SYSTEM | \$295.11 | | \$0.00 |
| HYDRAULIC PRESSURE GAUGE | \$380.75 | | \$0.00 |
| DRAIN VALVES FOR WATER PUMP *RECOMMENDED FOR COLD CLIMATES* | \$196.74 | | \$0.00 |
| HYDRAULIC TOOL CIRCUIT (RATED @ 9.5 GPM, SYSTEM ENGAGED VIA MANUAL DIVERTER VALVE AND SUPPLIED W/ PARKER 60 SERIES CONNECTORS) | \$2,458.11 | | \$0.00 |
| UPGRADE TO ALUMINUM SHROUD | \$3,668.65 | | \$0.00 |
| UPGRADE TO ALUMINUM SHROUD (PAINTED) | \$4,823.64 | | \$0.00 |
| VAPOROOTER SYSTEM: INCLUDES PATENTED ROOT FOAMING SYSTEM W/TOUCH SCREEN CONTROLLER AND AUTOMATIC MIXING SYSTEM FOR AIR, WATER, & FOAMING AGENT (REQUIRES CHASSIS TO HAVE AIR COMPRESSOR) | \$49,496.71 | | \$0.00 |
| VAPOROOTER INSTALLATION | \$5,210.18 | | \$0.00 |
| <u>HOSE REEL & HOSE OPTIONS:</u> | | | |
| AUTOMATIC LEVELWIND WITH HYDRAULIC UP/DOWN ACTION | \$6,880.17 | | \$0.00 |
| LATERAL LINE CLEANING KIT (300' X 1/2" HOSE W/NOZZLE MOUNTED ON A STATIONARY REEL W/ ELECTRIC REWIND, INCLUDES ADDITION OF 1200 PSI AUXILIARY CLEANING CIRCUIT ON JET UNIT) | \$4,922.01 | | \$0.00 |
| 25' X 3/4" LEADER HOSE (IN LIEU OF STANDARD 10') | \$262.71 | | \$0.00 |
| MINI MISSILE NOZZLE | \$536.99 | | \$0.00 |
| PATRIOT II ROOT CUTTER KIT (RING & ADJ. ROLLER SKIDS, 4" TO 15" SAWS) | \$3,226.56 | | \$0.00 |
| WASHDOWN SYSTEM W/50' RETRACTABLE HOSE REEL | \$1,609.81 | | \$0.00 |
| <u>TANK & FILL OPTIONS:</u> | | | |
| UPGRADE TO 700 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY | \$6,770.22 | | \$0.00 |
| UPGRADE TO 1000 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY | \$8,771.20 | | \$0.00 |
| UPGRADE TO 1500 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY | \$18,404.60 | | \$0.00 |
| UPGRADE TO 2000 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY | \$25,592.61 | | \$0.00 |
| UPGRADE TO 2500 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY | \$41,407.16 | | \$0.00 |
| UPGRADE TO 3000 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY | \$45,002.90 | | \$0.00 |
| UPGRADE TO 10 FT. X 6 INCH LOW PROFILE 1500 GALLON WATER TANK | \$23,031.49 | | \$0.00 |
| FILL HOSE STORAGE RACK | \$255.76 | | \$0.00 |
| WINTERIZATION SYSTEM (ANTI-FREEZE SYSTEM W/26 GALLON RESERVIOR) | \$1,453.57 | | \$0.00 |
| <u>ELECTRICAL & LIGHTING:</u> | | | |
| ENGINE/WATER PUMP COMPARTMENT LIGHT | \$256.92 | | \$0.00 |
| LED FLOOD LIGHT (FACTORY STANDARD) | \$546.25 | | \$0.00 |
| LED STROBE LIGHT (FACTORY STANDARD) | \$636.52 | | \$0.00 |
| LED ARROW STICK (FACTORY STANDARD) | \$1,293.87 | | \$0.00 |
| LED ARROW BOARD (FACTORY STANDARD) | \$1,536.90 | | \$0.00 |
| HAND-HELD WIRELESS 12v/110v RECHARGEABLE LED SPOTLIGHT W/STORAGE BRACKET | \$406.21 | | \$0.00 |
| WIRELESS REMOTE PENDANT CONTROL (WITH HOSE REEL F-N-R CONTROL, THROTTLE UP/DOWN, WATER ON/OFF, AND KILL SWITCH) INCLUDES MANIFOLD HYDRAULICS | \$8,758.47 | | \$0.00 |
| PENDANT REMOTE PRESSURE DISPLAY (REQUIRES WIRELESS PENDANT) | \$1,067.03 | | \$0.00 |
| <u>PAINT:</u> | | | |
| SHROUD: STANDARD WHITE PAINT | INCLUDED | | |
| HOSE REEL - UPRIGHT: SEWER BLUE | INCLUDED | | |
| FENDERS: STANDARD BLACK | INCLUDED | | |
| SPECIAL PAINT: SOLID COLORS | \$830.94 | | \$0.00 |
| SPECIAL PAINT: METALLIC, BASE COAT / CLEAR COAT | CONTACT FACTORY | | |
| <u>TRUCK OPTIONS:</u> | | | |
| NON-STOCK CHASSIS MOUNTING ALTERATIONS | \$3,069.17 | | \$0.00 |
| ADD ADDITIONAL FRONT OPENING ALUMINUM TOOLBOX | \$953.62 | | \$0.00 |
| AIR PURGE SYSTEM (REQUIRES CHASSIS TO HAVE AIR COMPRESSOR) | \$1,654.94 | | \$0.00 |
| SPRAY BAR (FRONT FRAME MOUNTED) | \$1,553.10 | | \$0.00 |
| HYDROSTATIC DRIVE VIA TRANSMISSION (ECO) RDS 3000 TRANS. REQUIRED | \$307.84 | | \$0.00 |
| SIX (6) 28" D.O.T. SAFETY CONES AND HOLDER | \$495.33 | | \$0.00 |
| LONG HANDLED TOOL STORAGE | \$238.40 | | \$0.00 |
| ROOT CUTTER MAINTENANCE BOX | \$2,927.98 | | \$0.00 |

| | | | |
|--|------------|--|--------|
| REAR BACK UP CAMERA W/7 INCH COLOR MONITOR MOUNTED IN CAB | \$1,345.94 | | \$0.00 |
| COMBINATION HEAVY DUTY BALL HITCH (20,000 LBS MAXIMUM LOAD) W/CAB MOUNTED BRAKE CONTROLLER AND 7-PIN RV TYPE RECEPTACLE | \$1,308.91 | | \$0.00 |
| HITCH - REESE STYLE (10,000 LBS MAXIMUM) W/CAB MOUNTED BRAKE CONTROLLER AND 7-PIN RV TYPE RECEPTACLE | \$921.21 | | \$0.00 |
| MANUALS & TRAINING: | | | |
| ADDITIONAL PAPER OPERATOR'S MANUAL | \$96.06 | | \$0.00 |
| USB OPERATOR'S MANUAL | \$71.75 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - SEWER EQUIPMENT UNIVERSITY (DIXON, IL / 1 DAY) **INCLUDES HOTELS & MEALS** | \$2,750.00 | | \$0.00 |
| SPECIAL ITEMS: | | | #REF! |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| | | | \$0.00 |
| SIGNATURE _____ DATE _____ | | | |
| Please return a signed copy to bigequipment@SewerEquipment.com | | | |



PO Box 13040 Spokane Valley, WA 99213

p (800) 892-7831 www.swsequipment.com

www.SewerEquipment.com



www.SWSEquipment.com

October 11, 2021

PO#

Product Class:

Payment Terms:

REV:

Distributor: **SWS Equipment (800) 892-7831**

WO#

Salesman:

End User:

Address:

City, State, Zip:

Phone:

Contact:

Email:



HYDRAULIC BUCKET MACHINES Series II Pull In Bucket Machine

| | | |
|---|---|---|
| Drum / Ramp: 1500' Capacity Main Cable Drum w/ Clutch Main Cable Drum Auto-Level Wind Main Cable Drum Hand Brake Drum Speed Control Single Speed Hydraulic control Ramp capacity - 36" Bucket Roller capacity - 36" Bucket | Engine / Controls: Kubota 24.8HP Diesel Engine pull force - 4000# @ 150 ft/min recommended up to 18" Buckets Key Ignition Switch 800 CCA Battery Lighted NEMA 4 control panel Painted Steel shrouding Trailer: (2) Manual Stabilizers - Rear Fenders, Electric brakes | Trailer: Steel toolbox (1) - tongue mtd Retractable Swivel Wheel 2-5/16" Ball Hitch w/ Jack LED D.O.T. approved lighting GVWR - 6000# Accessories: (1) Cable Swivel (1) 1/2" Clevis Pin Start Up Kit for Yoke (1) Paper Operator's Manual |
|---|---|---|

BASE UNIT AS OUTLINED ABOVE **\$52,887.61** 1 **\$52,887.61**

| | |
|--|----------------------|
| LIST PRICE OF SELECTED OPTIONS: | \$0.00 |
| LESS PERCENTAGE DISCOUNT (enter % →) 5% | \$ (2,644.38) |
| NET PRICE OF UNIT: | \$50,243.23 |
| ESTIMATED FREIGHT: | T.B.D. |
| ESTIMATED TOTAL: | \$50,243.23 |

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

STANDARD OPTIONS:

| ENGINE / CONTROLS: | LIST PRICE | QTY | TOTAL |
|--|-------------|-----|--------|
| UPGRADE TO KUBOTA 49hp DIESEL ENGINE - WATER COOLED (pull force - 6500# @ 150 ft/min; recommended up to 36" Buckets) | \$10,132.19 | | \$0.00 |
| VOLTAGE METER | \$262.71 | | \$0.00 |
| HOUR METER | \$395.80 | | \$0.00 |
| DRUM / CABLE: | | | |
| 1/2" CABLE FOR MAIN CABLE DRUM (PRICE PER FOOT) | \$3.91 | | \$0.00 |
| TWO SPEED HYDRAULIC MAIN DRUM CONTROL | \$1,514.91 | | \$0.00 |
| THREE SPEED HYDRAULIC MAIN DRUM CONTROL | \$6,826.93 | | \$0.00 |
| UPGRADE TO FLOATING SCROLL - MAIN DRUM AUTO-LEVEL WIND | \$832.10 | | \$0.00 |
| BUCKET LOCATION METER (FOOTAGE COUNTER) | \$528.89 | | \$0.00 |
| ANTI-BACK LASH UPPER ROLLER ASSEMBLY (PULL-IN UNIT ONLY) | \$1,091.34 | | \$0.00 |
| BUCKET ARM AND CHAIN (PULL-IN UNIT ONLY) | \$395.80 | | \$0.00 |
| ADDITIONAL 1/2" CLEVIS PIN | \$47.45 | | \$0.00 |
| 1500' CAPACITY OVERNIGHT CABLE DRUM | \$1,630.64 | | \$0.00 |
| 1/4" CABLE FOR OVERNIGHT CABLE DRUM (PRICE PER FOOT) | \$2.57 | | \$0.00 |
| OVERNIGHT CABLE DRUM LEVEL WIND | \$432.83 | | \$0.00 |
| SAFETY LIGHTING OPTIONS: | | | |
| LED ROTATING BEACON (FACTORY STANDARD) | \$658.51 | | \$0.00 |
| LED STROBE LIGHT (FACTORY STANDARD) | \$636.52 | | \$0.00 |
| LED FLOOD LIGHT (FACTORY STANDARD) | \$546.25 | | \$0.00 |
| HANDHELD WIRELESS 12v/110v RECHARGEABLE LED SPOTLIGHT WITH STORAGE BRACKET | \$406.21 | | \$0.00 |
| TRAILER OPTIONS: | | | |
| UPGRADE TO TWO (2) REAR ADJUSTABLE HYDRAULIC LEGS | \$4,624.58 | | \$0.00 |
| UPGRADE TO FOUR (4) ADJUSTABLE HYDRAULIC LEGS - (2) FRONT, (2) REAR | \$8,250.42 | | \$0.00 |

| | | | |
|--|------------|------|--------|
| LOCKING BATTERY BOX | \$364.55 | | \$0.00 |
| SIX (6) 18" D.O.T. SAFETY CONES AND HOLDER | \$491.85 | | \$0.00 |
| <u>PAINT (TOOLBOX, SHROUD, ROLLERS):</u> | | | |
| STANDARD WHITE PAINT | INCLUDED | | |
| ALL OTHER COLORS (EXCEPT METALLIC PAINT) | \$766.13 | | \$0.00 |
| CONTACT FACTORY FOR LIST PRICE OF PAINTING OTHER COMPONENTS ON UNIT | | | |
| <u>MANUALS / TRAINING:</u> | | | |
| ADDITIONAL PAPER OPERATOR'S MANUAL | \$96.06 | | \$0.00 |
| USB OPERATOR'S MANUAL | \$71.75 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - SEWER EQUIPMENT UNIVERSITY (DIXON, IL) (1 DAY) **INCLUDES HOTEL & MEALS** | \$2,750.00 | | \$0.00 |
| <u>ACCESSORY GROUP OPTIONS</u> | | | |
| BUCKETS & TOOLS - SEE PARTS CATALOG AND PARTS PRICE LIST | PARTS | | |
| <u>SPECIAL ITEMS:</u> | | | |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| | | | |
| SIGNATURE | | DATE | |
| Please return a signed copy to bigequipment@SewerEquipment.com | | | |



PO Box 13040 Spokane Valley, WA 99213

p (800) 892-7831 www.swsequipment.com

www.SewerEquipment.com



www.SWSEquipment.com

October 11, 2021

PO#

Product Class:

Payment Terms:

REV:

Distributor: **SWS Equipment (800) 892-7831**

WO#

Salesman:

End User:

Address:

City, State, Zip:

Phone:

Contact:

Email:



HYDRAULIC BUCKET MACHINES Series II Truck Loader Bucket Machine

Drum / Ramp:

- 1500' Capacity Main Cable
- Drum w/ Clutch
- Main Cable Drum Auto-Level Wind
- Main Cable Drum Hand Brake
- Drum Speed Control
- Single Speed Hydraulic control
- Bucket Shaker
- Ramp capacity - 36" Bucket
- Roller capacity - 36" Bucket

Engine / Controls:

- Kubota 24.8HP Diesel Engine
- pull force - 4000# @ 150 ft/min
- recommended up to 18" Buckets
- Key Ignition Switch
- 800 CCA Battery
- Lighted NEMA 4 control panel
- Painted Steel shrouding

Trailer:

- (4) Manual Stabilizers
- Fenders, Electric brakes

Trailer:

- Steel toolbox (1) - tongue mtd
- Retractable Swivel Wheel
- 2-5/16" Ball Hitch w/ Jack
- LED D.O.T. approved lighting
- GVWR - 6000#

Accessories:

- (1) Cable Swivel
- (1) 1/2" Clevis Pin
- Start Up Kit for Yoke
- (1) Paper Operator's Manual

BASE UNIT AS OUTLINED ABOVE **\$63,800.98** 1 **\$63,800.98**

| | |
|---|--------------------|
| LIST PRICE OF SELECTED OPTIONS: | \$0.00 |
| LESS PERCENTAGE DISCOUNT (enter % →) 5% \$ | (3,190.05) |
| NET PRICE OF UNIT: | \$60,610.93 |
| ESTIMATED FREIGHT: | |
| ESTIMATED TOTAL: | \$60,610.93 |

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

STANDARD OPTIONS:

| <u>ENGINE / CONTROLS:</u> | LIST PRICE | QTY | TOTAL |
|--|-------------|-----|-------------|
| UPGRADE TO KUBOTA 49hp DIESEL ENGINE - WATER COOLED (pull force - 6500# @ 150 ft/min; recommended up to 36" Buckets) | \$10,132.19 | 1 | \$10,132.19 |
| VOLTAGE METER | \$262.71 | 1 | \$262.71 |
| HOUR METER | \$395.80 | 1 | \$395.80 |
| DRUM / CABLE: | | | |
| 1/2" CABLE FOR MAIN CABLE DRUM (PRICE PER FOOT) | \$3.91 | 0 | \$0.00 |
| TWO SPEED HYDRAULIC MAIN DRUM CONTROL | \$1,514.91 | 1 | \$1,514.91 |
| THREE SPEED HYDRAULIC MAIN DRUM CONTROL | \$6,826.93 | 1 | \$6,826.93 |
| UPGRADE TO DOUBLE SCROLL - MAIN DRUM AUTO-LEVEL WIND | \$1,646.84 | 1 | \$1,646.84 |
| BUCKET LOCATION METER (FOOTAGE COUNTER) | \$528.89 | 1 | \$528.89 |
| ADDITIONAL 1/2" CLEVIS PIN | \$47.45 | 1 | \$47.45 |
| 1500' CAPACITY OVERNIGHT CABLE DRUM | \$1,630.64 | 1 | \$1,630.64 |
| 1/4" CABLE FOR OVERNIGHT CABLE DRUM (PRICE PER FOOT) | \$2.57 | 0 | \$0.00 |
| OVERNIGHT CABLE DRUM LEVEL WIND | \$432.83 | 1 | \$432.83 |
| SAFETY LIGHTING OPTIONS: | | | |
| LED ROTATING BEACON (FACTORY STANDARD) | \$658.51 | 1 | \$658.51 |
| LED STROBE LIGHT (FACTORY STANDARD) | \$636.52 | 1 | \$636.52 |
| LED FLOOD LIGHT (FACTORY STANDARD) | \$546.25 | 1 | \$546.25 |
| HANDHELD WIRELESS 12v/110v RECHARGEABLE LED SPOTLIGHT WITH STORAGE BRACKET | \$406.21 | 1 | \$406.21 |
| TRAILER OPTIONS: | | | |
| UPGRADE TO TWO REAR ADJUSTABLE HYDRAULIC LEGS | \$4,624.58 | 1 | \$4,624.58 |
| UPGRADE TO FOUR (4) ADJUSTABLE HYDRAULIC LEGS - (2) FRONT, (2) REAR | \$8,250.42 | 1 | \$8,250.42 |

| | | | |
|--|------------|--|--------|
| LOCKING BATTERY BOX | \$364.55 | | \$0.00 |
| SIX (6) 18" D.O.T. SAFETY CONES AND HOLDER | \$491.85 | | \$0.00 |
| <u>PAINT (TOOLBOX, SHROUD, ROLLERS):</u> | | | |
| STANDARD WHITE PAINT | INCLUDED | | |
| ALL OTHER COLORS (EXCEPT METALLIC PAINT) | \$863.35 | | \$0.00 |
| CONTACT FACTORY FOR LIST PRICE OF PAINTING OTHER COMPONENTS ON UNIT | | | |
| <u>MANUALS & TRAINING:</u> | | | |
| ADDITIONAL PAPER OPERATOR'S MANUAL | \$96.06 | | \$0.00 |
| USB OPERATOR'S MANUAL | \$71.75 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - SEWER EQUIPMENT UNIVERSITY (DIXON, IL) (1 DAY) **INCLUDES HOTEL & MEALS** | \$2,750.00 | | \$0.00 |
| <u>ACCESSORY GROUP OPTIONS</u> | | | |
| BUCKETS & TOOLS - SEE PARTS CATALOG AND PARTS PRICE LIST | PARTS | | |
| <u>SPECIAL ITEMS:</u> | | | |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| | | | \$0.00 |
| | | | |
| SIGNATURE | DATE | | |
| Please return a signed copy to bigequipment@SewerEquipment.com | | | |



PO Box 13040 Spokane Valley, WA 99213

p (800) 892-7831 www.swsequipment.com

www.SewerEquipment.com



www.SWSEquipment.com

| | |
|--|-----------------------|
| October 11, 2021 | PO# |
| | Product Class: |
| Payment Terms: | REV: |
| Distributor: SWS Equipment (800) 892-7831 | WO# |
| Salesman: | |
| End User: | |
| Address: | |
| City, State, Zip: | |
| Phone: | |
| Contact: | |
| Email: | |

JAJ-600SK Skid Steered Easement Machine

| | | |
|---|--|---|
| Power System: Mounts to Skid Steer Universal Coupler and powered by Skid Steer Aux. Hyd. w/ min 10.5 gpm @ 2500 psi | Hose Reel: Rotating Safety Hose Reel 600' x 1" Sewer Hose Capacity Pressure Relief Valve Hose Reel Variable Speed Control | Accessories: 10' Leader Hose Water Pressure Gauge Hour Meter (1) Paper Operator Manual |
|---|--|---|

| | | | |
|--|--------------------|----------|--------------------|
| BASE UNIT AS OUTLINED ABOVE | \$17,844.46 | 1 | \$17,844.46 |
| LIST PRICE OF SELECTED OPTIONS: | | | \$0.00 |
| LESS PERCENTAGE DISCOUNT (enter % →) 5% | | | \$ (892.22) |
| NET PRICE OF UNIT: | | | \$16,952.24 |
| ESTIMATED FREIGHT: | | | |
| ESTIMATED TOTAL: | | | \$16,952.24 |

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING
STANDARD OPTIONS:

| HOSE REEL / HOSE OPTIONS: | LIST PRICE | QTY | TOTAL |
|--|---------------------|------------|--------------|
| Automatic Level Wind w/ Hydraulic Up/Down Action (Limit Hose to 500' of 1") | \$6,752.87 | | \$0.00 |
| Deduct For Fixed Hose Reel | (\$2,083.15) | | \$0.00 |
| Footage Meter (Mounted On Jet Hose Reel) | \$910.80 | | \$0.00 |
| Footage Meter (Mounted on Manual Level Wind * Not Available w/ ALW) | \$964.03 | | \$0.00 |
| Sewer Hose (1" I.D., 2500 P.S.I. Operating Pressure) Per Ft | \$5.44 | | \$0.00 |
| Sewer Hose (1" I.D., 3000 P.S.I. Operating Pressure) Per Ft | \$6.52 | | \$0.00 |
| Testing Fee (For Units Orderd w/out Sewer Hose) | \$549.72 | | \$0.00 |
| 25' X 1" Leader Hose (In Lieu of Standard 10') | \$425.89 | | \$0.00 |
| Mini-Missile Nozzle | \$536.99 | | \$0.00 |
| Patriot II Root Cutter Kit (Ring & Adj Roller Skids, 4" to 15" Saws) **Must Provide GPM / PSI of Host Jetter** | \$3,226.56 | | \$0.00 |
| Accumulator (Used in Conjunction with Single Piston Pumps, Increases Width of Unit Beyond 34") | \$4,063.29 | | \$0.00 |
| Pinch Roller | \$1,785.72 | | \$0.00 |
| Outriggers (Four) | \$901.54 | | \$0.00 |

| | | | |
|--|-----------------|--|--------|
| PAINT: | | | |
| Hose Reel - Upright: SEWER BLUE | INCLUDED | | |
| Special Paint: Solid Colors | \$830.94 | | \$0.00 |
| Special Paint: Metallic, Base Coat / Clear Coat | CONTACT FACTORY | | |

| | | | |
|---|------------|--|--------|
| MANUALS & TRAINING: | | | |
| Additional Paper Operator's Manual | \$96.06 | | \$0.00 |
| USB Operator's Manual | \$71.75 | | \$0.00 |
| Training - Customer Location (1 Day) | \$1,945.00 | | \$0.00 |
| Training - Customer Location (Additional Day) | \$1,945.00 | | \$0.00 |
| Training - Sewer Equipment University (Dixon, IL) (1 Day)**Includes Hotel & Meals** | \$2,750.00 | | \$0.00 |

| | | | |
|--|----------|--|--------|
| SPECIAL ITEMS: | | | |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |

| | | | |
|---|--|------|--------|
| | | | \$0.00 |
| | | | |
| SIGNATURE | | DATE | |
| Please return a signed copy to bigequipment@SewerEquipment.com | | | |



PO Box 13040 Spokane Valley, WA 99213

p (800) 892-7831 www.swsequipment.com

www.SewerEquipment.com



www.SWSEquipment.com

October 11, 2021

Payment Terms:

Distributor: **SWS Equipment (800) 892-7831**

Salesman:

End User:

Address:

City, State, Zip:

Phone:

Contact:

Email:

PO#

Product Class:

REV:

WO#



JAJ-600WH Work Horse Easement Machine

Power System:

Gas powered, Hydraulically driven
Dual Independent Extendable Tracks
Skid Style steering
Dual Hydraulic Tool Circuit 5 or 10gpm

Hose Reel:

Rotating Safety Hose Reel
600' x 1" Sewer Hose Capacity
Pressure Relief Valve
Hose Reel Variable Speed Control

Accessories:

10' Leader Hose
Water Pressure Gauge
Hour Meter
(1) Paper Operator Manual

| | | | |
|--|--------------------|----------|----------------------|
| BASE UNIT AS OUTLINED ABOVE | \$66,984.72 | 1 | \$66,984.72 |
| LIST PRICE OF SELECTED OPTIONS: | | | \$0.00 |
| LESS PERCENTAGE DISCOUNT (enter % →) 5% | | | \$ (3,349.24) |
| NET PRICE OF UNIT: | | | \$63,635.48 |
| Trailer - 8' X 12' | | | N/A |
| Aluminum Toolbox | | | N/A |
| ESTIMATED FREIGHT: | | | |
| ESTIMATED TOTAL: | | | \$63,635.48 |

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING
STANDARD OPTIONS:

| <u>HOSE REEL / HOSE OPTIONS:</u> | LIST PRICE | QTY | TOTAL |
|--|---------------------|-----|--------|
| Automatic Level Wind w/ Hydraulic Up/Down Action (Limit Hose to 500' of 1") | \$6,752.87 | | \$0.00 |
| Deduct For Fixed Hose Reel | (\$2,083.15) | | \$0.00 |
| Digital "Smart Counter" Footage Meter | \$3,383.96 | | \$0.00 |
| Footage Meter (Mounted On Jet Hose Reel) | \$910.80 | | \$0.00 |
| Footage Meter (Mounted on Manual Level Wind * Not Available w/ ALW) | \$964.03 | | \$0.00 |
| Sewer Hose (1" I.D., 2500 P.S.I. Operating Pressure) Per Ft | \$5.44 | | \$0.00 |
| Sewer Hose (1" I.D., 3000 P.S.I. Operating Pressure) Per Ft | \$6.52 | | \$0.00 |
| Testing Fee (For Units Orderd w/out Sewer Hose) | \$549.72 | | \$0.00 |
| 25' X 1" Leader Hose (In Lieu of Standard 10') | \$425.89 | | \$0.00 |
| Patriot II Root Cutter Kit (Ring & Adj Roller Skids, 4" to 15" Saws) **Must Provide GPM / PSI of Host Jetter** | \$3,226.56 | | \$0.00 |
| Accumulator (Used in Conjunction with Single Piston Pumps, Increases Width of Unit Beyond 34") | \$4,063.29 | | \$0.00 |
| Pinch Roller | \$1,785.72 | | \$0.00 |
| Outriggers (Four) | \$901.54 | | \$0.00 |

LIGHTING OPTIONS:

| | | | |
|--|----------|--|--------|
| Flood Light (LED) | \$546.25 | | \$0.00 |
| Strobe Light (LED) | \$636.52 | | \$0.00 |
| 12 Volt Power Outlet | \$97.21 | | \$0.00 |
| Handheld Wireless 12V/110V Rechargeable Led Spotlight With Storage Bracket | \$406.21 | | \$0.00 |

PAINT:

| | | | |
|--|-----------------|--|--------|
| HOSE REEL - UPRIGHT: SEWER BLUE | INCLUDED | | |
| Special Paint: Solid Colors | \$830.94 | | \$0.00 |
| Special Paint: Metallic, Base Coat / Clear Coat | CONTACT FACTORY | | |

MANUALS & TRAINING:

| | | | |
|------------------------------------|----------|--|--------|
| Additional Paper Operator's Manual | \$107.63 | | \$0.00 |
| USB Operator's Manual | \$71.75 | | \$0.00 |

| | | | |
|--|------------|--|--------|
| Training - Customer Location (1 Day) | \$1,945.00 | | \$0.00 |
| Training - Customer Location (Additional Day) | \$1,945.00 | | \$0.00 |
| Training - Sewer Equipment University (Dixon, IL) (1 Day)**Includes Hotel & Meals** | \$2,750.00 | | \$0.00 |
| SPECIAL ITEMS: | | | |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| | | | \$0.00 |
| SIGNATURE _____ DATE _____ | | | |
| Please return a signed copy to bigequipment@SewerEquipment.com | | | |



PO Box 13040 Spokane Valley, WA 99213

p (800) 892-7831 www.swsequipment.com

www.SewerEquipment.com



www.SWSEquipment.com

October 11, 2021

PO#

Product Class:

Payment Terms:

REV:

Distributor: **SWS Equipment (800) 892-7831**

WO#

Salesman:

End User:

Address:

City, State, Zip:

Phone:

Contact:

Email:



JAJ-600WH 8' X 12' Trailer

BASE UNIT AS OUTLINED ABOVE

\$8,105.75

1

\$8,105.75

LIST PRICE OF SELECTED OPTIONS:

\$0.00

LESS PERCENTAGE DISCOUNT (enter % →) **5%** \$

(405.29)

NET PRICE OF UNIT:

\$7,700.47

ESTIMATED FREIGHT:

ESTIMATED TOTAL:

\$7,700.47

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

Hydraulic Surge Brakes For Trailer

\$1,561.20

\$0.00

Aluminum Toolbox, Tongue Mounted

\$1,128.37

\$0.00

SIGNATURE

DATE

Please return a signed copy to bigequipment@SewerEquipment.com



PO Box 13040 Spokane Valley, WA 99213
 p (800) 892-7831 www.swsequipment.com
www.SewerEquipment.com



www.SWSEquipment.com

| | | |
|--|-----------------------|--|
| October 11, 2021 | PO# | |
| | Product Class: | |
| Payment Terms: | REV: | |
| Distributor: SWS Equipment (800) 892-7831 | WO# | |
| Salesman: | | |
| End User: | | |
| Address: | | |
| City, State, Zip: | | |
| Phone: | | |
| Contact: | | |
| Email: | | |

MODEL 545 Trailer Mounted High Pressure Sewer Cleaner

| | | |
|--|--|--|
| Engine & Pump: 2.5L Ford Engine w/ Full Shroud Giant 40 GPM @ 2000 PSI w/30 Min Run Dry Capability Lighted Nema 4 Control Panel Auto Shutdown (High Eng Temp / Low Oil Pressu Low Oil Pressure) Air Purge Valve Recirculation System Painted Steel Engine Enclosure Engine Display Electronic Throttle Control | Hose Reel & Hose: Rotating Safety Reel w/800' Capacity of 3/4" Hose Tank & Fill: 700 Gal. Black Super-Poly Water Tank 2.5" Fill System 25' Fill Hose For Fill System Trailer: Tandem Axles 14,000 GVWR Electric Brakes w/2-5/16" Ball Hitch (1) Aluminum Toolbox - Fender Mounted D.O.T. Approved LED Lighting | Accessories: 10' Leader Hose BB Hose Guide Upstream Pulley Guide Tri-Star (Chisel Point) Nozzle DD (High Flow) Nozzle Finned Nozzle Extension Nozzle Rack Paper Operator / Owner Manual |
|--|--|--|

| | | | |
|--|--------------------|----------|--------------------|
| BASE UNIT AS OUTLINED ABOVE | \$66,897.92 | 1 | \$66,897.92 |
| LIST PRICE OF SELECTED OPTIONS: | | | \$0.00 |
| LESS PERCENTAGE DISCOUNT (enter % →) 0% | | | \$ - |
| NET PRICE OF UNIT: | | | \$66,897.92 |
| ESTIMATED FREIGHT: | | | |
| ESTIMATED TOTAL: | | | \$66,897.92 |

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

| <u>STANDARD OPTIONS:</u> | <u>LIST PRICE</u> | <u>QTY</u> | <u>TOTAL</u> |
|--|-------------------|------------|--------------|
| ENGINE & PUMP OPTIONS: | | | |
| UPGRADE TO KOHLER 74HP DIESEL ENGINE | \$6,258.70 | | \$0.00 |
| UPGRADE WATER PUMP TO GIANT 30 GPM @ 3000 PSI PLUNGER STYLE TRIPLEX WATER PUMP W/30 MINUTE RUN DRY CAPABILITY | \$4,768.09 | | \$0.00 |
| DRAIN VALVES FOR WATER PUMP *RECOMMENDED FOR COLD CLIMATES* | \$196.74 | | \$0.00 |
| ELECTRONIC WATER ON/OFF CONTROL (INCLUDED W/MASTER & WIRELESS PENDANT) | \$1,536.90 | | \$0.00 |
| ELECTRONIC/HYDRAULIC CLUTCH ENGAGE (TOGGLE SWITCH IN LIEU OF MECHANICAL ENGAGE) | \$1,548.47 | | \$0.00 |
| HYDRAULIC PRESSURE GAUGE | \$380.75 | | \$0.00 |
| GIANT PUMP PULSATION SYSTEM | \$295.11 | | \$0.00 |
| HYDRAULIC TOOL CIRCUIT (RATED @ 9.5 GPM, SYSTEM ENGAGED VIA MANUAL DIVERTER VALVE AND SUPPLIED W/ PARKER 60 SERIES CONNECTORS) | \$2,458.11 | | \$0.00 |
| HOSE REEL & HOSE OPTIONS: | | | |
| DEDUCT FOR "FIXED" HOSE REEL | (\$2,024.12) | | \$0.00 |
| AUTOMATIC LEVELWIND WITH HYDRAULIC UP/DOWN ACTION | \$6,880.17 | | \$0.00 |
| DIGITAL 'SMART COUNTER' FOOTAGE METER ±3% ACCURACY | \$3,589.96 | | \$0.00 |
| REFERENCE DISTANCE METER | \$910.80 | | \$0.00 |
| TESTING FEE (FOR UNITS ORDERD W/OUT SEWER HOSE) | \$549.72 | | \$0.00 |
| SEWER HOSE (3/4" I.D. X 2500 PSI OPERATING PRESSURE) PER FT. | \$4.93 | | \$0.00 |
| SEWER HOSE (3/4" I.D. X 3000 PSI OPERATING PRESSURE) PER FT. | \$5.34 | | \$0.00 |
| 25' X 3/4" LEADER HOSE (IN LIEU OF STANDARD 10') | \$262.71 | | \$0.00 |
| 25' X 1" LEADER HOSE (IN LIEU OF STANDARD 10') | \$425.89 | | \$0.00 |

| | | | |
|--|------------------------|-------|--------|
| STORAGE PAD, INCLUDES ADDITION OF 1200 PSI AUXILIARY CLEANING CIRCUIT ON JET UNIT) | \$4,922.01 | | \$0.00 |
| WASHDOWN SYSTEM W/GUN AND 25' OF HOSE | \$992.97 | | \$0.00 |
| MINI MISSILE NOZZLE | \$536.99 | | \$0.00 |
| PATRIOT II ROOT CUTTER KIT (RING & ADJ. ROLLER SKIDS, 4" TO 15" SAWS) | \$3,226.56 | | \$0.00 |
| TANK & FILL OPTIONS: | | | |
| FILL HOSE STORAGE RACK | \$255.76 | | \$0.00 |
| TOOL STORAGE OPTIONS: | | | |
| HOSE GUIDE/WASH-DOWN GUN/UPSTREAM PULLEY GUIDE STORAGE TRAY AT BACK OF DRIVERS SIDE | \$1,112.17 | | \$0.00 |
| ADD ADDITIONAL TOP OPENING ALUMINUM TOOLBOX | \$894.60 | | \$0.00 |
| SIX (6) 28" D.O.T. SAFETY CONES AND HOLDER | \$495.33 | | \$0.00 |
| ROOT CUTTER MAINTENANCE BOX | \$2,927.98 | | \$0.00 |
| ELECTRICAL & LIGHTING: | | | |
| LED FLOOD LIGHT (FACTORY STANDARD) | \$546.25 | | \$0.00 |
| LED Amber Strobe Light (Factory Standard) | \$636.52 | | \$0.00 |
| LED ARROW STICK (FACTORY STANDARD) | \$1,293.87 | | \$0.00 |
| LED ARROW BOARD (FACTORY STANDARD) | \$1,536.90 | | \$0.00 |
| HAND-HELD WIRELESS 12v/110v RECHARGEABLE LED SPOTLIGHT W/STORAGE BRACKET | \$406.21 | | \$0.00 |
| 12VDC POWER OUTLET | \$92.58 | | \$0.00 |
| WIRELESS REMOTE PENDANT CONTROL (WITH HOSE REEL F-N-R CONTROL, THROTTLE UP/DOWN, WATER ON/OFF, AND KILL SWITCH) INCLUDES MANIFOLD HYDRAULICS | \$8,758.47 | | \$0.00 |
| PENDANT REMOTE PRESSURE DISPLAY (REQUIRES WIRELESS PENDANT) | \$1,067.03 | | \$0.00 |
| PAINT: | | | |
| SHROUD: STANDARD WHITE PAINT | INCLUDED | | |
| TOOLBOX: STANDARD WHITE PAINT | INCLUDED | | |
| HOSE REEL - UPRIGHT: SEWER BLUE | INCLUDED | | |
| FENDERS: STANDARD BLACK | INCLUDED | | |
| SPECIAL PAINT: SOLID COLORS | \$830.94 | | \$0.00 |
| SPECIAL PAINT: METALLIC, BASE COAT / CLEAR COAT | CONTACT FACTORY | | |
| TRAILER OPTIONS: | | | |
| SPARE TIRE AND RIM | \$583.28 | | \$0.00 |
| HYDRAULIC BRAKES | \$1,654.94 | | \$0.00 |
| POWER JACK | \$969.82 | | \$0.00 |
| CHIP GUARD COATING | \$969.82 | | \$0.00 |
| MANUALS & TRAINING: | | | |
| ADDITIONAL PAPER OPERATOR'S MANUAL | \$96.06 | | \$0.00 |
| USB OPERATOR'S MANUAL | \$71.75 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - SEWER EQUIPMENT UNIVERSITY (DIXON, IL / 1 DAY) **INCLUDES HOTELS & MEALS** | \$2,750.00 | | \$0.00 |
| SPECIAL ITEMS: | | | |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | #REF! | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| | | | \$0.00 |
| | | | |
| SIGNATURE | DATE | | |
| Please return a signed copy to bigequipment@SewerEquipment.com | | | |



PO Box 13040 Spokane Valley, WA 99213

p (800) 892-7831 www.swsequipment.com

www.SewerEquipment.com



www.SWSEquipment.com

October 11, 2021

PO#

Product Class:

Payment Terms:

REV:

Distributor:

SWS Equipment (800) 892-7831

WO#

Salesman:

End User:

Address:

City, State, Zip:

Phone:

Contact:

Email:



MODEL 123 Trailer Mounted High Pressure Sewer Cleaner

Engine & Pump:

Kohler 25HP Gas Engine
Air Cooled
Udor 12 GPM @ 3000 PSI
NEMA 4 Control Panel
Auto Shutdown
(For Low Oil Pressure)
Recirculation System
Hour Meter
Pulsation System

Hose Reel & Hose:

Fixed Hose Reel
w/250' Capacity of 3/8" Hose
Electric Rewind

Trailer:

Single Torsion Axle, 3,500 GVWR
2" Ball Hitch
(1) Aluminum Toolbox
D.O.T. Approved LED Lighting

Tank & Fill:

150 Gal. Black Super-Poly
Water Tank

Accessories:

Cleaning Nozzle
Penetrator Nozzle
Warthog™ WT Nozzle
Nozzle Rack
USB Operator / Owner Manual

BASE UNIT AS OUTLINED ABOVE

\$25,523.17

1

\$25,523.17

LIST PRICE OF SELECTED OPTIONS: \$0.00

LESS PERCENTAGE DISCOUNT (enter % →) 0% \$ -

NET PRICE OF UNIT: \$25,523.17

ESTIMATED FREIGHT:

ESTIMATED TOTAL: \$25,523.17

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

STANDARD OPTIONS:

ENGINE & PUMP OPTIONS:

FOR OPERATING AT ALTITUDES ABOVE 2000 FT.

LIST PRICE

QTY

TOTAL

CONTACT FACTORY

HOSE REEL & HOSE OPTIONS:

| | | | |
|--|------------|--|--------|
| 1/8" MINI DRAIN KIT (HAND REEL WITH 100' OF HOSE, (2) NOZZLES, & PRESSURE GAUGE) | \$1,245.26 | | \$0.00 |
| 1/4" MINI DRAIN KIT (HAND REEL WITH 100' OF HOSE, (2) NOZZLES, & PRESSURE GAUGE) | \$1,256.83 | | \$0.00 |
| AIR PURGE SYSTEM | \$549.72 | | \$0.00 |
| WIRELESS REMOTE PENDANT CONTROL (WITH HOSE REEL RETREIVE CONTROL, THROTTLE UP/DOWN, WATER ON/OFF, AND KILL SWITCH) | \$6,258.70 | | \$0.00 |
| ANTI-FREEZE SYSTEM (REDUCES WATER TANK CAPACITY BY APPROXIMATELY 10 GALLONS) | \$649.25 | | \$0.00 |
| UPSTREAM PULLEY GUIDE | \$298.58 | | \$0.00 |
| BB HOSE GUIDE | \$77.54 | | \$0.00 |

TANK & FILL OPTIONS:

| | | | |
|---|------------|--|--------|
| GARDEN HOSE STYLE FILL SYSTEM (HEAVY DUTY REEL W/100' HOSE MOUNTED ON UNIT) | \$1,187.39 | | \$0.00 |
|---|------------|--|--------|

TRAILER OPTIONS:

| | | | |
|--|------------|--|--------|
| ALUMINUM ROCK GUARD | \$590.22 | | \$0.00 |
| SPECIAL PAINT: SOLID COLORS (ABOVE DECK TOOLBOX) | \$391.17 | | \$0.00 |
| DEDUCT TO SKID MOUNT - 300g UNITS | (\$379.60) | | \$0.00 |
| LED Amber Strobe Light (Factory Standard) | \$636.52 | | \$0.00 |

MANUALS & TRAINING:

| | | | |
|---|------------|--|--------|
| ADDITIONAL USB OPERATOR'S MANUAL | \$71.75 | | \$0.00 |
| PAPER OPERATOR'S MANUAL | \$96.06 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | \$1,945.00 | | \$0.00 |

| | | | |
|--|------------|-------|--------|
| TRAINING - SEWER EQUIPMENT UNIVERSITY (DIXON, IL / 1 DAY) **INCLUDES HOTELS & MEALS** | \$2,750.00 | | \$0.00 |
| SPECIAL ITEMS: | | ##### | |
| ENZ BULLDOG 408.037 | \$1,950.00 | | \$0.00 |
| ENZ ROTODRILL 36.050 | \$350.00 | | \$0.00 |
| ENZ GRENADE 40.050 | \$465.00 | | \$0.00 |
| ENZ CUTTING BALL 420.090 | \$2,450.00 | | \$0.00 |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| | | | \$0.00 |
| | | | |
| SIGNATURE | DATE | | |
| Please return a signed copy to bigequipment@SewerEquipment.com | | | |



PO Box 13040 Spokane Valley, WA 99213

p (800) 892-7831 www.swsequipment.com

www.SewerEquipment.com



www.SWSEquipment.com

October 11, 2021

PO#

Product Class:

Payment Terms:

REV:

Distributor: **SWS Equipment (800) 892-7831**

WO#

Salesman:

End User:

Address:

City, State, Zip:

Phone:

Contact:

Email:



MODEL 184 Trailer Mounted High Pressure Sewer Cleaner

Engine:

49 HP Kohler Diesel Tier IV Engine
Full Engine Removable Aluminum Shroud
Engine Display
Electronic Throttle Control

Tank & Fill:

300 Gal. Black Super-Poly Water Tank
Or 600 Gal. Black Super-Poly Water Tank
2-1/2" Hydrant Fill System

Trailer:

Single Torsion Axle, 7,000 GVWR
Electric Brakes w/2-5/16" Ball Hitch
(1) Aluminum Toolbox - Fender Mounted
D.O.T. Approved LED Lighting
Fill Hose Storage Rack

Pump:

UDOR 18 GPM @ 4000 PSI
w/30 Min Run Dry Capability
Water On/Off Control
Recirculation System
Bypass / Flow Control Valve
Pulsation System
Air Purge System

Hose Reel & Hose:

Rotating Safety Hose Reel
w/600' Capacity of 1/2" Hose
Industrial Swivel Bearing

Accessories:

10' Leader Hose
BB Hose Guide
Cleaning Nozzle
Penetrator Nozzle
Warthog™ WS Nozzle
Finned Nozzle Extension
Nozzle Rack
USB Operator / Owner Manual
Fill Hose

Electrical:

NEMA 4 Control Panel
Auto Shutdown (High Eng. Temp/Low Oil Pressu
Wireless Pendant w/ Water On/Off, Throttle
Up/Down, Hose Reel Payout/Retreive, and
Emergency Stop
12V Power Outlet
LED Amber Strobe Light

| | | | | |
|--------------------|-------------------------------|--------------------|----------|--------------------|
| MODEL 184 | 300 Gallon Single Axle | \$67,680.26 | 1 | \$67,680.26 |
| MODEL 184XL | 600 Gallon Dual Axle | \$72,799.01 | | \$0.00 |

| | |
|--|--------------------|
| LIST PRICE OF SELECTED OPTIONS: | \$0.00 |
| LESS PERCENTAGE DISCOUNT (enter % →) 5% | \$ (3,384.01) |
| NET PRICE OF UNIT: | \$64,296.25 |
| ESTIMATED FREIGHT: | |
| ESTIMATED TOTAL: | \$64,296.25 |

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

STANDARD OPTIONS:

LIST PRICE QTY TOTAL

ENGINE & PUMP OPTIONS:

| | | | |
|--|-------------|--|--------|
| UPGRADE TO KOHLER 56HP - DIESEL TIER IV ENGINE W/ HD COOLING PACKAGE | \$2,980.06 | | \$0.00 |
| HYDRAULIC PRESSURE GAUGE | \$380.75 | | \$0.00 |
| DIGITAL WATER PRESSURE GAUGE | \$1,400.34 | | \$0.00 |
| 400,000 BTU BOILER RATED 12 GPM @ 3000 PSI (INCLUDES TANDEM AXLE FRAME / NOT AVAILABLE WITH 184XL 600 GAL MODEL, DUAL REEL OPTION, OR BOX STYLE FENDERS) | \$10,810.37 | | \$0.00 |

HOSE REEL & HOSE OPTIONS:

| | | | |
|---|------------|--|--------|
| UPGRADE TO 1000' CAPACITY HOSE REEL IN LIEU OF STANDARD CAPACITY | \$1,273.03 | | \$0.00 |
| SEWER HOSE (1/2" I.D. 4000 P.S.I. OPERATING PRESSURE) PER FT | \$4.84 | | \$0.00 |
| DIGITAL 'SMART COUNTER' FOOTAGE METER | \$3,589.96 | | \$0.00 |
| FOOTAGE METER (MOUNTED ON JET HOSE REEL) | \$910.80 | | \$0.00 |
| PINCH ROLLER | \$1,591.29 | | \$0.00 |
| DUAL HOSE REEL (1/2" X 600' CAPACITY REEL AND A SECOND REEL WITH 3/8" X 500' CAPACITY / INCLUDES (2) ADDITIONAL NOZZLES & NOZZLE RACK | \$9,540.81 | | \$0.00 |
| SEWER HOSE (3/8" I.D. 4000 P.S.I. OPERATING PRESSURE) PER FT | \$2.79 | | \$0.00 |
| DIGITAL 'SMART COUNTER' FOR DUAL REEL UNITS | \$5,123.38 | | \$0.00 |

| | | | |
|---|------------------------|--|--------|
| WASHDOWN SYSTEM W/GUN AND 25' OF HOSE | \$992.97 | | \$0.00 |
| UPGRADE TO PARKER SEWER HOSE (1/2" I.D. X 4000 PSI OPERATING PRESSURE) PER FT. | \$0.00 | | \$0.00 |
| TANK & FILL OPTIONS: | | | |
| UPGRADE TO FULLY BAFFLED 300 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY | \$5,630.28 | | \$0.00 |
| UPGRADE TO FULLY BAFFLED 600 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY | \$7,406.74 | | \$0.00 |
| GARDEN HOSE STYLE FILL SYSTEM (HEAVY DUTY REEL W/100' HOSE MOUNTED ON UNIT) | \$1,187.39 | | \$0.00 |
| UPGRADE TO 32 GALLON FUEL CAPACITY (NOT AVAILABLE W/ANTI-FREEZE SYSTEM) | \$1,214.01 | | \$0.00 |
| WINTERIZATION SYSTEM (ANTI-FREEZE SYSTEM W/16 GALLON RESERVIOR) *CONTACT FACTORY IF ORDERING W/HOSE GUIDE/WASH-DOWN GUN/UPSTREAM PULLEY GUIDE STORAGE TRAY | \$1,351.73 | | \$0.00 |
| ELECTRICAL OPTIONS: | | | |
| PENDANT REMOTE PRESSURE DISPLAY | \$1,067.03 | | \$0.00 |
| HAND-HELD WIRELESS 12v/110v RECHARGEABLE LED SPOTLIGHT W/STORAGE BRACKET | \$406.21 | | \$0.00 |
| LED FLOOD LIGHT (FACTORY STANDARD) | \$546.25 | | \$0.00 |
| LED ARROW STICK (FACTORY STANDARD) | \$1,293.87 | | \$0.00 |
| SKID OPTIONS: | | | |
| DEDUCT TO SKID MOUNT - 300g UNITS | (\$379.60) | | \$0.00 |
| DEDUCT TO SKID MOUNT - 600g UNITS | (\$759.19) | | \$0.00 |
| INSTALLATION OF SKID MOUNTED UNIT IN ENCLOSED BODY | \$4,768.09 | | \$0.00 |
| HYDRAULIC TELESCOPING HOSE REEL (FIXED OR ROTATING REEL) SKID UNITS ONLY | \$3,699.90 | | \$0.00 |
| BELOW DECK 20 GALLON FUEL TANK (IN LIEU OF STANDARD 16 GALLON ON UNIT) - INCLUDES REEFER STYLE MOUNTS AND ELECTRONIC FUEL GAUGE FOR SKID MOUNTED UNITS ONLY | \$1,035.79 | | \$0.00 |
| AUXILIARY EXTERNAL FUEL FILL FOR SKID MOUNTED UNITS ONLY | \$384.22 | | \$0.00 |
| TRAILER OPTIONS: | | | |
| UPGRADE TO PAINTED STEEL BOX STYLE FENDERS (PER PAIR) | \$1,333.21 | | \$0.00 |
| UPGRADE TO ALUMINUM BOX STYLE FENDERS (PER PAIR) | \$2,498.62 | | \$0.00 |
| HOSE GUIDE / UPSTREAM PULLLEY GUIDE STORAGE | \$781.18 | | \$0.00 |
| UPGRADE TO FRONT OPENING ALUMINUM TOOLBOX (88" / XL UNITS ONLY) | \$1,222.11 | | \$0.00 |
| ADD ADDITIONAL FRONT OPENING ALUMINUM TOOLBOX | \$953.62 | | \$0.00 |
| ADD ADDITIONAL FRONT OPENING ALUMINUM TOOLBOX (88" / XL UNITS ONLY) | \$2,439.60 | | \$0.00 |
| SPARE TIRE AND RIM | \$583.28 | | \$0.00 |
| SPARE TIRE MOUNTING BRACKET | \$509.21 | | \$0.00 |
| HYDRAULIC BRAKES | \$1,654.94 | | \$0.00 |
| ALUMINUM ROCK GUARD | \$590.22 | | \$0.00 |
| CHIP GUARD COATING | \$969.82 | | \$0.00 |
| SIX (6) 28" D.O.T. SAFETY CONES AND HOLDER | \$491.85 | | \$0.00 |
| PAINT: | | | |
| SHROUD: STANDARD WHITE PAINT | INCLUDED | | |
| TOOLBOX: STANDARD WHITE PAINT | INCLUDED | | |
| HOSE REEL - UPRIGHT: SEWER BLUE | INCLUDED | | |
| FENDERS: STD BLACK / BOX STYLE: STD WHITE | INCLUDED | | |
| SPECIAL PAINT: SOLID COLORS | \$830.94 | | \$0.00 |
| SPECIAL PAINT: METALLIC, BASE COAT / CLEAR COAT | CONTACT FACTORY | | |
| MANUALS & TRAINING: | | | |
| ADDITIONAL USB OPERATOR'S MANUAL | \$71.75 | | \$0.00 |
| PAPER OPERATOR'S MANUAL | \$96.06 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - SEWER EQUIPMENT UNIVERSITY (DIXON, IL / 1 DAY) **INCLUDES HOTELS & MEALS** | \$2,750.00 | | \$0.00 |
| NOZZLES & ACCESSORIES: | | | |
| ADDITIONAL 1/2" WARTHOG™ WS NOZZLE W/SERVICE KIT | \$1,592.45 | | \$0.00 |
| ADDITIONAL 1/2" FLUSHING NOZZLE (5R @ 30 DEGREE) | \$136.56 | | \$0.00 |
| ADDITIONAL 1/2" PENETRATOR NOZZLE (1F, 5R @ 15 DEGREE) | \$152.76 | | \$0.00 |
| 1/2" SNUB NOZE NOZZLE (BALL JET 6R @ 15 DEGREE) | \$153.92 | | \$0.00 |
| 1/2" TREMOL NOZZLE (3R @ 15 DEGREE) | \$842.52 | | \$0.00 |
| 1/2" WIESEL PENETRATION NOZZLE (EGG 1F, 6R @ 25 DEGREE) | \$574.02 | | \$0.00 |

| | | | |
|---|------------|-------|--------|
| 1/2" TRISTAR CHISEL NOZZLE (ARROW 4F, 6R @ 30 DEGREE) | \$259.24 | | \$0.00 |
| 3/8" WARTHOG™ WT NOZZLE WITH 1/4" ADAPTER & SERVICE KIT | \$1,148.04 | | \$0.00 |
| 1/2" WARTHOG™ WH NOZZLE W/SERVICE KIT | \$1,885.25 | | \$0.00 |
| 1/8" MINI DRAIN KIT - MOUNTED (REEL WITH 100' OF HOSE, (2) NOZZLES, & PRESSURE GAUGE) | \$1,690.82 | | \$0.00 |
| 1/4" MINI DRAIN KIT - MOUNTED (REEL WITH 100' OF HOSE, (2) NOZZLES, & PRESSURE GAUGE) | \$1,701.24 | | \$0.00 |
| HIGH EFFICIENCY DUMP GUN | \$461.76 | | \$0.00 |
| UPSTREAM PULLEY GUIDE | \$395.80 | | \$0.00 |
| VENTURI PUMP | \$1,496.39 | | \$0.00 |
| 3/8" DRAIN CART - MOUNTED (200' HOSE ON A CART WITH 2 NOZZLES) | \$2,804.15 | | \$0.00 |
| UPGRADE WARTHOG (WS) NOZZLE TO WARTHOG (WH) NOZZLE | \$453.66 | | \$0.00 |
| SPECIAL ITEMS: | | #REF! | |
| ENZ BULLDOG 408.037 | \$1,950.00 | | \$0.00 |
| ENZ ROTODRILL 36.050 | \$350.00 | | \$0.00 |
| ENZ GRENADE 40.050 | \$465.00 | | \$0.00 |
| ENZ CUTTING BALL 420.090 | \$2,450.00 | | \$0.00 |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| | \$0.00 | | \$0.00 |
| | | | |
| SIGNATURE | | DATE | |

Please return a signed copy to bigequipment@SewerEquipment.com

| | |
|----------------|--|
| Customer PDI: | |
| Delivery Date: | |



PO Box 13040 Spokane Valley, WA 99213

p (800) 892-7831 www.swsequipment.com

www.SewerEquipment.com



www.SWSEquipment.com

October 11, 2021

Payment Terms:

Distributor: **SWS Equipment (800) 892-7831**

Salesman:

End User:

Address:

City, State, Zip:

Phone:

Contact:

Email:



| | | |
|--|-----------------------|--|
| | PO# | |
| | Product Class: | |
| | REV: | |
| | WO# | |

MODEL 184-LT Trailer Mounted High Pressure Sewer Cleaner

| | | |
|--|--|--|
| <p>Engine: 49HP Kohler Diesel Tier IV Engine Partial Engine Enclosure Engine Display Electronic Throttle Control</p> <p>Pump: UDOR 18 GPM @ 4000 w/30 Min Run Dry Capability Recirculation System Electronic Water On/Off Control Bypass / Flow Control Valve Pulsation System Air Purge System</p> <p>Tank & Fill: 300 Gal. Black Super-Poly Water Tank 2-1/2" Hydrant Fill System</p> | <p>Hose Reel & Hose: Rotating Safety Hose Reel w/600' Capacity of 1/2" Hose</p> <p>Electrical: NEMA 4 Control Panel Auto Shutdown (High Eng. Temp / Low Oil Pressure) Digital Fuel Gauge Pressure Precision Control Wireless Pendant w/ Water On/Off, Precision Pressure Control, and Emergency Stop 12V Power Outlet LED Amber Strobe Light</p> | <p>Trailer: Single Torsion Axle, 7,000 GVWR Electric Brakes w/2-5/16" Ball Hitch D.O.T. Approved LED Lighting Steel Round Painted Fenders (1) Front Opening Aluminum Toolbox Fill Hose Storage Rack</p> <p>Accessories: 2-1/2" x 25' Fill Hose 10' Leader Hose BB Hose Guide Cleaning Nozzle Penetrator Nozzle Finned Nozzle Extension Nozzle Rack USB Operator / Owner Manual Garden Hose Adapter</p> |
|--|--|--|

| | | | | |
|---------------------|-------------------------------|--------------------|----------|--------------------|
| MODEL 184-LT | 300 Gallon Single Axle | \$60,668.16 | 1 | \$60,668.16 |
|---------------------|-------------------------------|--------------------|----------|--------------------|

| | |
|--|--------------------|
| LIST PRICE OF SELECTED OPTIONS: | \$0.00 |
| LESS PERCENTAGE DISCOUNT (enter % →) 5% | \$ (3,033.41) |
| NET PRICE OF UNIT: | \$57,634.75 |
| ESTIMATED FREIGHT: | |
| ESTIMATED TOTAL: | \$57,634.75 |

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

| STANDARD OPTIONS: | LIST PRICE | QTY | TOTAL |
|--|-------------------|------------|--------------|
| ENGINE & PUMP OPTIONS: | | | |
| UPGRADE TO KOHLER 56HP DIESEL TIER IV ENGINE W/ HD COOLING PACKAGE (RECOMMENDED FOR ALTITUDES OVER 2000FT) | \$2,980.06 | | \$0.00 |
| UPGRADE TO FULL ENGINE REMOVABLE ENGINE ENCLOSURE | \$1,490.61 | | \$0.00 |
| HOSE REEL & HOSE OPTIONS: | | | |
| SEWER HOSE (1/2" I.D. 4000 P.S.I. OPERATING PRESSURE) PER FT | \$4.84 | | \$0.00 |
| FOOTAGE METER (MOUNTED ON JET HOSE REEL) | \$894.60 | | \$0.00 |
| UPGRADE TO PARKER SEWER HOSE (1/2" I.D. X 4000 PSI OPERATING PRESSURE) PER FT. | \$0.00 | | \$0.00 |

TANK & FILL OPTIONS:

| | | | |
|---|------------|------|--------|
| WINTERIZATION SYSTEM (ANTI-FREEZE SYSTEM W/ 8 GALLON RESERVIOR) | \$649.25 | | \$0.00 |
| ELECTRICAL OPTIONS: | | | |
| LED FLOOD LIGHT (FACTORY STANDARD) | \$565.92 | | \$0.00 |
| TRAILER OPTIONS: | | | |
| ADD ADDITIONAL FRONT OPENING ALUMINUM TOOLBOX | \$953.62 | | \$0.00 |
| PAINT: | | | |
| SHROUD: PARTIAL SHROUD BLACK / FULL SHROUD ALUMINUM | INCLUDED | | |
| TOOLBOX: ALUMINUM | INCLUDED | | |
| HOSE REEL - UPRIGHT: SEWER BLUE | INCLUDED | | |
| FRAME & FENDERS: BLACK | INCLUDED | | |
| MANUALS & TRAINING: | | | |
| ADDITIONAL USB OPERATOR'S MANUAL | \$71.75 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$2,250.96 | | \$0.00 |
| TRAINING - SEWER EQUIPMENT UNIVERSITY (DIXON, IL / 1 DAY) **INCLUDES HOTELS & MEALS** | \$3,182.58 | | \$0.00 |
| NOZZLES & ACCESSORIES: | | | |
| UPSTREAM PULLEY GUIDE | \$352.98 | | \$0.00 |
| 1/2" WARTHOG™ WS NOZZLE W/SERVICE KIT | \$1,609.81 | | \$0.00 |
| ADDITIONAL 1/2" FLUSHING NOZZLE (5R @ 30 DEGREE) | \$136.56 | | \$0.00 |
| ADDITIONAL 1/2" PENETRATOR NOZZLE (1F, 5R @ 15 DEGREE) | \$152.76 | | \$0.00 |
| 1/2" SNUB NOZE NOZZLE (BALL JET 6R @ 15 DEGREE) | \$153.92 | | \$0.00 |
| 1/2" TREMOL NOZZLE (3R @ 15 DEGREE) | \$842.52 | | \$0.00 |
| 1/2" WIESEL PENETRATION NOZZLE (EGG 1F, 6R @ 25 DEGREE) | \$574.02 | | \$0.00 |
| 1/2" TRISTAR CHISEL NOZZLE (ARROW 4F, 6R @ 30 DEGREE) | \$259.24 | | \$0.00 |
| 3/8" WARTHOG™ WT NOZZLE WITH 1/4" ADAPTER & SERVICE KIT | \$1,148.04 | | \$0.00 |
| 1/2" WARTHOG™ WH NOZZLE W/SERVICE KIT | \$1,885.25 | | \$0.00 |
| 1/8" MINI DRAIN KIT - MOUNTED (REEL WITH 100' OF HOSE, (2) NOZZLES, & PRESSURE GAUGE) | \$1,690.82 | | \$0.00 |
| 1/4" MINI DRAIN KIT - MOUNTED (REEL WITH 100' OF HOSE, (2) NOZZLES, & PRESSURE GAUGE) | \$1,701.24 | | \$0.00 |
| AIR PURGE ADAPTER | \$41.66 | | \$0.00 |
| HIGH EFFICIENCY DUMP GUN | \$461.76 | | \$0.00 |
| #REF! | | | |
| SPECIAL ITEMS: | | | |
| ENZ BULLDOG 408.037 | \$1,950.00 | | \$0.00 |
| ENZ ROTODRILL 36.050 | \$350.00 | | \$0.00 |
| ENZ GRENADE 40.050 | \$465.00 | | \$0.00 |
| ENZ CUTTING BALL 420.090 | \$2,450.00 | | \$0.00 |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| | | | \$0.00 |
| SIGNATURE | | DATE | |

Please return a signed copy to bigequipment@SewerEquipment.com



PO Box 13040 Spokane Valley, WA 99213

p (800) 892-7831 www.swsequipment.com

www.SewerEquipment.com



www.SWSEquipment.com

October 11, 2021

Payment Terms:

Distributor:

SWS Equipment (800) 892-7831

Salesman:

End User:

Address:

City, State, Zip:

Phone:

Contact:

Email:



| | |
|--|-----------------------|
| | PO# |
| | Product Class: |
| | REV: |
| | WO# |

MODEL 184-ULT Trailer Mounted High Pressure Sewer Cleaner

| | | |
|---|--|--|
| Engine: 49HP Kohler Diesel Tier IV Engine Engine Display Electronic Throttle Control | Hose Reel & Hose: Fixed Hose Reel w/600' Capacity of 1/2" Hose | Trailer: Single Torsion Axle, 7,000 GVWR Electric Brakes w/2-5/16" Ball Hitch D.O.T. Approved LED Lighting Steel Round Painted Fenders |
| Pump: UDOR 18 GPM @ 4000 w/30 Min Run Driy Capability Recirculation System Electronic Water On/Off Control Air Purge System | Electrical: NEMA 4 Control Panel Auto Shutdown (High Eng. Temp / Low Oil Pressure) Digital Fuel Gauge 12V Power Outlet LED Amber Strobe Light | Accessories: 10' Leader Hose Cleaning Nozzle Penetrator Nozzle Finned Nozzle Extension Nozzle Rack USB Operator / Owner Manual Garden Hose Adapter |
| Tank & Fill: 300 Gal. Black Super-Poly Water Tank | | |

| | | | | |
|----------------------|-------------------------------|--------------------|----------|--------------------|
| MODEL 184-ULT | 300 Gallon Single Axle | \$53,932.65 | 1 | \$53,932.65 |
|----------------------|-------------------------------|--------------------|----------|--------------------|

| | |
|--|----------------------|
| LIST PRICE OF SELECTED OPTIONS: | \$0.00 |
| LESS PERCENTAGE DISCOUNT (enter % →) 5% | \$ (2,696.63) |
| NET PRICE OF UNIT: | \$51,236.02 |
| ESTIMATED FREIGHT: | |
| ESTIMATED TOTAL: | \$51,236.02 |

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

| <u>STANDARD OPTIONS:</u> | <u>LIST PRICE</u> | <u>QTY</u> | <u>TOTAL</u> |
|--|-------------------|------------|--------------|
| ENGINE & PUMP OPTIONS: | | | |
| UPGRADE TO PARTIAL ENGINE ENCLOSURE | \$715.21 | | \$0.00 |
| BYPASS / FLOW CONTROL VALVE | \$446.72 | | \$0.00 |
| PULSATION SYSTEM | \$329.83 | | \$0.00 |
| HOSE REEL & HOSE OPTIONS: | | | |
| SEWER HOSE (1/2" I.D. 4000 P.S.I. OPERATING PRESSURE) PER FT | \$4.84 | | \$0.00 |
| UPGRADE TO ROTATING SAFETY HOSE REEL | \$1,126.06 | | \$0.00 |
| UPGRADE TO PARKER SEWER HOSE (1/2" I.D. X 4000 PSI OPERATING PRESSURE) PER FT. | \$0.00 | | \$0.00 |
| TANK & FILL OPTIONS: | | | |
| 2.5" FILL SYSTEM (W/25' FILL HOSE, ADAPTER, & STORAGE RACK) | \$357.61 | | \$0.00 |
| ELECTRICAL OPTIONS: | | | |
| LED FLOOD LIGHT (FACTORY STANDARD) | \$565.92 | | \$0.00 |
| TRAILER OPTIONS: | | | |
| FRONT OPENING ALUMINUM TOOLBOX | \$953.62 | | \$0.00 |

| PAINT: | | | |
|---|------------|-------|--------|
| PARTIAL SHROUD UPGRADE: BLACK | INCLUDED | | |
| TOOLBOX: ALUMINUM | INCLUDED | | |
| HOSE REEL - UPRIGHT: SEWER BLUE | INCLUDED | | |
| FRAME & FENDERS: BLACK | INCLUDED | | |
| MANUALS & TRAINING: | | | |
| ADDITIONAL USB OPERATOR'S MANUAL | \$71.75 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - SEWER EQUIPMENT UNIVERSITY (DIXON, IL / 1 DAY) **INCLUDES HOTELS & MEALS** | \$2,750.00 | | \$0.00 |
| NOZZLES & ACCESSORIES: | | | |
| UPSTREAM PULLEY GUIDE | \$71.75 | | \$0.00 |
| 1/2" WARTHOG™ WS NOZZLE W/SERVICE KIT | \$2,026.44 | | \$0.00 |
| ADDITIONAL 1/2" FLUSHING NOZZLE (5R @ 30 DEGREE) | \$726.79 | | \$0.00 |
| ADDITIONAL 1/2" PENETRATOR NOZZLE (1F, 5R @ 15 DEGREE) | \$71.75 | | \$0.00 |
| 1/2" SNUB NOZE NOZZLE (BALL JET 6R @ 15 DEGREE) | \$2,026.44 | | \$0.00 |
| 1/2" TREMOL NOZZLE (3R @ 15 DEGREE) | \$726.79 | | \$0.00 |
| 1/2" WIESEL PENETRATION NOZZLE (EGG 1F, 6R @ 25 DEGREE) | \$71.75 | | \$0.00 |
| 1/2" TRISTAR CHISEL NOZZLE (ARROW 4F, 6R @ 30 DEGREE) | \$2,026.44 | | \$0.00 |
| 3/8" WARTHOG™ WT NOZZLE WITH 1/4" ADAPTER & SERVICE KIT | \$726.79 | | \$0.00 |
| 1/2" WARTHOG™ WH NOZZLE W/SERVICE KIT | \$71.75 | | \$0.00 |
| 1/8" MINI DRAIN KIT - MOUNTED (REEL WITH 100' OF HOSE, (2) NOZZLES, & PRESSURE GAUGE) | \$2,026.44 | | \$0.00 |
| 1/4" MINI DRAIN KIT - MOUNTED (REEL WITH 100' OF HOSE, (2) NOZZLES, & PRESSURE GAUGE) | \$726.79 | | \$0.00 |
| AIR PURGE ADAPTER | \$71.75 | | \$0.00 |
| BB HOSE GUIDE | \$2,026.44 | | \$0.00 |
| MANUAL LEVELWIND | \$726.79 | | \$0.00 |
| | | #REF! | |
| SPECIAL ITEMS: | | | |
| ENZ BULLDOG 408.037 | \$1,950.00 | | \$0.00 |
| ENZ ROTODRILL 36.050 | \$350.00 | | \$0.00 |
| ENZ GRENADE 40.050 | \$465.00 | | \$0.00 |
| ENZ CUTTING BALL 420.090 | \$2,450.00 | | \$0.00 |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| | | | \$0.00 |
| SIGNATURE | | DATE | |

Please return a signed copy to bigequipment@SewerEquipment.com



PO Box 13040 Spokane Valley, WA 99213

p (800) 892-7831 www.swsequipment.com

www.SewerEquipment.com



www.SWSEquipment.com

October 11, 2021

PO#

Product Class:

Payment Terms:

REV:

Distributor:

SWS Equipment (800) 892-7831

WO#

Salesman:

End User:

Address:

City, State, Zip:

Phone:

Contact:

Email:



MODEL 254 Trailer Mounted High Pressure Sewer Cleaner

Engine & Pump:

74 HP Kohler Diesel Tier IV Engine
Full Engine Painted Steel Shroud
Engine Display
Electronic Throttle Control

Tank & Fill:

300 Gal. Black Super-Poly Water Tank
Or 600 Gal. Black Super-Poly Water Tank
2-1/2" Hydrant Fill System

Trailer:

Single Torsion Axle, 7,000 GVWR
Electric Brakes w/2-5/16" Ball Hitch
(1) Aluminum Toolbox - Fender Mounted
D.O.T. Approved LED Lighting
Fill Hose Storage Rack

Pump:

UDOR 25 GPM @ 4000 PSI
w/30 Min Run Dry Capability
Water On/Off Control
Recirculation System
Bypass / Flow Control Valve
Pulsation System
Air Purge System

Hose Reel & Hose:

Rotating Safety Hose Reel
w/500' Capacity of 5/8" Hose
Industrial Swivel Bearing

Accessories:

10' Leader Hose
BB Hose Guide
Cleaning Nozzle
Penetrator Nozzle
Warthog™ WS Nozzle
Finned Nozzle Extension
Nozzle Rack
USB Operator / Owner Manual
Fill Hose

Electrical:

NEMA 4 Control Panel
Auto Shutdown (High Eng. Temp/Low Oil Pres.
Wireless Pendant w/ Water On/Off, Throttle
Up/Down, Hose Reel Payout/Retrieve, and
Emergency Stop
12V Power Outlet
LED Amber Strobe Light

| | | | | |
|--------------------|-------------------------------|--------------------|----------|--------------------|
| MODEL 254 | 300 Gallon Single Axle | \$76,272.08 | 1 | \$76,272.08 |
| MODEL 254XL | 600 Gallon Dual Axle | \$81,389.67 | 0 | \$0.00 |

| | | |
|--------------------------------------|----|--------------------|
| LIST PRICE OF SELECTED OPTIONS: | | \$0.00 |
| LESS PERCENTAGE DISCOUNT (enter % →) | 5% | \$ (3,813.60) |
| NET PRICE OF UNIT: | | \$72,458.47 |
| ESTIMATED FREIGHT: | | |
| ESTIMATED TOTAL: | | \$72,458.47 |

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

| STANDARD OPTIONS: | LIST PRICE | QTY | TOTAL |
|--|-------------------|------------|--------------|
| ENGINE & PUMP OPTIONS: | | | |
| HYDRAULIC PRESSURE GAUGE | \$380.75 | | \$0.00 |
| DIGITAL WATER PRESSURE GAUGE | \$1,400.34 | | \$0.00 |
| 400,000 BTU BOILER RATED 12 GPM @ 3000 PSI (INCLUDES TANDEM AXLE FRAME / NOT AVAILABLE WITH 254XL 600 GAL MODEL, DUAL REEL OPTION, OR BOX STYLE FENDERS) | \$10,810.37 | | \$0.00 |
| HOSE REEL & HOSE OPTIONS: | | | |
| UPGRADE TO 800' CAPACITY HOSE REEL IN LIEU OF STANDARD CAPACITY (300 GALLON UNIT / INCLUDES ADDITION OF SECOND AXLE) | \$4,091.07 | | \$0.00 |
| UPGRADE TO 800' CAPACITY HOSE REEL IN LIEU OF STANDARD CAPACITY (600 GALLON UNIT) | \$1,273.03 | | \$0.00 |
| SEWER HOSE (5/8" I.D. 4000 P.S.I. OPERATING PRESSURE) PER FT | \$5.07 | | \$0.00 |
| DIGITAL 'SMART COUNTER' FOOTAGE METER | \$3,589.96 | | \$0.00 |
| FOOTAGE METER (MOUNTED ON JET HOSE REEL) | \$910.80 | | \$0.00 |
| PINCH ROLLER | \$1,591.29 | | \$0.00 |
| DUAL HOSE REEL (1/2" X 600' CAPACITY REEL AND A SECOND REEL WITH 3/8" X 500' CAPACITY / INCLUDES (2) ADDITIONAL NOZZLES & NOZZLE RACK | \$9,540.81 | | \$0.00 |
| SEWER HOSE (1/2" I.D. 4000 P.S.I. OPERATING PRESSURE) PER FT | \$4.84 | | \$0.00 |
| SEWER HOSE (3/8" I.D. 4000 P.S.I. OPERATING PRESSURE) PER FT | \$2.79 | | \$0.00 |
| DIGITAL 'SMART COUNTER' FOR DUAL REEL UNITS | \$5,123.38 | | \$0.00 |

| | | | |
|--|------------------------|--|--------|
| WASHDOWN SYSTEM W/GUN AND 25' OF HOSE | \$992.97 | | \$0.00 |
| TANK & FILL OPTIONS: | | | |
| UPGRADE TO FULLY BAFFLED 300 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY | \$5,630.28 | | \$0.00 |
| UPGRADE TO FULLY BAFFLED 600 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY | \$7,406.74 | | \$0.00 |
| GARDEN HOSE STYLE FILL SYSTEM (HEAVY DUTY REEL W/100' HOSE MOUNTED ON UNIT) | \$1,187.39 | | \$0.00 |
| WINTERIZATION SYSTEM (ANTI-FREEZE SYSTEM W/16 GALLON RESERVIOR) *CONTACT FACTORY IF ORDERING W/HOSE GUIDE/WASH-DOWN GUN/UPSTREAM PULLEY GUIDE STORAGE TRAY | \$1,351.73 | | \$0.00 |
| ELECTRICAL OPTIONS: | | | |
| PENDANT REMOTE PRESSURE DISPLAY (REQUIRES WIRELESS PENDANT) | \$1,067.03 | | \$0.00 |
| HAND-HELD WIRELESS 12v/110v RECHARGEABLE LED SPOTLIGHT W/STORAGE BRACKET | \$406.21 | | \$0.00 |
| LED FLOOD LIGHT (FACTORY STANDARD) | \$546.25 | | \$0.00 |
| LED ARROW STICK (FACTORY STANDARD) | \$1,293.87 | | \$0.00 |
| SKID OPTIONS: | | | |
| DEDUCT TO SKID MOUNT - 300g UNITS | (\$379.60) | | \$0.00 |
| DEDUCT TO SKID MOUNT - 600g UNITS | (\$759.19) | | \$0.00 |
| INSTALLATION OF SKID MOUNTED UNIT IN ENCLOSED BODY | \$4,768.09 | | \$0.00 |
| HYDRAULIC TELESCOPING HOSE REEL (FIXED OR ROTATING REEL) SKID UNITS ONLY | \$3,699.90 | | \$0.00 |
| REEFER STYLE MOUNTS AND ELECTRONIC FUEL GAUGE FOR SKID MOUNTED UNITS ONLY | \$1,035.79 | | \$0.00 |
| AUXILIARY EXTERNAL FUEL FILL FOR SKID MOUNTED UNITS ONLY | \$384.22 | | \$0.00 |
| TRAILER OPTIONS: | | | |
| UPGRADE TO PAINTED STEEL BOX STYLE FENDERS (PER PAIR) | \$1,333.21 | | \$0.00 |
| UPGRADE TO ALUMINUM BOX STYLE FENDERS (PER PAIR) | \$2,498.62 | | \$0.00 |
| UPGRADE TO FRONT OPENING ALUMINUM TOOLBOX (88"L / XL UNITS ONLY) | \$1,222.11 | | \$0.00 |
| ADD ADDITIONAL FRONT OPENING ALUMINUM TOOLBOX | \$953.62 | | \$0.00 |
| ADD ADDITIONAL FRONT OPENING ALUMINUM TOOLBOX (88"L / XL UNITS ONLY) | \$2,439.60 | | \$0.00 |
| HOSE GUIDE / UPSTREAM PULLEY GUIDE STORAGE | \$781.18 | | \$0.00 |
| SPARE TIRE AND RIM | \$583.28 | | \$0.00 |
| SPARE TIRE MOUNTING BRACKET | \$509.21 | | \$0.00 |
| HYDRAULIC BRAKES | \$1,654.94 | | \$0.00 |
| ALUMINUM ROCK GUARD | \$590.22 | | \$0.00 |
| CHIP GUARD COATING | \$969.82 | | \$0.00 |
| SIX (6) 28" D.O.T. SAFETY CONES AND HOLDER | \$495.33 | | \$0.00 |
| PAINT: | | | |
| SHROUD: STANDARD WHITE PAINT | INCLUDED | | |
| TOOLBOX: STANDARD WHITE PAINT | INCLUDED | | |
| HOSE REEL - UPRIGHT: SEWER BLUE | INCLUDED | | |
| FENDERS: STD BLACK / BOX STYLE: STD WHITE | INCLUDED | | |
| SPECIAL PAINT: SOLID COLORS | \$830.94 | | \$0.00 |
| SPECIAL PAINT: METALLIC, BASE COAT / CLEAR COAT | CONTACT FACTORY | | |
| MANUALS & TRAINING: | | | |
| ADDITIONAL USB OPERATOR'S MANUAL | \$71.75 | | \$0.00 |
| PAPER OPERATOR'S MANUAL | \$96.06 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - SEWER EQUIPMENT UNIVERSITY (DIXON, IL / 1 DAY) **INCLUDES HOTELS & MEALS** | \$2,750.00 | | \$0.00 |
| NOZZLES & ACCESSORIES: | | | |
| ADDITIONAL 1/2" WARTHOG™ WS NOZZLE W/SERVICE KIT | \$1,592.45 | | \$0.00 |
| ADDITIONAL 1/2" FLUSHING NOZZLE (5R @ 30 DEGREE) | \$136.56 | | \$0.00 |
| ADDITIONAL 1/2" PENETRATOR NOZZLE (1F, 5R @ 15 DEGREE) | \$152.76 | | \$0.00 |
| 1/2" SNUB NOZE NOZZLE (BALL JET 6R @ 15 DEGREE) | \$153.92 | | \$0.00 |
| 1/2" TREMOL NOZZLE (3R @ 15 DEGREE) | \$842.52 | | \$0.00 |
| 1/2" WIESEL PENETRATION NOZZLE (EGG 1F, 6R @ 25 DEGREE) | \$574.02 | | \$0.00 |
| 1/2" TRISTAR CHISEL NOZZLE (ARROW 4F, 6R @ 30 DEGREE) | \$259.24 | | \$0.00 |
| 3/8" WARTHOG™ WT NOZZLE WITH 1/4" ADAPTER & SERVICE KIT | \$1,148.04 | | \$0.00 |
| 1/2" WARTHOG™ WH NOZZLE W/SERVICE KIT | \$1,885.25 | | \$0.00 |
| 1/8" MINI DRAIN KIT - MOUNTED (REEL WITH 100' OF HOSE, (2) NOZZLES, & PRESSURE GAUGE) | \$1,690.82 | | \$0.00 |
| 1/4" MINI DRAIN KIT - MOUNTED (REEL WITH 100' OF HOSE, (2) NOZZLES, & PRESSURE GAUGE) | \$1,701.24 | | \$0.00 |
| 3/8" DRAIN CART - MOUNTED (200' HOSE ON A CART WITH 2 NOZZLES) | \$2,804.15 | | \$0.00 |
| HIGH EFFICIENCY DUMP GUN | \$461.76 | | \$0.00 |
| UPSTREAM PULLEY GUIDE | \$395.80 | | \$0.00 |

| | | | |
|--|------------|-------|--------|
| VENTURI PUMP | \$1,496.39 | | \$0.00 |
| UPGRADE WARTHOG (WS) NOZZLE TO WARTHOG (WH) NOZZLE | \$453.66 | | \$0.00 |
| SPECIAL ITEMS: | | #REF! | |
| ENZ BULLDOG 408.037 | \$1,950.00 | | \$0.00 |
| ENZ ROTODRILL 36.050 | \$350.00 | | \$0.00 |
| ENZ GRENADE 40.050 | \$465.00 | | \$0.00 |
| ENZ CUTTING BALL 420.090 | \$2,450.00 | | \$0.00 |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| | | | \$0.00 |
| | | | |
| SIGNATURE | | | DATE |
| Please return a signed copy to bigequipment@SewerEquipment.com | | | |

| | |
|----------------|--|
| Customer PDI: | |
| Delivery Date: | |



PO Box 13040 Spokane Valley, WA 99213

p (800) 892-7831 www.swsequipment.com

www.SewerEquipment.com



www.SWSEquipment.com

October 11, 2021

PO#

Product Class:

Payment Terms:

REV:

Distributor:

SWS Equipment (800) 892-7831

WO#

Salesman:

End User:

Address:

City, State, Zip:

Phone:

Contact:

Email:



MODEL 184 - TK Truck Mounted High Pressure Sewer Cleaner

Engine:

49 HP Kohler Diesel Tier IV Engine
Full Engine Removable Aluminum Shroud
Engine Display
Electronic Throttle Control

Tank & Fill:

300 Gal. Black Super-Poly Water Tank
Or 600 Gal. Black Super-Poly Water Tank
2-1/2" Hydrant Fill System

Truck:

Steel Platform Chassis Deck
Mounting to Approved Chassis
(1) Aluminum Underbody Toolbox
D.O.T. Approved LED Lighting
Fill Hose Storage Rack

Pump:

UDOR 18 GPM @ 4000 PSI
w/30 Min Run Dry Capability
Water On/Off Control
Recirculation System
Bypass / Flow Control Valve
Pulsation System
Air Purge System

Hose Reel & Hose:

Rotating Safety Hose Reel
w/600' Capacity of 1/2" Hose
Industrial Swivel Bearing

Accessories:

10' Leader Hose
BB Hose Guide
Cleaning Nozzle
Penetrator Nozzle
Warthog™ WS Nozzle
Finned Nozzle Extension
Nozzle Rack
USB Operator / Owner Manual
Fill Hose

Electrical:

NEMA 4 Control Panel
Auto Shutdown (High Eng. Temp/Low Oil Pressure)
Wireless Pendant w/ Water On/Off, Throttle
Up/Down, Hose Reel Payout/Retrieve, and
Emergency Stop
12V Power Outlet
LED Amber Strobe Light

MODEL 184 - TK 300 Gallon

\$76,890.08

1

\$76,890.08

* **REQUIRES** CHASSIS RATED AT 5,500# CARRYING CAPACITY, MIN (17,500# GVWR TYP)

* **REQUIRES** CHASSIS CAB TO REAR AXLE (CA) of 60" & AFTER FRAME (AF) of 48"

MODEL 184XL - TK 600 Gallon

\$82,008.83

\$0.00

* **REQUIRES** CHASSIS RATED AT 8,000# CARRYING CAPACITY, MIN (19,500# GVWR TYP)

* **REQUIRES** CHASSIS CAB TO REAR AXLE (CA) of 108" & AFTER FRAME (AF) of 48"

LIST PRICE OF SELECTED OPTIONS: \$0.00
LESS PERCENTAGE DISCOUNT (enter % →) **5%** \$ **(3,844.50)**

NET PRICE OF UNIT: \$73,045.57

FACTORY SUPPLIED CHASSIS: \$0.00

ESTIMATED FREIGHT: \$0.00

ESTIMATED TOTAL: \$73,045.57

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

STANDARD OPTIONS:

ENGINE & PUMP OPTIONS:

| | LIST PRICE | QTY | TOTAL |
|--|-------------|-----|--------|
| UPGRADE TO KOHLER 56HP - DIESEL TIER IV ENGINE W/ HD COOLING PACKAGE | \$2,980.06 | | \$0.00 |
| HYDRAULIC DRIVE VIA TRANSMISSION MOUNTED PTO (MINIMUM ALLISON 3000RDS) | \$307.84 | | \$0.00 |
| HYDRAULIC PRESSURE GAUGE | \$380.75 | | \$0.00 |
| DIGITAL WATER PRESSURE GAUGE | \$1,400.34 | | \$0.00 |
| 400,000 BTU BOILER RATED 12 GPM @ 3000 PSI | \$10,810.37 | | \$0.00 |

HOSE REEL & HOSE OPTIONS:

| | | | |
|--|------------|--|--------|
| UPGRADE TO 1000' CAPACITY HOSE REEL IN LIEU OF STANDARD CAPACITY | \$1,273.03 | | \$0.00 |
| SEWER HOSE (1/2" I.D. 4000 P.S.I. OPERATING PRESSURE) PER FT | \$4.84 | | \$0.00 |
| FOOTAGE METER (MOUNTED ON JET HOSE REEL) | \$910.80 | | \$0.00 |
| DIGITAL 'SMART COUNTER' FOOTAGE METER | \$3,589.96 | | \$0.00 |

| | | | |
|---|-----------------|--|--------|
| PINCH ROLLER | \$1,591.29 | | \$0.00 |
| DUAL HOSE REEL (1/2" X 600' CAPACITY REEL AND A SECOND REEL WITH 3/8" X 500' CAPACITY / INCLUDES (2) ADDITIONAL NOZZLES & NOZZLE RACK | \$9,540.81 | | \$0.00 |
| SEWER HOSE (3/8" I.D. 4000 P.S.I. OPERATING PRESSURE) PER FT | \$2.79 | | \$0.00 |
| DIGITAL 'SMART COUNTER' FOR DUAL REEL UNITS | \$5,123.38 | | \$0.00 |
| WASHDOWN SYSTEM W/GUN AND 25' OF HOSE | \$992.97 | | \$0.00 |
| TANK & FILL OPTIONS: | | | |
| UPGRADE TO FULLY BAFFLED 300 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY | \$5,630.28 | | \$0.00 |
| UPGRADE TO FULLY BAFFLED 600 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY | \$7,406.74 | | \$0.00 |
| GARDEN HOSE STYLE FILL SYSTEM (HEAVY DUTY REEL W/100' HOSE MOUNTED ON UNIT) | \$1,187.39 | | \$0.00 |
| WINTERIZATION SYSTEM (ANTI-FREEZE SYSTEM W/16 GALLON RESERVIOR) | \$1,351.73 | | \$0.00 |
| ELECTRICAL OPTIONS: | | | |
| PENDANT REMOTE PRESSURE DISPLAY (REQUIRES WIRELESS PENDANT) | \$1,067.03 | | \$0.00 |
| HAND-HELD WIRELESS 12v/110v RECHARGEABLE LED SPOTLIGHT W/STORAGE BRACKET | \$406.21 | | \$0.00 |
| LED FLOOD LIGHT (FACTORY STANDARD) | \$546.25 | | \$0.00 |
| LED ARROW STICK (FACTORY STANDARD) | \$1,293.87 | | \$0.00 |
| TRUCK OPTIONS: | | | |
| (1) - 14" X 11" X 46" FRONT OPENING ALUMINUM TOOLBOX (MAX. 2 PER UNIT) | \$1,114.48 | | \$0.00 |
| HOSE GUIDE / UPSTREAM PULLEY GUIDE STORAGE (TAKES PLACE OF TOOLBOX) | \$781.18 | | \$0.00 |
| CHIP GUARD COATING | \$969.82 | | \$0.00 |
| NON-STOCK CHASSIS MOUNTING ALTERATIONS | \$3,069.17 | | \$0.00 |
| REAR BACK UP CAMERA W/7 INCH COLOR MONITOR MOUNTED IN CAB | \$1,345.94 | | \$0.00 |
| HITCH - REESE STYLE (10,000 LBS MAXIMUM) W/CAB MOUNTED BRAKE CONTROLLER AND 7-PIN RV TYPE RECEPTACLE | \$921.21 | | \$0.00 |
| PAINT: | | | |
| SHROUD: STANDARD WHITE PAINT | INCLUDED | | |
| HOSE REEL - UPRIGHT: SEWER BLUE | INCLUDED | | |
| SPECIAL PAINT: SOLID COLORS | \$830.94 | | \$0.00 |
| SPECIAL PAINT: METALLIC, BASE COAT / CLEAR COAT | CONTACT FACTORY | | |
| MANUALS & TRAINING: | | | |
| ADDITIONAL USB OPERATOR'S MANUAL | \$71.75 | | \$0.00 |
| PAPER OPERATOR'S MANUAL | \$96.06 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | \$1,945.00 | | \$0.00 |
| MEALS** | \$2,750.00 | | \$0.00 |
| NOZZLES & ACCESSORIES: | | | |
| ADDITIONAL 1/2" WARTHOG™ WS NOZZLE W/SERVICE KIT | \$1,592.45 | | \$0.00 |
| ADDITIONAL 1/2" FLUSHING NOZZLE (5R @ 30 DEGREE) | \$136.56 | | \$0.00 |
| ADDITIONAL 1/2" PENETRATOR NOZZLE (1F, 5R @ 15 DEGREE) | \$152.76 | | \$0.00 |
| 1/2" SNUB NOZE NOZZLE (BALL JET 6R @ 15 DEGREE) | \$153.92 | | \$0.00 |
| 1/2" TREMOL NOZZLE (3R @ 15 DEGREE) | \$842.52 | | \$0.00 |
| 1/2" WIESEL PENETRATION NOZZLE (EGG 1F, 6R @ 25 DEGREE) | \$574.02 | | \$0.00 |
| 1/2" TRISTAR CHISEL NOZZLE (ARROW 4F, 6R @ 30 DEGREE) | \$259.24 | | \$0.00 |
| 3/8" WARTHOG™ WT NOZZLE WITH 1/4" ADAPTER & SERVICE KIT | \$1,148.04 | | \$0.00 |
| 1/2" WARTHOG™ WH NOZZLE W/SERVICE KIT | \$1,885.25 | | \$0.00 |
| 1/8" MINI DRAIN KIT - MOUNTED (REEL WITH 100' OF HOSE, (2) NOZZLES, & PRESSURE GAUGE) | \$1,690.82 | | \$0.00 |
| 1/4" MINI DRAIN KIT - MOUNTED (REEL WITH 100' OF HOSE, (2) NOZZLES, & PRESSURE GAUGE) | \$1,701.24 | | \$0.00 |
| HIGH EFFICIENCY DUMP GUN | \$461.76 | | \$0.00 |
| UPSTREAM PULLEY GUIDE | \$395.80 | | \$0.00 |
| SIX (6) 28" D.O.T. SAFETY CONES AND HOLDER | \$491.85 | | \$0.00 |
| VENTURI PUMP | \$1,496.39 | | \$0.00 |
| UPGRADE WARTHOG (WS) NOZZLE TO WARTHOG (WH) NOZZLE | \$453.66 | | \$0.00 |
| SPECIAL ITEMS: ##### | | | |
| ENZ BULLDOG 408.037 | \$1,950.00 | | \$0.00 |
| ENZ ROTODRILL 36.050 | \$350.00 | | \$0.00 |
| ENZ GRENADE 40.050 | \$465.00 | | \$0.00 |
| ENZ CUTTING BALL 420.090 | \$2,450.00 | | \$0.00 |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| | | | \$0.00 |

SIGNATURE

DATE


Please return a signed copy to bigequipment@SewerEquipment.com



PO Box 13040 Spokane Valley, WA 99213
 p (800) 892-7831 www.swsequipment.com
www.SewerEquipment.com



www.SWSEquipment.com

| | |
|--|---|
| October 11, 2021 | PO# |
| Payment Terms: | Product Class: |
| Distributor: SWS Equipment (800) 892-7831 | REV: |
| Salesman: | WO# |
| End User: |  |
| Address: | |
| City, State, Zip: | |
| Phone: | |
| Contact: | |
| Email: | |

MODEL 184 - ETK Box Truck Mounted High Pressure Sewer Cleaner

| | | |
|--|--|--|
| Engine & Pump: 56 HP Kohler Diesel Tier IV Engine - w/ HD Cooling Package Engine Display Electronic Throttle Control Auxiliary Fuel Tank Pump: UDOR 18 GPM @ 4000 PSI w/30 Min Run Dry Capability Water On/Off Control Recirculation System Bypass / Flow Control Valve Pulsation System Air Purge System | Hose Reel & Hose: Telescoping Rotating Safety Reel w/600' Capacity of 1/2" Hose Industrial Swivel Bearing Tank & Fill: 300 Gallon Duraprolene™ (Black) Or 600 Gallon Duraprolene™ (Black) Water Tank w/10 Year Warranty 2-1/2" Hydrant Fill System Fill Hose Storage Rack Electrical: NEMA 4 Control Panel Auto Shutdown (High Eng. Temp/Low Oil Pressure) Wireless Pendant w/ Water On/Off, Throttle Up/Down, Hose Reel Payout/Retrieve, and Emergency Stop 12V Power Outlet | Accessories: 10' Leader Hose BB Hose Guide Cleaning Nozzle Penetrator Nozzle Warthog™ WS Nozzle Finned Nozzle Extension Nozzle Rack USB Operator / Owner Manual Fill Hose Truck: D.O.T. Approved LED Lighting |
|--|--|--|

| | | | |
|-----------------------------------|--------------------|----------|--------------------|
| MODEL 184 - ETK 300 Gallon | \$81,699.83 | 1 | \$81,699.83 |
|-----------------------------------|--------------------|----------|--------------------|

- * **12' ENCLOSURE** REQUIRES CHASSIS CAB TO REAR AXLE (CA) OF APPROXIMATELY 84" & AFTER FRAME (AF) OF 72" AND A MINIMUM CHASSIS GVWR OF 17,500#.
- * **14' ENCLOSURE** REQUIRES CHASSIS CAB TO REAR AXLE (CA) OF APPROXIMATELY 108" & AFTER FRAME (AF) OF 72" AND A MINIMUM CHASSIS GVWR OF 18,000#.
- * **16' ENCLOSURE** REQUIRES CHASSIS CAB TO REAR AXLE (CA) OF APPROXIMATELY 138" & AFTER FRAME (AF) OF 67" AND A MINIMUM CHASSIS GVWR OF 18,500#.

| | | | |
|-------------------------------------|--------------------|--|---------------|
| MODEL 184XL - ETK 600 Gallon | \$84,861.58 | | \$0.00 |
|-------------------------------------|--------------------|--|---------------|

- * **12' ENCLOSURE** REQUIRES CHASSIS CAB TO REAR AXLE (CA) OF APPROXIMATELY 84" & AFTER FRAME (AF) OF 72" AND A MINIMUM CHASSIS GVWR OF 20,000#.
- * **14' ENCLOSURE** REQUIRES CHASSIS CAB TO REAR AXLE (CA) OF APPROXIMATELY 108" & AFTER FRAME (AF) OF 72" AND A MINIMUM CHASSIS GVWR OF 20,500#.
- * **16' ENCLOSURE** REQUIRES CHASSIS CAB TO REAR AXLE (CA) OF APPROXIMATELY 138" & AFTER FRAME (AF) OF 67" AND A MINIMUM CHASSIS GVWR OF 21,000#.

| | |
|--|--------------------|
| LIST PRICE OF SELECTED OPTIONS: | \$0.00 |
| LESS PERCENTAGE DISCOUNT (enter % →) 5% | \$ (4,084.99) |
| NET PRICE OF UNIT: | \$77,614.84 |
| ENCLOSURE PRICE: | \$0.00 |
| FACTORY SUPPLIED CHASSIS: | \$0.00 |
| ESTIMATED FREIGHT: | \$0.00 |
| ESTIMATED TOTAL: | \$77,614.84 |

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

| STANDARD OPTIONS: | LIST PRICE | QTY | TOTAL |
|--|------------------------|------------|--------------|
| ENGINE & PUMP OPTIONS: | | | |
| HYDRAULIC DRIVE VIA TRANSMISSION MOUNTED PTO (MINIMUM ALLISON 3000RDS) | \$307.84 | | \$0.00 |
| HYDRAULIC PRESSURE GAUGE | \$380.75 | | \$0.00 |
| DIGITAL WATER PRESSURE GAUGE | \$1,400.34 | | \$0.00 |
| 400,000 BTU BOILER RATED 12 GPM @ 3000 PSI | \$10,810.37 | | \$0.00 |
| HOSE REEL & HOSE OPTIONS: | | | |
| DIGITAL 'SMART COUNTER' FOOTAGE METER | \$3,589.96 | | \$0.00 |
| FOOTAGE METER (MOUNTED ON JET HOSE REEL) | \$910.80 | | \$0.00 |
| UPGRADE TO 800' CAPACITY HOSE REEL IN LIEU OF STANDARD CAPACITY | \$1,273.03 | | \$0.00 |
| SEWER HOSE (1/2" I.D. 4000 P.S.I. OPERATING PRESSURE) PER FT | \$4.84 | | \$0.00 |
| TELESCOPING & ROTATING DUAL HOSE REEL (1/2" X 600' CAPACITY REEL AND A SECOND REEL WITH 3/8" X 500' CAPACITY / INCLUDES (2) ADDITIONAL NOZZLES & NOZZLE RACK | \$11,629.74 | | \$0.00 |
| SEWER HOSE (3/8" I.D. 4000 P.S.I. OPERATING PRESSURE) PER FT | \$2.79 | | \$0.00 |
| DIGITAL 'SMART COUNTER' FOR DUAL REEL UNITS | \$5,123.38 | | \$0.00 |
| PINCH ROLLER | \$1,591.29 | | \$0.00 |
| WASHDOWN SYSTEM W/GUN AND 25' OF HOSE | \$992.97 | | \$0.00 |
| UPGRADE TO PARKER SEWER HOSE (1/2" I.D. X 4000 PSI OPERATING PRESSURE) PER FT. | \$0.00 | | \$0.00 |
| TANK & FILL OPTIONS: | | | |
| GARDEN HOSE STYLE FILL SYSTEM (HEAVY DUTY REEL W/100' HOSE MOUNTED ON UNIT) | \$1,187.39 | | \$0.00 |
| WINTERIZATION SYSTEM (ANTI-FREEZE SYSTEM W/16 GALLON RESERVIOR) | \$1,351.73 | | \$0.00 |
| ELECTRICAL OPTIONS: | | | |
| PENDANT REMOTE PRESSURE DISPLAY (REQUIRES WIRELESS PENDANT) | \$1,067.03 | | \$0.00 |
| HAND-HELD WIRELESS 12v/110v RECHARGEABLE LED SPOTLIGHT W/STORAGE BRACKET | \$406.21 | | \$0.00 |
| LED FLOOD LIGHT (FACTORY STANDARD) | \$546.25 | | \$0.00 |
| LED STROBE LIGHT (FACTORY STANDARD) | \$636.52 | | \$0.00 |
| LED ARROW STICK (FACTORY STANDARD) | \$1,293.87 | | \$0.00 |
| TRUCK OPTIONS: | | | |
| CHIP GUARD COATING | \$969.82 | | \$0.00 |
| REAR BACK UP CAMERA W/7 INCH COLOR MONITOR MOUNTED IN CAB | \$1,345.94 | | \$0.00 |
| NON-STOCK CHASSIS MOUNTING ALTERATIONS | \$3,069.17 | | \$0.00 |
| PAINT: | | | |
| HOSE REEL - UPRIGHT: SEWER BLUE | INCLUDED | 1 | |
| SPECIAL PAINT: SOLID COLORS | \$830.94 | | \$0.00 |
| SPECIAL PAINT: METALLIC, BASE COAT / CLEAR COAT | CONTACT FACTORY | | |
| MANUALS & TRAINING: | | | |
| ADDITIONAL USB OPERATOR'S MANUAL | \$71.75 | | \$0.00 |
| PAPER OPERATOR'S MANUAL | \$96.06 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - SEWER EQUIPMENT UNIVERSITY (DIXON, IL / 1 DAY) **INCLUDES HOTELS & MEALS** | \$2,750.00 | | \$0.00 |
| NOZZLES & ACCESSORIES: | | | |
| ADDITIONAL 1/2" WARTHOG™ WS NOZZLE W/SERVICE KIT | \$1,592.45 | | \$0.00 |
| ADDITIONAL 1/2" FLUSHING NOZZLE (5R @ 30 DEGREE) | \$136.56 | | \$0.00 |
| ADDITIONAL 1/2" PENETRATOR NOZZLE (1F, 5R @ 15 DEGREE) | \$152.76 | | \$0.00 |
| 1/2" SNUB NOZE NOZZLE (BALL JET 6R @ 15 DEGREE) | \$153.92 | | \$0.00 |
| 1/2" TREMOL NOZZLE (3R @ 15 DEGREE) | \$842.52 | | \$0.00 |
| 1/2" WIESEL PENETRATION NOZZLE (EGG 1F, 6R @ 25 DEGREE) | \$574.02 | | \$0.00 |
| 1/2" TRISTAR CHISEL NOZZLE (ARROW 4F, 6R @ 30 DEGREE) | \$259.24 | | \$0.00 |
| 3/8" WARTHOG™ WT NOZZLE WITH 1/4" ADAPTER & SERVICE KIT | \$1,148.04 | | \$0.00 |
| 1/2" WARTHOG™ WH NOZZLE W/SERVICE KIT | \$1,885.25 | | \$0.00 |
| 1/8" MINI DRAIN KIT (HAND REEL WITH 100' OF HOSE, (2) NOZZLES, & PRESSURE GAUGE) | \$1,245.26 | | \$0.00 |
| 1/4" MINI DRAIN KIT (HAND REEL WITH 100' OF HOSE, (2) NOZZLES, & PRESSURE GAUGE) | \$1,256.83 | | \$0.00 |
| MOUNTING OF MINI DRAIN KIT (PER KIT) | \$444.40 | | \$0.00 |
| DRAIN CLEANING KIT (200' X 3/8" HOSE W/ (2) NOZZLES MOUNTED ON A ROLLING CART) | \$2,318.08 | | \$0.00 |

| | | | |
|--|-------------|-------|--------|
| MOUNTING OF DRAIN CART | \$486.07 | | \$0.00 |
| HIGH EFFICIENCY DUMP GUN | \$461.76 | | \$0.00 |
| UPSTREAM PULLEY GUIDE | \$395.80 | | \$0.00 |
| SIX (6) 28" D.O.T. SAFETY CONES AND HOLDER | \$491.85 | | \$0.00 |
| VENTURI PUMP | \$1,496.39 | | \$0.00 |
| UPGRADE WARTHOG (WS) NOZZLE TO WARTHOG (WH) NOZZLE | \$453.66 | | \$0.00 |
| ENCLOSURE OPTIONS: | | | |
| 14' ENCLOSURE MOUNTED ON CHASSIS - COMPLETE WITH 3" INSULATED WALLS, (1) ROOF LIGHT, EXTRUDED ALUMINUM FLOOR W/DRAINS, INSULATED ROLL UP REAR DOOR AND 36" CURB SIDE FORWARD HINGED MAN DOOR W/STEPS (MANUFACTURED BY SUPREME) | \$22,582.46 | | \$0.00 |
| 16' ENCLOSURE MOUNTED ON CHASSIS - COMPLETE WITH 3" INSULATED WALLS, (1) ROOF LIGHT, EXTRUDED ALUMINUM FLOOR W/DRAINS, INSULATED ROLL UP REAR DOOR AND 36" CURB SIDE FORWARD HINGED MAN DOOR W/STEPS (MANUFACTURED BY SUPREME) | \$26,858.70 | | \$0.00 |
| INSTALLATION OF BODY AT SEWER EQUIPMENT'S FACILITY. INCLUDES (ENGINE VENTILATION & PULLER STYLE ENGINE FAN, IF APPLICABLE) | \$4,768.09 | | \$0.00 |
| 80,000 BTU HEATER FOR ENCLOSURE | \$1,936.17 | | \$0.00 |
| SPECIAL ITEMS | | | |
| | | #REF! | |
| ENZ BULLDOG 408.037 | \$1,950.00 | | \$0.00 |
| ENZ ROTODRILL 36.050 | \$350.00 | | \$0.00 |
| ENZ GRENADE 40.050 | \$465.00 | | \$0.00 |
| ENZ CUTTING BALL 420.090 | \$2,450.00 | | \$0.00 |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| | | | \$0.00 |
| SIGNATURE _____ DATE _____ | | | |
| Please return a signed copy to bigequipment@SewerEquipment.com | | | |



PO Box 13040 Spokane Valley, WA 99213

p (800) 892-7831 www.swsequipment.com

www.SewerEquipment.com



www.SWSEquipment.com

October 11, 2021

PO#

Product Class:

Payment Terms:

REV:

Distributor: **SWS Equipment (800) 892-7831**

WO#

Salesman:

End User:

Address:

City, State, Zip:

Phone:

Contact:

Email:



MODEL 184 - ETKS Box Truck Mounted High Pressure Sewer Cleaner (side reel mount)

Engine & Pump:

56 HP Kohler Diesel Tier IV Engine
- w/ HD Cooling Package
Engine Display
Electronic Throttle Control
Auxiliary Fuel Tank

Pump:

UDOR 18 GPM @ 4000 PSI
w/30 Min Run Dry Capability
Water On/Off Control
Recirculation System
Bypass / Flow Control Valve
Pulsation System
Air Purge System

Hose Reel & Hose:

Telescoping & Rotating Safety Reel
w/600' Capacity of 1/2" Hose
Industrial Swivel Bearing

Tank & Fill:

(2) 200 Gallon Duraprolene™ (Black)
Water Tank w/10 Year Warranty
2-1/2" Hydrant Fill System
Fill Hose Storage Rack

Electrical:

NEMA 4 Control Panel
Auto Shutdown (High Eng. Temp/Low Oil Pressure)
Wireless Pendant w/ Water On/Off, Throttle
Up/Down, Hose Reel Payout/Retreive, and
Emergency Stop
12V Power Outlet

Accessories:

10' Leader Hose
BB Hose Guide
Cleaning Nozzle
Penetrator Nozzle
Warthog™ WS Nozzle
Finned Nozzle Extension
Nozzle Rack
USB Operator / Owner Manual
Fill Hose

Truck:

D.O.T. Approved LED Lighting

| | | | |
|------------------------------------|--------------------|----------|--------------------|
| MODEL 184 - ETKS 400 Gallon | \$84,861.58 | 1 | \$84,861.58 |
|------------------------------------|--------------------|----------|--------------------|

* **14' ENCLOSURE** REQUIRES CHASSIS CAB TO REAR AXLE (CA) OF APPROXIMATELY 108" & AFTER FRAME (AF) OF 72" AND A MIN. CHASSIS GVWR OF 26,000#.

* **16' ENCLOSURE** REQUIRES CHASSIS CAB TO REAR AXLE (CA) OF APPROXIMATELY 138" & AFTER FRAME (AF) OF 67" AND A MIN. CHASSIS GVWR OF 26,000#.

| | |
|--|----------------------|
| LIST PRICE OF SELECTED OPTIONS: | \$0.00 |
| LESS PERCENTAGE DISCOUNT (enter % →) 5% | \$ (4,243.08) |
| NET PRICE OF UNIT: | \$80,618.51 |
| ENCLOSURE PRICE: | \$0.00 |
| FACTORY SUPPLIED CHASSIS: | |
| ESTIMATED FREIGHT: | |
| ESTIMATED TOTAL: | \$80,618.51 |

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

| <u>STANDARD OPTIONS:</u> | <u>LIST PRICE</u> | <u>QTY</u> | <u>TOTAL</u> |
|--|-------------------|------------|--------------|
| ENGINE & PUMP OPTIONS: | | | |
| HYDRAULIC PRESSURE GAUGE | \$380.75 | 1 | \$380.75 |
| DIGITAL WATER PRESSURE GAUGE | \$1,400.34 | 1 | \$1,400.34 |
| 400,000 BTU BOILER RATED 12 GPM @ 3000 PSI | \$10,810.37 | 1 | \$10,810.37 |
| HOSE REEL & HOSE OPTIONS: | | | |
| DIGITAL 'SMART COUNTER' FOOTAGE METER | \$3,589.96 | 1 | \$3,589.96 |
| FOOTAGE METER (MOUNTED ON JET HOSE REEL) | \$910.80 | 1 | \$910.80 |
| UPGRADE TO 1000' CAPACITY HOSE REEL IN LIEU OF STANDARD CAPACITY | \$1,273.03 | 1 | \$1,273.03 |
| SEWER HOSE (1/2" I.D. 4000 P.S.I. OPERATING PRESSURE) PER FT | \$4.84 | 1 | \$4.84 |
| PINCH ROLLER | \$1,591.29 | 1 | \$1,591.29 |

| | | | |
|--|-----------------|------|--------|
| WASHDOWN SYSTEM W/GUN AND 25' OF HOSE | \$992.97 | | \$0.00 |
| UPGRADE TO PARKER SEWER HOSE (1/2" I.D. X 4000 PSI OPERATING PRESSURE) PER FT. | \$0.00 | | \$0.00 |
| TRUCK OPTIONS: | | | |
| NON-STOCK CHASSIS MOUNTING ALTERATIONS | \$3,069.17 | | \$0.00 |
| REAR BACK UP CAMERA W/7 INCH COLOR MONITOR MOUNTED IN CAB | \$1,345.94 | | \$0.00 |
| TANK & FILL OPTIONS: | | | |
| GARDEN HOSE STYLE FILL SYSTEM (HEAVY DUTY REEL W/100' HOSE MOUNTED ON UNIT) | \$1,187.39 | | \$0.00 |
| WINTERIZATION SYSTEM (ANTI-FREEZE SYSTEM W/16 GALLON RESERVIOR) | \$1,351.73 | | \$0.00 |
| ELECTRICAL OPTIONS: | | | |
| PENDANT REMOTE PRESSURE DISPLAY (REQUIRES WIRELESS PENDANT) | \$1,067.03 | | \$0.00 |
| HAND-HELD WIRELESS 12v/110v RECHARGEABLE LED SPOTLIGHT W/STORAGE BRACKET | \$406.21 | | \$0.00 |
| LED FLOOD LIGHT (FACTORY STANDARD) | \$546.25 | | \$0.00 |
| LED STROBE LIGHT (FACTORY STANDARD) | \$636.52 | | \$0.00 |
| LED ARROW STICK (FACTORY STANDARD) | \$1,293.87 | | \$0.00 |
| PAINT: | | | |
| HOSE REEL - UPRIGHT: SEWER BLUE | INCLUDED | 1 | |
| SPECIAL PAINT: SOLID COLORS | \$830.94 | | \$0.00 |
| SPECIAL PAINT: METALLIC, BASE COAT / CLEAR COAT | CONTACT FACTORY | | |
| MANUALS & TRAINING: | | | |
| ADDITIONAL USB OPERATOR'S MANUAL | \$71.75 | | \$0.00 |
| PAPER OPERATOR'S MANUAL | \$96.06 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$2,250.96 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | \$2,250.96 | | \$0.00 |
| MEALS** | \$3,182.58 | | \$0.00 |
| NOZZLES & ACCESSORIES: | | | |
| ADDITIONAL 1/2" WARTHOG™ WS NOZZLE W/SERVICE KIT | \$1,592.45 | | \$0.00 |
| ADDITIONAL 1/2" FLUSHING NOZZLE (5R @ 30 DEGREE) | \$136.56 | | \$0.00 |
| ADDITIONAL 1/2" PENETRATOR NOZZLE (1F, 5R @ 15 DEGREE) | \$152.76 | | \$0.00 |
| 1/2" SNUB NOZE NOZZLE (BALL JET 6R @ 15 DEGREE) | \$153.92 | | \$0.00 |
| 1/2" TREMOL NOZZLE (3R @ 15 DEGREE) | \$842.52 | | \$0.00 |
| 1/2" WIESEL PENETRATION NOZZLE (EGG 1F, 6R @ 25 DEGREE) | \$574.02 | | \$0.00 |
| 1/2" TRISTAR CHISEL NOZZLE (ARROW 4F, 6R @ 30 DEGREE) | \$259.24 | | \$0.00 |
| 3/8" WARTHOG™ WT NOZZLE WITH 1/4" ADAPTER & SERVICE KIT | \$1,148.04 | | \$0.00 |
| 1/2" WARTHOG™ WH NOZZLE W/SERVICE KIT | \$1,885.25 | | \$0.00 |
| 1/8" MINI DRAIN KIT (HAND REEL WITH 100' OF HOSE, (2) NOZZLES, & PRESSURE GAUGE) | \$1,245.26 | | \$0.00 |
| 1/4" MINI DRAIN KIT (HAND REEL WITH 100' OF HOSE, (2) NOZZLES, & PRESSURE GAUGE) | \$1,256.83 | | \$0.00 |
| MOUNTING OF MINI DRAIN KIT (PER KIT) | \$444.40 | | \$0.00 |
| DRAIN CLEANING KIT (200' X 3/8" HOSE W/ (2) NOZZLES MOUNTED ON A ROLLING CART) | \$2,318.08 | | \$0.00 |
| MOUNTING OF DRAIN CART TO UNIT | \$486.07 | | \$0.00 |
| HIGH EFFICIENCY DUMP GUN | \$461.76 | | \$0.00 |
| UPSTREAM PULLEY GUIDE | \$395.80 | | \$0.00 |
| SIX (6) 28" D.O.T. SAFETY CONES AND HOLDER | \$491.85 | | \$0.00 |
| VENTURI PUMP | \$1,496.39 | | \$0.00 |
| UPGRADE WARTHOG (WS) NOZZLE TO WARTHOG (WH) NOZZLE | \$453.66 | | \$0.00 |
| ENCLOSURE OPTIONS: | | | |
| 14' ENCLOSURE MOUNTED ON CHASSIS - COMPLETE WITH 3" INSULATED WALLS, 65,000 BTU HEATER, (1) ROOF LIGHT, EXTRUDED ALUMINUM FLOOR W/DRAINS, INSULATED "GARGAE STYLE" REAR DOOR AND 54" ALUMINUM ROLL UP DOOR | \$24,939.89 | | \$0.00 |
| 16' ENCLOSURE MOUNTED ON CHASSIS - COMPLETE WITH 3" INSULATED WALLS, 65,000 BTU HEATER, (1) ROOF LIGHT, EXTRUDED ALUMINUM FLOOR W/DRAINS, INSULATED "GARGAE STYLE" REAR DOOR AND 54" ALUMINUM ROLL UP DOOR | \$28,758.99 | | \$0.00 |
| INSTALLATION OF BODY AT SEWER EQUIPMENT'S FACILITY. INCLUDES (ENGINE VENTALATION & PULLER STYLE ENGINE FAN, IF APPLICABLE) | \$4,768.09 | | \$0.00 |
| 80,000 BTU HEATER FOR ENCLOSURE | \$1,936.17 | | \$0.00 |
| SPECIAL ITEMS: | | | |
| ENZ BULLDOG 408.037 | \$1,950.00 | #### | \$0.00 |
| ENZ ROTODRILL 36.050 | \$350.00 | | \$0.00 |
| ENZ GRENADE 40.050 | \$465.00 | | \$0.00 |
| ENZ CUTTING BALL 420.090 | \$2,450.00 | | \$0.00 |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |

| | | | |
|--|----------|------|--------|
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| | | | \$0.00 |
| | | | |
| SIGNATURE | | DATE | |
| Please return a signed copy to bigequipment@SewerEquipment.com | | | |



PO Box 13040 Spokane Valley, WA 99213

p (800) 892-7831 www.swsequipment.com

www.SewerEquipment.com



www.SWSEquipment.com

October 11, 2021

PO#

Product Class:

Payment Terms:

REV:

Distributor:

SWS Equipment (800) 892-7831

WO#

Salesman:

End User:

Address:

City, State, Zip:

Phone:

Contact:

Email:



MODEL 254 - TK Truck Mounted High Pressure Sewer Cleaner

Engine:

74 HP Kohler Diesel Tier IV Engine
Full Engine Removable Aluminum Shroud
Engine Display
Electronic Throttle Control

Tank & Fill:

300 Gal. Black Super-Poly Water Tank
Or 600 Gal. Black Super-Poly Water Tank
2-1/2" Hydrant Fill System
Fill Hose Storage Rack

Truck:

Steel Platform Chassis Deck
Mounting to Approved Chassis
(1) Aluminum Underbody Toolbox
D.O.T. Approved LED Lighting

Pump:

UDOR 25 GPM @ 4000 PSI
w/30 Min Run Dry Capability
Water On/Off Control
Recirculation System
Bypass / Flow Control Valve
Pulsation System
Air Purge System

Hose Reel & Hose:

Rotating Safety Hose Reel
w/500' Capacity of 5/2" Hose
Industrial Swivel Bearing

Accessories:

10' Leader Hose
BB Hose Guide
Cleaning Nozzle
Penetrator Nozzle
Warthog™ WS Nozzle
Finned Nozzle Extension
Nozzle Rack
USB Operator / Owner Manual
Fill Hose

Electrical:

NEMA 4 Control Panel
Auto Shutdown (High Eng. Temp/Low Oil Pres.)
Wireless Pendant w/ Water On/Off, Throttle
Up/Down, Hose Reel Payout/Retrieve, and
Emergency Stop
12V Power Outlet
LED Amber Strobe Light

| | | | |
|----------------------------------|--------------------|----------|--------------------|
| MODEL 254 - TK 300 Gallon | \$85,480.74 | 1 | \$85,480.74 |
|----------------------------------|--------------------|----------|--------------------|

* **REQUIRES** CHASSIS RATED AT 5,500# CARRYING CAPACITY, MIN (17,500# GVWR TYP)

* **REQUIRES** CHASSIS CAB TO REAR AXLE (CA) of 60" & AFTER FRAME (AF) of 48"

| | | | |
|------------------------------------|--------------------|----------|---------------|
| MODEL 254XL - TK 600 Gallon | \$90,599.49 | 0 | \$0.00 |
|------------------------------------|--------------------|----------|---------------|

* **REQUIRES** CHASSIS RATED AT 8,000# CARRYING CAPACITY, MIN (19,500# GVWR TYP)

* **REQUIRES** CHASSIS CAB TO REAR AXLE (CA) of 108" & AFTER FRAME (AF) of 48"

| | |
|--|--------------------|
| LIST PRICE OF SELECTED OPTIONS: | \$0.00 |
| LESS PERCENTAGE DISCOUNT (enter % →) 5% | \$ (4,274.04) |
| NET PRICE OF UNIT: | \$81,206.70 |

FACTORY SUPPLIED CHASSIS:

ESTIMATED FREIGHT:

ESTIMATED TOTAL: \$81,206.70

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

STANDARD OPTIONS:

ENGINE & PUMP OPTIONS:

| | LIST PRICE | QTY | TOTAL |
|--|-------------|-----|--------|
| HYDRAULIC DRIVE VIA TRANSMISSION MOUNTED PTO (MINIMUM ALLISON 3000RDS) | \$307.84 | | \$0.00 |
| HYDRAULIC PRESSURE GAUGE | \$380.75 | | \$0.00 |
| DIGITAL WATER PRESSURE GAUGE | \$1,400.34 | | \$0.00 |
| 400,000 BTU BOILER RATED 12 GPM @ 3000 PSI | \$10,810.37 | | \$0.00 |

HOSE REEL & HOSE OPTIONS:

| | | | |
|---|------------|--|--------|
| UPGRADE TO 800' CAPACITY HOSE REEL IN LIEU OF STANDARD CAPACITY | \$1,273.03 | | \$0.00 |
| SEWER HOSE (5/8" I.D. 4000 P.S.I. OPERATING PRESSURE) PER FT | \$5.07 | | \$0.00 |
| DIGITAL 'SMART COUNTER' FOOTAGE METER | \$3,589.96 | | \$0.00 |
| FOOTAGE METER (MOUNTED ON JET HOSE REEL) | \$910.80 | | \$0.00 |

| | | | |
|---|------------------------|--|--------|
| TELESCOPING DUAL HOSE REEL (5/8" X 500' CAPACITY REEL AND A SECOND REEL WITH 3/8" X 500' CAPACITY / INCLUDES (2) ADDITIONAL NOZZLES & NOZZLE RACK | \$11,629.74 | | \$0.00 |
| SEWER HOSE (1/2" I.D. 4000 P.S.I. OPERATING PRESSURE) PER FT | \$4.84 | | \$0.00 |
| SEWER HOSE (3/8" I.D. 4000 P.S.I. OPERATING PRESSURE) PER FT | \$2.79 | | \$0.00 |
| DIGITAL 'SMART COUNTER' FOR DUAL REEL UNITS | \$5,123.38 | | \$0.00 |
| AIR PURGE SYSTEM | \$549.72 | | \$0.00 |
| PINCH ROLLER | \$1,591.29 | | \$0.00 |
| WASHDOWN SYSTEM W/GUN AND 25' OF HOSE | \$992.97 | | \$0.00 |
| TANK & FILL OPTIONS: | | | |
| UPGRADE TO FULLY BAFFLED 300 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY | \$5,630.28 | | \$0.00 |
| UPGRADE TO FULLY BAFFLED 600 GALLON DURAPROLENE™ (BLACK) WATER TANK W/10 YEAR WARRANTY | \$7,406.74 | | \$0.00 |
| GARDEN HOSE STYLE FILL SYSTEM (HEAVY DUTY REEL W/100' HOSE MOUNTED ON UNIT) | \$1,187.39 | | \$0.00 |
| WINTERIZATION SYSTEM (ANTI-FREEZE SYSTEM W/16 GALLON RESERVIOR) | \$1,351.73 | | \$0.00 |
| ELECTRICAL OPTIONS: | | | |
| PENDANT REMOTE PRESSURE DISPLAY (REQUIRES WIRELESS PENDANT) | \$922.00 | | \$0.00 |
| HAND-HELD WIRELESS 12V/110V RECHARGEABLE LED SPOTLIGHT W/STORAGE BRACKET | \$351.00 | | \$0.00 |
| LED FLOOD LIGHT (FACTORY STANDARD) | \$472.00 | | \$0.00 |
| LED ARROW STICK (FACTORY STANDARD) | \$1,118.00 | | \$0.00 |
| TRUCK OPTIONS: | | | |
| NON-STOCK CHASSIS MOUNTING ALTERATIONS | \$3,069.17 | | \$0.00 |
| (1) - 11" X 184" X 46" FRONT OPENING ALUMINUM TOOLBOX - (MAX. 2 PER UNIT) | \$1,114.48 | | \$0.00 |
| HOSE GUIDE / UPSTREAM PULLEY GUIDE STORAGE | \$781.18 | | \$0.00 |
| CHIP GUARD COATING | \$969.82 | | \$0.00 |
| REAR BACK UP CAMERA W/7 INCH COLOR MONITOR MOUNTED IN CAB | \$1,345.94 | | \$0.00 |
| HITCH - REESE STYLE (10,000 LBS MAXIMUM) W/CAB MOUNTED BRAKE CONTROLLER AND 7-PIN RV TYPE RECEPTACLE | \$921.21 | | \$0.00 |
| PAINT: | | | |
| SHROUD: STANDARD WHITE PAINT | INCLUDED | | |
| HOSE REEL - UPRIGHT: SEWER BLUE | INCLUDED | | |
| SPECIAL PAINT: SOLID COLORS | \$830.94 | | \$0.00 |
| SPECIAL PAINT: METALLIC, BASE COAT / CLEAR COAT | CONTACT FACTORY | | |
| MANUALS & TRAINING: | | | |
| PAPER OPERATOR'S MANUAL | \$96.06 | | \$0.00 |
| ADDITIONAL USB OPERATOR'S MANUAL | \$71.75 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | \$2,750.00 | | \$0.00 |
| NOZZLES & ACCESSORIES: | | | |
| ADDITIONAL 1/2" WARTHOG™ WS NOZZLE W/SERVICE KIT | \$1,592.45 | | \$0.00 |
| ADDITIONAL 1/2" FLUSHING NOZZLE (5R @ 30 DEGREE) | \$136.56 | | \$0.00 |
| ADDITIONAL 1/2" PENETRATOR NOZZLE (1F, 5R @ 15 DEGREE) | \$152.76 | | \$0.00 |
| 1/2" SNUB NOZE NOZZLE (BALL JET 6R @ 15 DEGREE) | \$153.92 | | \$0.00 |
| 1/2" TREMOL NOZZLE (3R @ 15 DEGREE) | \$842.52 | | \$0.00 |
| 1/2" WIESEL PENETRATION NOZZLE (EGG 1F, 6R @ 25 DEGREE) | \$574.02 | | \$0.00 |
| 1/2" TRISTAR CHISEL NOZZLE (ARROW 4F, 6R @ 30 DEGREE) | \$259.24 | | \$0.00 |
| 3/8" WARTHOG™ WT NOZZLE WITH 1/4" ADAPTER & SERVICE KIT | \$1,148.04 | | \$0.00 |
| 1/2" WARTHOG™ WH NOZZLE W/SERVICE KIT | \$1,885.25 | | \$0.00 |
| 1/8" MINI DRAIN KIT - MOUNTED (REEL WITH 100' OF HOSE, (2) NOZZLES, & PRESSURE GAUGE) | \$1,690.82 | | \$0.00 |
| 1/4" MINI DRAIN KIT - MOUNTED (REEL WITH 100' OF HOSE, (2) NOZZLES, & PRESSURE GAUGE) | \$1,701.24 | | \$0.00 |
| 3/8" DRAIN CART - MOUNTED (200' HOSE ON A CART WITH 2 NOZZLES) | \$2,804.15 | | \$0.00 |
| UPSTREAM PULLEY GUIDE | \$395.80 | | \$0.00 |
| SIX (6) 28" D.O.T. SAFETY CONES AND HOLDER | \$491.85 | | \$0.00 |
| VENTURI PUMP | \$1,496.39 | | \$0.00 |
| UPGRADE WARTHOG (WS) NOZZLE TO WARTHOG (WH) NOZZLE | \$453.66 | | \$0.00 |
| SPECIAL ITEMS: ##### | | | |
| ENZ BULLDOG 408.037 | \$1,950.00 | | \$0.00 |
| ENZ ROTODRILL 36.050 | \$350.00 | | \$0.00 |
| ENZ GRENADE 40.050 | \$465.00 | | \$0.00 |
| ENZ CUTTING BALL 420.090 | \$2,450.00 | | \$0.00 |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |

| | | | |
|--|----------|------|--------|
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| | | | \$0.00 |
| | | | |
| SIGNATURE | | DATE | |
| Please return a signed copy to bigequipment@SewerEquipment.com | | | |



PO Box 13040 Spokane Valley, WA 99213
 p (800) 892-7831 www.swsequipment.com
www.SewerEquipment.com



www.SWSEquipment.com

October 11, 2021

Payment Terms:

Distributor: **SWS Equipment (800) 892-7831**

Salesman:

End User:

Address:

City, State, Zip:

Phone:

Contact:

Email:

| | |
|-----------------------|--|
| PO# | |
| Product Class: | |
| REV: | |
| WO# | |

MODEL 254 - ETK Box Truck Mounted High Pressure Sewer Cleaner

Engine & Pump:

74 HP Kohler Diesel Tier IV Engine
 - w/ HD Cooling Package
 Engine Display
 Electronic Throttle Control
 Auto Shutdown (For High Engine
 Temp / Low Oil Pressure)
 Auxiliary Fuel Tank

Pump:

UDOR 25 GPM @ 4000 PSI
 w/30 Min Run Dry Capability
 Water On/Off Control
 Recirculation System
 Bypass / Flow Control Valve
 Pulsation System
 Air Purge System

Hose Reel & Hose:

Telescoping Rotating Safety Reel
 w/500' Capacity of 5/8" Hose
 Industrial Swivel Bearing

Tank & Fill:

300 Gallon Duraprolene™ (Black)
 Or 600 Gallon Duraprolene™ (Black)
 Water Tank w/10 Year Warranty
 2-1/2" Hydrant Fill System
 Fill Hose Storage Rack

Electrical:

NEMA 4 Control Panel
 Auto Shutdown (High Eng. Temp/Low Oil Pres.)
 Wireless Pendant w/ Water On/Off, Throttle
 Up/Down, Hose Reel Payout/Retrieve, and
 Emergency Stop
 12V Power Outlet

Accessories:

10' Leader Hose
 BB Hose Guide
 Cleaning Nozzle
 Penetrator Nozzle
 Warthog™ WS Nozzle
 Finned Nozzle Extension
 Nozzle Rack
 USB Operator / Owner Manual
 Fill Hose

Truck:

D.O.T. Approved LED Lighting

| | | | |
|-----------------------------------|--------------------|----------|--------------------|
| MODEL 254 - ETK 300 Gallon | \$87,310.44 | 1 | \$87,310.44 |
|-----------------------------------|--------------------|----------|--------------------|

- * **12' ENCLOSURE** REQUIRES CHASSIS CAB TO REAR AXLE (CA) OF APPROXIMATELY 84" & AFTER FRAME (AF) OF 72" AND A MINIMUM CHASSIS GVWR OF 17,500#.
- * **14' ENCLOSURE** REQUIRES CHASSIS CAB TO REAR AXLE (CA) OF APPROXIMATELY 108" & AFTER FRAME (AF) OF 72" AND A MINIMUM CHASSIS GVWR OF 18,000#.
- * **16' ENCLOSURE** REQUIRES CHASSIS CAB TO REAR AXLE (CA) OF APPROXIMATELY 138" & AFTER FRAME (AF) OF 67" AND A MINIMUM CHASSIS GVWR OF 18,500#.

| | | | |
|-------------------------------------|--------------------|--|---------------|
| MODEL 254XL - ETK 600 Gallon | \$92,249.81 | | \$0.00 |
|-------------------------------------|--------------------|--|---------------|

- * **12' ENCLOSURE** REQUIRES CHASSIS CAB TO REAR AXLE (CA) OF APPROXIMATELY 84" & AFTER FRAME (AF) OF 72" AND A MINIMUM CHASSIS GVWR OF 20,000#.
- * **14' ENCLOSURE** REQUIRES CHASSIS CAB TO REAR AXLE (CA) OF APPROXIMATELY 108" & AFTER FRAME (AF) OF 72" AND A MINIMUM CHASSIS GVWR OF 20,500#.
- * **16' ENCLOSURE** REQUIRES CHASSIS CAB TO REAR AXLE (CA) OF APPROXIMATELY 138" & AFTER FRAME (AF) OF 67" AND A MINIMUM CHASSIS GVWR OF 21,000#.

| | |
|--|----------------------|
| LIST PRICE OF SELECTED OPTIONS: | \$0.00 |
| LESS PERCENTAGE DISCOUNT (enter % →) 5% | \$ (4,365.52) |
| NET PRICE OF UNIT: | \$82,944.92 |
| ENCLOSURE PRICE: | \$0.00 |
| ESTIMATED FREIGHT: | |
| ESTIMATED TOTAL: | \$82,944.92 |

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

| STANDARD OPTIONS: | LIST PRICE | QTY | TOTAL |
|--|-------------------|------------|--------------|
| ENGINE & PUMP OPTIONS: | | | |
| HYDRAULIC DRIVE VIA TRANSMISSION MOUNTED PTO (MINIMUM ALLISON 3000RDS) | \$307.84 | | \$0.00 |

| | | | |
|--|------------------------|--|--------|
| HYDRAULIC PRESSURE GAUGE | \$380.75 | | \$0.00 |
| DIGITAL WATER PRESSURE GAUGE | \$1,400.34 | | \$0.00 |
| 400,000 BTU BOILER RATED 12 GPM @ 3000 PSI | \$10,810.37 | | \$0.00 |
| <u>HOSE REEL & HOSE OPTIONS:</u> | | | |
| DIGITAL 'SMART COUNTER' FOOTAGE METER | \$3,589.96 | | \$0.00 |
| FOOTAGE METER (MOUNTED ON JET HOSE REEL) | \$910.80 | | \$0.00 |
| UPGRADE TO 800' CAPACITY HOSE REEL IN LIEU OF STANDARD CAPACITY | \$1,273.03 | | \$0.00 |
| SEWER HOSE (5/8" I.D. 4000 P.S.I. OPERATING PRESSURE) PER FT | \$5.07 | | \$0.00 |
| TELESCOPING & ROTATING DUAL HOSE REEL (5/8" X 500' CAPACITY REEL AND A SECOND REEL WITH 3/8" X 500' CAPACITY / INCLUDES (2) ADDITIONAL NOZZLES & NOZZLE RACK | \$11,629.74 | | \$0.00 |
| DIGITAL 'SMART COUNTER' FOR DUAL REEL UNITS | \$494.17 | | \$0.00 |
| SEWER HOSE (1/2" I.D. 4000 P.S.I. OPERATING PRESSURE) PER FT | \$4.84 | | \$0.00 |
| SEWER HOSE (3/8" I.D. 4000 P.S.I. OPERATING PRESSURE) PER FT | \$5.10 | | \$0.00 |
| PINCH ROLLER | \$1,591.29 | | \$0.00 |
| WASHDOWN SYSTEM W/GUN AND 25' OF HOSE | \$992.97 | | \$0.00 |
| <u>TANK & FILL OPTIONS:</u> | | | |
| GARDEN HOSE STYLE FILL SYSTEM (HEAVY DUTY REEL W/100' HOSE MOUNTED ON UNIT) | \$1,187.39 | | \$0.00 |
| WINTERIZATION SYSTEM (ANTI-FREEZE SYSTEM W/16 GALLON RESERVIOR) | \$1,351.73 | | \$0.00 |
| <u>ELECTRICAL OPTIONS:</u> | | | |
| PENDANT REMOTE PRESSURE DISPLAY (REQUIRES WIRELESS PENDANT) | \$1,067.03 | | \$0.00 |
| HAND-HELD WIRELESS 12v/110v RECHARGEABLE LED SPOTLIGHT W/STORAGE BRACKET | \$406.21 | | \$0.00 |
| LED FLOOD LIGHT (FACTORY STANDARD) | \$546.25 | | \$0.00 |
| LED STROBE LIGHT (FACTORY STANDARD) | \$636.52 | | \$0.00 |
| LED ARROW STICK (FACTORY STANDARD) | \$1,293.87 | | \$0.00 |
| <u>TRUCK OPTIONS:</u> | | | |
| CHIP GUARD COATING | \$969.82 | | \$0.00 |
| REAR BACK UP CAMERA W/7 INCH COLOR MONITOR MOUNTED IN CAB | \$1,345.94 | | \$0.00 |
| NON-STOCK CHASSIS MOUNTING ALTERATIONS | \$3,069.17 | | \$0.00 |
| <u>PAINT:</u> | | | |
| HOSE REEL - UPRIGHT: SEWER BLUE | INCLUDED | | |
| SPECIAL PAINT: SOLID COLORS | \$830.94 | | \$0.00 |
| SPECIAL PAINT: METALLIC, BASE COAT / CLEAR COAT | CONTACT FACTORY | | |
| <u>MANUALS & TRAINING:</u> | | | |
| ADDITIONAL USB OPERATOR'S MANUAL | \$71.75 | | \$0.00 |
| PAPER OPERATOR'S MANUAL | \$96.06 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | \$1,945.00 | | \$0.00 |
| MEALS** | \$2,750.00 | | \$0.00 |
| <u>NOZZLES & ACCESSORIES:</u> | | | |
| ADDITIONAL 1/2" WARTHOG™ WS NOZZLE W/SERVICE KIT | \$1,592.45 | | \$0.00 |
| ADDITIONAL 1/2" FLUSHING NOZZLE (5R @ 30 DEGREE) | \$136.56 | | \$0.00 |
| ADDITIONAL 1/2" PENETRATOR NOZZLE (1F, 5R @ 15 DEGREE) | \$152.76 | | \$0.00 |
| 1/2" SNUB NOZE NOZZLE (BALL JET 6R @ 15 DEGREE) | \$153.92 | | \$0.00 |
| 1/2" TREMOL NOZZLE (3R @ 15 DEGREE) | \$842.52 | | \$0.00 |
| 1/2" WIESEL PENETRATION NOZZLE (EGG 1F, 6R @ 25 DEGREE) | \$574.02 | | \$0.00 |
| 1/2" TRISTAR CHISEL NOZZLE (ARROW 4F, 6R @ 30 DEGREE) | \$259.24 | | \$0.00 |
| 3/8" WARTHOG™ WT NOZZLE WITH 1/4" ADAPTER & SERVICE KIT | \$1,148.04 | | \$0.00 |
| 1/2" WARTHOG™ WH NOZZLE W/SERVICE KIT | \$1,885.25 | | \$0.00 |
| 1/8" MINI DRAIN KIT (HAND REEL WITH 100' OF HOSE, (2) NOZZLES, & PRESSURE GAUGE) | \$1,245.26 | | \$0.00 |
| 1/4" MINI DRAIN KIT (HAND REEL WITH 100' OF HOSE, (2) NOZZLES, & PRESSURE GAUGE) | \$1,256.83 | | \$0.00 |
| MOUNTING OF MINI DRAIN KIT | \$444.40 | | \$0.00 |
| DRAIN CLEANING KIT (200' X 3/8" HOSE W/ (2) NOZZLES MOUNTED ON A ROLLING CART) | \$2,318.08 | | \$0.00 |
| MOUNTING OF DRAIN CART TO UNIT | \$486.07 | | \$0.00 |
| HIGH EFFICIENCY DUMP GUN | \$461.76 | | \$0.00 |
| UPSTREAM PULLEY GUIDE | \$385.38 | | \$0.00 |
| SIX (6) 28" D.O.T. SAFETY CONES AND HOLDER | \$491.85 | | \$0.00 |
| VENTURI PUMP | \$1,496.39 | | \$0.00 |
| UPGRADE WARTHOG (WS) NOZZLE TO WARTHOG (WH) NOZZLE | \$453.66 | | \$0.00 |

ENCLOSURE OPTIONS

| | | | |
|--|-------------|--|--------|
| 12' ENCLOSURE MOUNTED ON CHASSIS - COMPLETE WITH 3" INSULATED WALLS, (1) ROOF LIGHT, EXTRUDED ALUMINUM FLOOR W/DRAINS, INSULATED ROLL UP REAR DOOR AND 36" CURB SIDE FORWARD HINGED MAN DOOR W/STEPS | \$22,582.46 | | \$0.00 |
| 14' ENCLOSURE MOUNTED ON CHASSIS - COMPLETE WITH 3" INSULATED WALLS, (1) ROOF LIGHT, EXTRUDED ALUMINUM FLOOR W/DRAINS, INSULATED ROLL UP REAR DOOR AND 36" CURB SIDE FORWARD HINGED MAN DOOR W/STEPS | \$22,582.46 | | \$0.00 |
| 16' ENCLOSURE MOUNTED ON CHASSIS - COMPLETE WITH 3" INSULATED WALLS, (1) ROOF LIGHT, EXTRUDED ALUMINUM FLOOR W/DRAINS, INSULATED ROLL UP REAR DOOR AND 36" CURB SIDE FORWARD HINGED MAN DOOR W/STEPS | \$26,858.70 | | \$0.00 |
| INSTALLATION OF BODY AT SEWER EQUIPMENT'S FACILITY. INCLUDES (ENGINE VENTILATION & PULLER STYLE ENGINE FAN, IF APPLICABLE) | \$4,768.09 | | \$0.00 |
| 80,000 BTU HEATER FOR ENCLOSURE | \$1,936.17 | | \$0.00 |

#####

SPECIAL ITEMS:

| | | | |
|--|------------|--|--------|
| ENZ BULLDOG 408.037 | \$1,950.00 | | \$0.00 |
| ENZ ROTODRILL 36.050 | \$350.00 | | \$0.00 |
| ENZ GRENADE 40.050 | \$465.00 | | \$0.00 |
| ENZ CUTTING BALL 420.090 | \$2,450.00 | | \$0.00 |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| | | | \$0.00 |

ENCLOSURE OPTIONS

SIGNATURE

DATE

Please return a signed copy to bigequipment@SewerEquipment.com



PO Box 13040 Spokane Valley, WA 99213
 p (800) 892-7831 www.swsequipment.com
www.SewerEquipment.com



www.SWSEquipment.com

| | | |
|--|-----------------------|--|
| October 11, 2021 | PO# | |
| | Product Class: | |
| Payment Terms: | REV: | |
| Distributor: SWS Equipment (800) 892-7831 | WO# | |
| Salesman: | | |
| End User: | | |
| Address: | | |
| City, State, Zip: | | |
| Phone: | | |
| Contact: | | |
| Email: | | |

444 RODDER Series II Trailer Mounted Sectional Rodder

| | | |
|--|--|--|
| Engine & Drive System: Honda 24 hp Gas Engine Lighted NEMA 4 control panel Friction Footage Meter Hour Meter | Trailer: Torsion Axle 6,000 GVWR Electric brakes, 2-5/16 ball hitch Steel toolbox - street side LED D.O.T. approved lighting (2) Manual Rear Stabilizers | Accessories: 25' Lightweight Hose Guide and Bell w/aluminum couplings Single Prong Brace Nose Jack Wheel "Caster" Two (2) Assembly Wrenches One (1) Paper Operator Manual Key Ignition Switch 10 Dog Rod Drive Head |
| Rod Group: Rod Drive Head System Rod Storage Reel Steel Shroud, Clear window for Drive Head Painted Steel Shroud, Clear Window for Drive Head | | |

BASE UNIT AS OUTLINED ABOVE **\$73,229.53** 1 **\$73,229.53**

| | |
|--|----------------------|
| LIST PRICE OF SELECTED OPTIONS: | \$0.00 |
| LESS PERCENTAGE DISCOUNT (enter % →) 5% | \$ (3,661.48) |
| NET PRICE OF UNIT: | \$69,568.05 |
| ESTIMATED FREIGHT: | |
| ESTIMATED TOTAL: | \$ 69,568.05 |

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

| <u>STANDARD OPTIONS:</u> | LIST PRICE | QTY | TOTAL |
|--|------------------------|-----|--------|
| AUTO REFLEX DRIVE | \$13,236.08 | 0 | \$0.00 |
| ROD OPTIONS: | | | |
| 5/16" x 39" SUPER PREMIUM SECTIONAL ROD (PRICE PER ROD, MAX OF 385 RODS , CONSULT FACTORY FOR REQUESTS OVER THESE MAXIMUM LIMITS) | \$16.69 | 0 | \$0.00 |
| 3/8" x 39" SUPER PREMIUM SECTIONAL ROD (PRICE PER ROD, MAX. OF 280 RODS , CONSULT FACTORY FOR REQUESTS OVER THESE MAXIMUM LIMITS) | \$22.65 | 0 | \$0.00 |
| ENGINE GROUP OPTIONS | | | |
| VOLTAGE METER | \$276.60 | 0 | \$0.00 |
| UPGRADE TO 25 H.P. DIESEL ENGINE | Contact Factory | 0 | 0 |
| ILLUMINATION GROUP OPTIONS: | | | |
| COMPARTMENT LIGHTING | \$433.99 | 0 | \$0.00 |
| LED FLOOD LIGHT (FACTORY STANDARD) | \$546.25 | 0 | \$0.00 |
| LED STROBE LIGHT (FACTORY STANDARD) | \$636.52 | 0 | \$0.00 |
| LED ARROW STICK (FACTORY STANDARD) | \$1,293.87 | 0 | \$0.00 |
| LED ARROW BOARD (FACTORY STANDARD) | \$1,548.47 | 0 | \$0.00 |
| HANDHELD WIRELESS 12v/110v RECHARGEABLE LED SPOTLIGHT WITH STORAGE BRACKET | \$406.21 | 0 | \$0.00 |
| TRAILER GROUP OPTIONS: | | | |
| HYDRAULIC BRAKES | \$1,606.34 | 0 | \$0.00 |

| | | | |
|-------------------------------|------------|--|--------|
| SPARE TIRE AND RIM | \$583.28 | | \$0.00 |
| HYDRAULIC LEVELING LEGS (TWO) | \$4,778.51 | | \$0.00 |
| FRAME MOUNTED TOOL BOX | \$490.70 | | \$0.00 |

| MISC. GROUP OPTIONS: | | | |
|--|--------------|--|--------|
| CUMULATIVE FOOTAGE METER. | \$582.12 | | \$0.00 |
| INDEPENDENT RELIEF VALVES AND GAUGES FOR FORWARD/REVERSE | \$1,457.04 | | \$0.00 |
| SIX (6) 18" D.O.T. SAFETY CONES AND HOLDER | \$491.85 | | \$0.00 |
| PAINT: | | | |
| SHROUD: STERLING WHITE (FDG91327) • | INCLUDED | | |
| TOOLBOX: STERLING WHITE (FDG91327) • | INCLUDED | | |
| ALL OTHER COLORS (EXCEPT METALLIC PAINT) | \$898.07 | | \$0.00 |
| CONTACT FACTORY FOR LIST PRICE OF PAINTING OTHER COMPONENTS ON UNIT | | | |
| MANUALS & TRAINING: | | | |
| ADDITIONAL PAPER OPERATOR'S MANUAL | \$96.06 | | \$0.00 |
| USB OPERATOR'S MANUAL | \$71.75 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - SEWER EQUIPMENT UNIVERSITY (DIXON, IL) (1 DAY) **INCLUDES HOTEL & MEALS** | \$2,750.00 | | \$0.00 |
| RODDING TOOLS & SAWS OPTIONS: | | | |
| TOOLS - SEE PARTS CATALOG - SECTION "RODDING TOOLS" | PARTS | | |
| SAWS & AUGERS - SEE PARTS CATALOG - SECTION "SAWS AND CUTTERS" | PARTS | | |
| SPECIAL ITEMS: | | | |
| DEDUCT TO SKID MOUNT (NO TOLLBOXES INCLUDED) | (\$7,110.47) | | \$0.00 |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| | | | \$0.00 |
| SIGNATURE _____ DATE _____ | | | |
| Please return a signed copy to bigequipment@SewerEquipment.com | | | |



PO Box 13040 Spokane Valley, WA 99213
 p (800) 892-7831 www.swsequipment.com
www.SewerEquipment.com



www.SWSEquipment.com

| | | |
|--|-----------------------|--|
| October 11, 2021 | PO# | |
| | Product Class: | |
| Payment Terms: | REV: | |
| Distributor: SWS Equipment (800) 892-7831 | WO# | |
| Salesman: | | |
| End User: | | |
| Address: | | |
| City, State, Zip: | | |
| Phone: | | |
| Contact: | | |
| Email: | | |

444-TK RODDER Series II Truck Rodder

| | | |
|---|---|--|
| Drive System: Hydraulically driven system via PTO Trans Lighted NEMA 4 control panel Friction Footage Meter | Truck: Steel Skirting (3) Aluminum Underbody Toolboxes LED D.O.T. approved lighting Mounting to approved chassis | Accessories: 25' Lightweight Hose Guide and Bell w/aluminum couplings Single Prong Brace Two (2) Assembly Wrenches One (1) Paper Operator Manual 10 Dog Rod Drive Head |
| Rod Group: Rod Drive Head System Rod Storage Reel Painted Steel Shroud, Clear Window for Drive Head | | |

TRUCK MOUNTED **\$83,263.35** 1 **\$83,263.35**

| | |
|--------------------------------------|--------------------|
| LIST PRICE OF SELECTED OPTIONS: | \$0.00 |
| LESS PERCENTAGE DISCOUNT (enter % →) | 5% \$ (4,163.17) |
| NET PRICE OF UNIT: | \$79,100.18 |
| FACTORY SUPPLIED CHASSIS: | |
| ESTIMATED FREIGHT: | |
| ESTIMATED TOTAL: | \$79,100.18 |

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

| <u>STANDARD OPTIONS:</u> | LIST PRICE | QTY | TOTAL |
|--------------------------|-------------|-----|-------------|
| AUTO REFLEX DRIVE | \$13,236.08 | 1 | \$13,236.08 |

ROD OPTIONS:

| | | | |
|--|---------|---|---------|
| 5/16" x 39" SUPER PREMIUM SECTIONAL ROD (PRICE PER ROD, MAX OF 385 RODS , CONSULT FACTORY FOR REQUESTS OVER THESE MAXIMUM LIMITS) | \$16.69 | 1 | \$16.69 |
| 3/8" x 39" SUPER PREMIUM SECTIONAL ROD (PRICE PER ROD, MAX. OF 280 RODS , CONSULT FACTORY FOR REQUESTS OVER THESE MAXIMUM LIMITS) | \$22.65 | 1 | \$22.65 |

ILLUMINATION GROUP OPTIONS:

| | | | |
|--|------------|---|------------|
| COMPARTMENT LIGHTING | \$433.99 | 1 | \$433.99 |
| LED FLOOD LIGHT (FACTORY STANDARD) | \$546.25 | 1 | \$546.25 |
| LED STROBE LIGHT (FACTORY STANDARD) | \$636.52 | 1 | \$636.52 |
| LED ARROW STICK (FACTORY STANDARD) | \$1,293.87 | 1 | \$1,293.87 |
| LED ARROW BOARD (FACTORY STANDARD) | \$1,548.47 | 1 | \$1,548.47 |
| HANDHELD WIRELESS 12v/110v RECHARGEABLE LED SPOTLIGHT WITH STORAGE BRACKET | \$406.21 | 1 | \$406.21 |

TRUCK GROUP OPTIONS:

| | | | |
|---|------------|---|------------|
| NON-STOCK CHASSIS MOUNTING ALTERATIONS | \$1,774.15 | 1 | \$1,774.15 |
| REAR BACK UP CAMERA SYSTEM W/ 7" COLOR MONITOR MOUNTED IN CAB | \$1,342.47 | 1 | \$1,342.47 |
| HITCH - REESE STYLE (10,000 LBS MAXIMUM LOAD) WITH CAB MOUNTED BRAKE CONTROLLER & 7 PIN RECEPTACLE - NOT AVAILABLE WITH FORD 550 & SMALLER CHASSIS | \$883.02 | 1 | \$883.02 |

MISC. GROUP OPTIONS:

| | | | |
|--|------------|--|--------|
| CUMULATIVE FOOTAGE METER. | \$582.12 | | \$0.00 |
| INDEPENDENT RELIEF VALVES AND GAUGES FOR FORWARD/REVERSE | \$1,457.04 | | \$0.00 |
| SIX (6) 18" D.O.T. SAFETY CONES AND HOLDER | \$491.85 | | \$0.00 |
| PAINT: | | | |
| SHROUD: STERLING WHITE (FDG91327) • | INCLUDED | | |
| TOOLBOX: STERLING WHITE (FDG91327) • | INCLUDED | | |
| ALL OTHER COLORS (EXCEPT METALLIC PAINT) | \$898.07 | | \$0.00 |
| CONTACT FACTORY FOR LIST PRICE OF PAINTING OTHER COMPONENTS ON UNIT | | | |
| MANUALS & TRAINING: | | | |
| ADDITIONAL PAPER OPERATOR'S MANUAL | \$96.06 | | \$0.00 |
| USB OPERATOR'S MANUAL | \$71.75 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - SEWER EQUIPMENT UNIVERSITY (DIXON, IL) (1 DAY) **INCLUDES HOTEL & MEALS** | \$2,750.00 | | \$0.00 |
| RODDING TOOLS & SAWS OPTIONS: | | | |
| TOOLS - SEE PARTS CATALOG - SECTION "RODDING TOOLS" | PARTS | | |
| SAWS & AUGERS - SEE PARTS CATALOG - SECTION " SAWS AND CUTTERS" | PARTS | | |
| SPECIAL ITEMS: | | | |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| | | | \$0.00 |
| SIGNATURE _____ DATE _____ | | | |
| Please return a signed copy to bigequipment@SewerEquipment.com | | | |



PO Box 13040 Spokane Valley, WA 99213
 p (800) 892-7831 www.swsequipment.com
www.SewerEquipment.com



www.SWSEquipment.com

| | | |
|--|-----------------------|--|
| October 11, 2021 | PO# | |
| | Product Class: | |
| Payment Terms: | REV: | |
| Distributor: SWS Equipment (800) 892-7831 | WO# | |
| Salesman: | | |
| End User: | | |
| Address: | | |
| City, State, Zip: | | |
| Phone: | | |
| Contact: | | |
| Email: | | |

866 RODDER Series II Trailer Mounted Continuous Rodder

| | | |
|---|---|--|
| Engine & Drive System: Honda 24 hp Gas Engine with aluminum shroud & electrical controls Lighted NEMA 4 control panel Friction Footage Meter Hour Meter | Trailer: Torsion Axle 6,000 GVWR Electric brakes, 2-5/16 ball hitch Steel toolbox - streetside LED D.O.T. approved lighting (2) Manual Rear Stabilizers | Accessories: 25' Lightweight Hose Guide and Bell w/aluminum couplings Single Prong Brace Nose Jack Wheel "Caster" Snap on Pliers w/Cleaners Two (2) Assembly Wrenches One (1) Paper Operator Manual Key Ignition Switch |
| Rod Group: Rod Drive Roller System Rod Storage Reel w/ 1200' of .375 Rod Painted Steel Shroud, Clear Window for Drive Head | | |

BASE UNIT AS OUTLINED ABOVE **\$79,316.94** 1 **\$79,316.94**

| | |
|--|----------------------|
| LIST PRICE OF SELECTED OPTIONS: | \$0.00 |
| LESS PERCENTAGE DISCOUNT (enter % →) 5% | \$ (3,965.85) |
| NET PRICE OF UNIT: | \$75,351.10 |
| ESTIMATED FREIGHT: | |
| ESTIMATED TOTAL: | \$ 75,351.10 |

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

| <u>STANDARD OPTIONS:</u> | LIST PRICE | QTY | TOTAL |
|-------------------------------------|-------------|-----|--------|
| UPGRADE TO 1100' OF .393 ROD | \$952.46 | 0 | \$0.00 |
| UPGRADE TO 1000' OF .415 ROD | \$1,048.52 | 0 | \$0.00 |
| UPGRADE TO 800' OF .461 ROD | \$997.60 | 0 | \$0.00 |
| AUTO REFLEX DRIVE | \$12,030.17 | 0 | \$0.00 |

ENGINE GROUP OPTIONS

| | | | |
|----------------------------------|------------|---|--------|
| VOLTAGE METER | \$276.60 | 0 | \$0.00 |
| UPGRADE TO 25 H.P. DIESEL ENGINE | \$6,487.84 | 0 | \$0.00 |

ILLUMINATION GROUP OPTIONS:

| | | | |
|--|------------|---|--------|
| COMPARTMENT LIGHTING | \$422.42 | 0 | \$0.00 |
| LED FLOOD LIGHT | \$530.04 | 0 | \$0.00 |
| LED STROBE LIGHT (FACTORY STANDARD) | \$618.00 | 0 | \$0.00 |
| LED ARROW STICK (FACTORY STANDARD) | \$1,255.67 | 0 | \$0.00 |
| LED ARROW BOARD (FACTORY STANDARD) | \$1,491.76 | 0 | \$0.00 |
| HANDHELD WIRELESS 12v/110v RECHARGEABLE LED SPOTLIGHT WITH STORAGE BRACKET | \$395.80 | 0 | \$0.00 |

TRAILER GROUP OPTIONS:

| | | | |
|-------------------------------|------------|---|--------|
| HYDRAULIC BRAKES | \$1,638.74 | 0 | \$0.00 |
| SPARE TIRE AND RIM | \$577.49 | 0 | \$0.00 |
| HYDRAULIC LEVELING LEGS (TWO) | \$4,418.58 | 0 | \$0.00 |

| | | | |
|------------------------|----------|--|--------|
| FRAME MOUNTED TOOL BOX | \$446.72 | | \$0.00 |
|------------------------|----------|--|--------|

| MISC. GROUP OPTIONS: | | | |
|---|--------------|--|--------|
| CUMULATIVE FOOTAGE METER | \$525.42 | | \$0.00 |
| INDEPENDENT RELIEF VALVES AND GAUGES FOR FORWARD/REVERSE | \$1,322.80 | | \$0.00 |
| TWO MOTORS ON DRIVE HEAD WITH TWO SPEED HYDRAULIC CONTROL | \$4,759.99 | | \$0.00 |
| AUTOMATIC HYDRAULIC HOLD-DOWN FOR DRIVE HEAD | \$8,707.55 | | \$0.00 |
| SIX (6) 18" D.O.T. SAFETY CONES AND HOLDER | \$477.97 | | \$0.00 |
| PAINT (TOOLBOX, SHROUD): | | | |
| STANDARD WHITE PAINT | INCLUDED | | |
| ALL OTHER COLORS (EXCEPT METALLIC PAINT) | \$806.64 | | \$0.00 |
| CONTACT FACTORY FOR LIST PRICE OF PAINTING OTHER COMPONENTS ON UNIT | | | |
| MANUALS & TRAINING: | | | |
| ADDITIONAL PAPER OPERATOR'S MANUAL | \$93.74 | | \$0.00 |
| USB OPERATOR'S MANUAL | \$69.44 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - SEWER EQUIPMENT UNIVERSITY (DIXON, IL) (1 DAY) **INCLUDES HOTEL & MEALS** | \$2,750.00 | | \$0.00 |
| ACCESSORY GROUP OPTIONS | | | |
| ADDITIONAL ROD - SEE PARTS CATALOG AND PARTS PRICE LIST | PARTS | | |
| TOOLS - SEE PARTS CATALOG AND PARTS PRICE LIST | PARTS | | |
| SPECIAL ITEMS: | | | |
| DEDUCT TO SKID MOUNT (NO TOOLBOXES INCLUDED) | (\$7,110.47) | | \$0.00 |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| | | | \$0.00 |
| SIGNATURE _____ DATE _____ | | | |
| Please return a signed copy to bigequipment@SewerEquipment.com | | | |



PO Box 13040 Spokane Valley, WA 99213

p (800) 892-7831 www.swsequipment.com

www.SewerEquipment.com



www.SWSEquipment.com

October 11, 2021

Payment Terms:

Distributor: **SWS Equipment (800) 892-7831**

Salesman:

End User:

Address:

City, State, Zip:

Phone:

Contact:

Email:

PO#

Product Class:

REV:

WO#



866-TK RODDER TRUCK Mounted Continuous Rodder

Drive System:

Hydraulically driven system via PTO trans
Lighted NEMA 4 control panel
Friction Footage Meter

Truck:

Steel Skirting
(3) Aluminum Underbody Toolboxes
LED D.O.T. approved lighting
Mounting to approved chassis

Accessories:

25' Lightweight Hose Guide
and Bell w/aluminum couplings
Single Prong Brace
Snap on Pliers w/Cleaners
Two (2) Assembly Wrenches
One (1) Paper Operator Manual
10 Dog Rod Drive Head

Rod Group:

Rod Drive Head System
Rod Storage Reel w/ 1200' of .375 Rod
Painted Steel Shroud, Clear Window for Drive Head

BASE UNIT AS OUTLINED ABOVE **\$82,364.12** 1 **\$82,364.12**

| | |
|--------------------------------------|--------------------|
| LIST PRICE OF SELECTED OPTIONS: | \$0.00 |
| LESS PERCENTAGE DISCOUNT (enter % →) | 0% \$ - |
| NET PRICE OF UNIT: | \$82,364.12 |
| FACTORY SUPPLIED CHASSIS | |
| ESTIMATED FREIGHT: | |
| ESTIMATED TOTAL: | \$82,364.12 |

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

| <u>STANDARD OPTIONS:</u> | LIST PRICE | QTY | TOTAL |
|-------------------------------------|-------------|-----|--------|
| UPGRADE TO 1100' OF .393 ROD | \$952.46 | 0 | \$0.00 |
| UPGRADE TO 1000' OF .415 ROD | \$1,048.52 | 0 | \$0.00 |
| UPGRADE TO 800' OF .461 ROD | \$997.60 | 0 | \$0.00 |
| AUTO REFLEX DRIVE | \$12,030.17 | 0 | \$0.00 |

ILLUMINATION GROUP OPTIONS:

| | | | |
|--|------------|---|--------|
| COMPARTMENT LIGHTING | \$422.42 | 0 | \$0.00 |
| LED FLOOD LIGHT | \$530.04 | 0 | \$0.00 |
| LED STROBE LIGHT (FACTORY STANDARD) | \$618.00 | 0 | \$0.00 |
| LED ARROW STICK (FACTORY STANDARD) | \$1,255.67 | 0 | \$0.00 |
| LED ARROW BOARD (FACTORY STANDARD) | \$1,491.76 | 0 | \$0.00 |
| HANDHELD WIRELESS 12v/110v RECHARGEABLE LED SPOTLIGHT WITH STORAGE BRACKET | \$395.80 | 0 | \$0.00 |

TRAILER GROUP OPTIONS:

| | | | |
|-------------------------------|------------|---|--------|
| HYDRAULIC BRAKES | \$1,638.74 | 0 | \$0.00 |
| SPARE TIRE AND RIM | \$577.49 | 0 | \$0.00 |
| HYDRAULIC LEVELING LEGS (TWO) | \$4,418.58 | 0 | \$0.00 |
| FRAME MOUNTED TOOL BOX | \$450.19 | 0 | \$0.00 |

| TRUCK GROUP OPTIONS: | | | |
|---|------------|--|--------|
| NON-STOCK CHASSIS MOUNTING ALTERATIONS | \$1,722.07 | | \$0.00 |
| REAR BACK UP CAMERA SYSTEM W/ 7" COLOR MONITOR MOUNTED IN CAB | \$1,303.12 | | \$0.00 |
| HITCH - REESE STYLE (10,000 LBS MAXIMUM LOAD) WITH CAB MOUNTED BRAKE CONTROLLER & 7 PIN RECEPTACLE - NOT AVAILABLE WITH FORD 550 & SMALLER CHASSIS | \$894.60 | | \$0.00 |
| MISC. GROUP OPTIONS: | | | |
| CUMULATIVE FOOTAGE METER | \$525.42 | | \$0.00 |
| INDEPENDENT RELIEF VALVES AND GAUGES FOR FORWARD/REVERSE | \$1,322.80 | | \$0.00 |
| TWO MOTORS ON DRIVE HEAD WITH TWO SPEED HYDRAULIC CONTROL | \$4,759.99 | | \$0.00 |
| AUTOMATIC HYDRAULIC HOLD-DOWN FOR DRIVE HEAD | \$8,707.55 | | \$0.00 |
| SIX (6) 18" D.O.T. SAFETY CONES AND HOLDER | \$477.97 | | \$0.00 |
| PAINT (TOOLBOX, SHROUD): | | | |
| STANDARD WHITE PAINT | INCLUDED | | |
| ALL OTHER COLORS (EXCEPT METALLIC PAINT) | \$806.64 | | \$0.00 |
| CONTACT FACTORY FOR LIST PRICE OF PAINTING OTHER COMPONENTS ON UNIT | | | |
| MANUALS & TRAINING: | | | |
| ADDITIONAL PAPER OPERATOR'S MANUAL | \$93.74 | | \$0.00 |
| USB OPERATOR'S MANUAL | \$69.44 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - SEWER EQUIPMENT UNIVERSITY (DIXON, IL) (1 DAY) <i>**INCLUDES HOTEL & MEALS**</i> | \$2,750.00 | | \$0.00 |
| ACCESSORY GROUP OPTIONS | | | |
| ADDITIONAL ROD - SEE PARTS CATALOG AND PARTS PRICE LIST | PARTS | | |
| TOOLS - SEE PARTS CATALOG AND PARTS PRICE LIST | PARTS | | |
| SPECIAL ITEMS: | | | |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| | | | \$0.00 |
| | | | \$0.00 |
| | | | \$0.00 |
| | | | \$0.00 |
| | | | \$0.00 |
| | | | \$0.00 |
| | | | \$0.00 |
| SIGNATURE _____ DATE _____ | | | |
| Please return a signed copy to bigequipment@SewerEquipment.com | | | |



PO Box 13040 Spokane Valley, WA 99213
 p (800) 892-7831 www.swsequipment.com
www.SewerEquipment.com



www.SWSEquipment.com

| | | |
|--|-----------------------|--|
| October 11, 2021 | PO# | |
| | Product Class: | |
| Payment Terms: | REV: | |
| Distributor: SWS Equipment (800) 892-7831 | WO# | |
| Salesman: | | |
| End User: | | |
| Address: | | |
| City, State, Zip: | | |
| Phone: | | |
| Contact: | | |
| Email: | | |

877-TK Series II Truck Mounted PTO Drive Continuous Rodder

| | | |
|---|--|---|
| Standard: | Truck: | Accessories: |
| Gear Driven Rod Drive Roller system w/ 7000# of pull (Automatic Hydraulic Hold Down system) 72" Rod Storage Reel with 1200' of .375 Rod in Direct Hydr. Motor driven Yoke w/ spring loaded torque arm Electrical system Lighted NEMA 4 Control Panel Hydraulic System, Single Lever Control Friction Footage Meter | Mounting to approved chassis One piece Steel Shroud Heavy Duty Frame Full Decking Skirting Handrail Three (3) toolboxes Mud flaps, Bumper LED D.O.T. approved lighting | 25' Lightweight Hose Guide and Bell w/aluminum couplings Single Prong Brace Snap on Pliers w/Cleaners Two (2) Assembly Wrenches One (1) Paper Operator Manual |

BASE UNIT AS OUTLINED ABOVE with .375 ROD **\$174,148.70** 1 **\$174,148.70**

| | |
|--|----------------------|
| LIST PRICE OF SELECTED OPTIONS: | \$0.00 |
| LESS PERCENTAGE DISCOUNT (enter % →) 5% | \$ (8,707.43) |
| NET PRICE OF UNIT: | \$165,441.26 |
| ESTIMATED FREIGHT: | |
| ESTIMATED TOTAL: | \$ 165,441.26 |

FOR ALL NON STANDARD OPTIONS PLEASE CONTACT FACTORY FOR PRICING

| STANDARD OPTIONS: | LIST PRICE | QTY | TOTAL |
|--|-------------------|------------|--------------|
| UPGRADE TO 1200' OF .393 ROD | \$1,104.07 | | \$0.00 |
| UPGRADE TO 1200' OF .415 ROD | \$1,214.01 | | \$0.00 |
| UPGRADE TO 1200' OF .461 ROD | \$1,153.83 | | \$0.00 |
| CONTACT FACTORY FOR LIST PRICE OF GREATER LENGTHS THAN 1200' | | | |
| AUTO REFLEX DRIVE | \$13,231.45 | | \$0.00 |
| ILLUMINATION GROUP OPTIONS: | | | |
| COMPARTMENT LIGHTING | \$435.15 | | \$0.00 |
| LED FLOOD LIGHT (FACTORY STANDARD) | \$546.25 | | \$0.00 |
| LED STROBE LIGHT (FACTORY STANDARD) | \$636.52 | | \$0.00 |
| LED ARROW STICK (FACTORY STANDARD) | \$1,293.87 | | \$0.00 |
| LED ARROW BOARD (FACTORY STANDARD) | \$1,536.90 | | \$0.00 |
| HANDHELD WIRELESS 12v/110v RECHARGEABLE LED SPOTLIGHT WITH STORAGE BRACKET | \$406.21 | | \$0.00 |
| MISC. OPTIONS: | | | |
| CUMULATIVE FOOTAGE METER | \$555.51 | | \$0.00 |
| INDEPENDENT RELIEF VALVES AND GAUGES FOR FORWARD/REVERSE | \$1,389.92 | | \$0.00 |
| SINGLE LEVER HYDRAULIC CONTROL | \$763.82 | | \$0.00 |
| INDEPENDENT RELIEF VALVES AND GAUGES FOR FORWARD/REVERSE | \$1,322.80 | | \$0.00 |
| TWO MOTORS ON DRIVE HEAD WITH TWO SPEED HYDRAULIC CONTROL | \$4,759.99 | | \$0.00 |

| | | | |
|---|------------|--|--------|
| HITCH - REESE STYLE (10,000 LBS MAXIMUM LOAD) WITH CAB MOUNTED BRAKE CONTROLLER & 7 PIN RECEPTACLE - NOT AVAILABLE WITH FORD 550 & SMALLER CHASSIS | \$921.21 | | \$0.00 |
| SIX (6) 18" D.O.T. SAFETY CONES AND HOLDER | \$491.85 | | \$0.00 |
| REAR BACK UP CAMERA SYSTEM W/ 7" COLOR MONITOR MOUNTED IN CAB | \$1,342.47 | | \$0.00 |
| NON-STOCK CHASSIS MOUNTING ALTERATIONS | \$1,903.76 | | \$0.00 |

| | | | |
|---|----------|--|--------|
| <u>PAINT (TOOLBOX, SHROUD):</u> | | | |
| STANDARD WHITE PAINT | INCLUDED | | |
| ALL OTHER COLORS (EXCEPT METALLIC PAINT) | \$932.79 | | \$0.00 |
| CONTACT FACTORY FOR LIST PRICE OF PAINTING OTHER COMPONENTS ON UNIT | | | |

| | | | |
|---|------------|--|--------|
| <u>MANUALS & TRAINING:</u> | | | |
| ADDITIONAL PAPER OPERATOR'S MANUAL | \$96.06 | | \$0.00 |
| USB OPERATOR'S MANUAL | \$71.75 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (1 DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - CUSTOMER LOCATION (ADDITIONAL DAY) | \$1,945.00 | | \$0.00 |
| TRAINING - SEWER EQUIPMENT UNIVERSITY (DIXON, IL) (1 DAY) **INCLUDES HOTEL & MEALS** | \$2,750.00 | | \$0.00 |

| | | | |
|--|-------|--|--|
| <u>RODDING TOOLS & SAWS OPTIONS:</u> | | | |
| TOOLS - SEE PARTS CATALOG - "RODDING TOOLS" | PARTS | | |
| SAWS & AUGERS - SEE PARTS CATALOG - "SAWS AND CUTTERS" | PARTS | | |

| | | | |
|--|----------|--|--------|
| <u>SPECIAL ITEMS:</u> | | | |
| NON-STANDARD OPTIONS @ 5% OFF MSRP | | | \$0.00 |
| CUSTOM FABRICATION @ \$222.00 PER HOUR + MATERIALS | \$222.00 | | \$0.00 |
| | | | \$0.00 |
| | | | \$0.00 |
| | | | \$0.00 |
| | | | \$0.00 |
| | | | \$0.00 |
| | | | \$0.00 |

| | | | |
|---|--------------|---------------|-------------|
| <u>Non-Stock Chassis</u> | | | |
| Make: | Year: | Model: | VIN: |
| | | | |
| SIGNATURE | | | DATE |
| Please return a signed copy to bigequipment@SewerEquipment.com | | | |

| | | |
|--|----------------------------------|----------------|
| State of Washington Contracts & Procurement Division Department of Enterprise Services P.O. Box 41411 Olympia, WA 98504-1411 | MASTER CONTRACT AMENDMENT | |
| | Master Contract No.: | 00120 |
| SWS Equipment, LLC Dba Solid Waste System, INC 6515 E. Nixon Ave Spokane Valley, WA 99212-1062 | Amendment No.: | 3 |
| | Effective Date: | August 1, 2022 |

THIRD AMENDMENT
TO
MASTER CONTRACT NO. 00120
CATCH BASIN CLEANERS AND JET RODDER TRUCKS (VARIOUS SIZES)

This Third Amendment ("Amendment") to Master Contract No. 00120 is made and entered into by and between the State of Washington acting by and through the Department of Enterprise Services, a Washington State governmental agency ("Enterprise Services") and SWS Equipment, LLC, dba Solid Waste System, INC, a Washington Limited Liability Company ("Contractor") and is dated and effective as of August 1, 2022.

RECITALS

- A. Pursuant to Legislative authorization, Enterprise Services, on behalf of the State of Washington, is authorized to develop, solicit, and establish master contracts for goods/services to support Washington state agencies. See RCW 39.26.050(1). The Washington State Legislature also has authorized Enterprise Services to make these master contracts available, pursuant to agreement in which Enterprise Services ensures full cost recovery, to other local or federal government agencies or entities, public benefit nonprofit organizations, and any tribes located in the State of Washington. See RCW 39.26.050(1) & (2).
- B. To provide a cost-effective and efficient procurement solution for state agencies and other eligible purchasers, Enterprise Services typically develops multi-year Master Contracts. Such Master Contracts establish pricing and, where appropriate, price adjustments over the term of the Master Contract.
- C. Enterprise Services and Contractor (collectively the "Parties") entered into that certain Master Contract No. 00120 dated effective as of October 1, 2020 ("Master Contract").
- D. The Parties previously amended the Master Contract 00120 as follows:
 - a. Amendment No.1: Effective January 1,2021. To amend Exhibit B-Prices "Category Discounts" for Chassis, add a new Exhibit E- Chassis, and add Section 3.6 Product Additions and Deletions to the Master Contract.
 - b. Amendment No. 2: Effective April 4,2022. To amend Exhibit B- Prices

NOW
hereby

- E. Enterprise Services and Contractor are witnessing unanticipated costs increases pertaining to certain raw materials, components, and logistical supply constraints that are unexpectedly tensioning pricing pertaining to this Master Contract. Accordingly, the Parties now desire to amend the Master Contract to address certain unanticipated cost increases and provide temporary an equitable, temporary price adjustment consistent with the purpose of this Master Contract.
- F. The amendment set forth herein is within the scope of the Master Contract.

A G R E E M E N T

NOW THEREFORE, in consideration of the mutual covenants and agreements set forth herein, the Parties hereby agree to amend the Master Contract, as previously amended, as follows:

- 1. TEMPORARY PRICE ADJUSTMENT. The Master Contract is amended to add the following provision:

TEMPORARY PRICE ADJUSTMENT. Notwithstanding any provision to the contrary, beginning August 1, 2022, upon written request by Contractor, Enterprise Services will review, evaluate, and, as appropriate in its sole determination, approve temporary price adjustments pertaining to Master Contract goods/services impacted by unexpected costs that are beyond the Master Contract's applicable price adjustment procedures, if any; *Provided*, however, that:

- (a) Contractor must request such temporary price adjustment in writing and set forth the unexpected costs that are adversely impacting Contractor's specific Master Contract goods/services;
- (b) The unexpected costs must be unanticipated, beyond the reasonable control of Contractor, and impacting Contractor's industry/market segment (if the unexpected costs only are impacting Contractor and not its competitors, there will be no temporary price adjustment);
- (c) The unexpected costs must not be part of any other price adjustment (e.g., a PPI inflation adjustment) allowed or provided by the Master Contract and, if granted by Enterprise Services, the impact of any temporary price adjustment will be considered by Enterprise Services and factored into any other price adjustments as allowed or provided by the Master Contract;
- (d) Contractor must propose to Enterprise Services a reasonable, temporary price adjustment that, based on a material input percentage basis (or similar appropriate metric) for the goods/services equitably aligns Master Contract prices for impacted goods/services with the Master Contract's allocation of risk/return (e.g., Contractor's margin);
- (e) Contractor must document to Enterprise Services that Contractor already has implemented equivalent or greater price adjustments for Contractor's goods/services to other non-affiliated customers outside of the Master Contract based on the unexpected costs identified to Enterprise Services;
- (f) Contractor, acting in good faith, also must evaluate and, as appropriate, propose temporary price adjustments if costs for Contractor's Master Contract goods/services have unexpectedly decreased;
- (g) Enterprise Services, acting in good faith, will have sole discretion to approve the scope, amount, and duration of any temporary price adjustment;

- (h) Any such temporary price adjustment will be temporary and will include a stated period that will not exceed 180 days (Contractor, if circumstances warrant, may seek a subsequent temporary price adjustment); and
- (i) Unless and until a temporary price adjustment is approved in writing by Enterprise Services, Contractor will not adjust Master Contract prices.
- (j) The pricing on Master Contract 00120 will not be increased in its entirety, but only if deemed necessary to complete an individual/specific Catch Basin Cleaners and Jet Rodder Trucks order and must be first approved by customers before acceptance 90 days prior to delivery. Customers must evaluate the revised pricing from vendors, and may cancel their orders without penalty if the revised pricing is not in their best interest. Once price adjustments are approved by the customer, vendors will then revise their Catch Basin Cleaners and Jet Rodder Trucks order by adding a line-item option that includes details of items affected by this price increase.

2. PRICE ADJUSTMENTS Section 3.3 is deleted in its entirety and insert the following in lieu thereof: PRICE ADJUSTMENTS. The Master Contract prices are the maximum prices the Contractor may charge. Pricing shall remain firm and fixed for one (1) year from the Master Contract's effective date. Pricing is list price at the time of order. Beginning twelve (12) months after the effective date of this Master Contractor and quarterly thereafter, Contractor may request a quarterly price adjustment by written notice to the Contract Administrator. Contractor may not change the percent discount. Price adjustment requests must be based on the current must be based on changes in the current Manufacturer's Suggested Retail Prices (MSRP) list. Consideration of price adjustments will be at the sole discretion of the Contract Administrator. A completed list of suggested pricing (MSRP) changes and a letter from the manufacturer must be sent to the Contract Administrator for approval thirty (30) days prior to the requested date of the changes taking effect. No changes may be made to the Contractor hosted catalog until approval is provided by the Contract Administrator. If a price increase is approved in part or in full, the resulting new Master Contract pricing will be implemented through a Contract Amendment. Contractor may not make Master Contract extensions contingent on price adjustments.

3. DELIVERY REQUIREMENTS Section 5.3 (a) is deleted in its entirety and insert the following in lieu thereof:

DELIVERY REQUIREMENTS. Contractor must ensure that delivery of goods and/or services will be made as required by this Master Contract, the Purchase Order used by Purchasers, or as otherwise mutually agreed in writing between the Purchaser and Contractor. The following apply to all deliveries:

- (a) Vehicle delivery must be within eighteen (18) months of receipt of Purchase Order, or upon receipt of Purchaser Provided Chassis, whichever is later

The remaining subsections (b)-(j) remain unchanged in their entirety.

4. NO CHANGE OTHER THAN AMENDMENT. Except as amended herein, the Master Contract is unaffected and remains in full force and effect.

5. INTEGRATED AGREEMENT; MODIFICATION. This Amendment constitutes the entire agreement and understanding of the Parties with respect to the subject matter and supersedes all prior negotiations and representations. In the event of any conflict between this Amendment and the Master Contract or any earlier amendment, this Amendment shall control and govern. This Amendment may not be modified except in writing signed by the Parties.
6. AUTHORITY. Each party to this Amendment, and each individual signing on behalf of each party, hereby represents and warrants to the other that it has full power and authority to enter into this Amendment and that its execution, delivery, and performance of this Amendment has been fully authorized and approved, and that no further approvals or consents are required to bind such party.
7. ELECTRONIC SIGNATURES. An electronic signature of this Amendment or any other ancillary agreement shall be deemed to have the same legal effect as delivery of an original executed copy of this Amendment or such other ancillary agreement for all purposes.
8. COUNTERPARTS. This Amendment may be executed in one or more counterparts, each of which shall be deemed an original, and all of which counterparts together shall constitute the same instrument which may be sufficiently evidenced by one counterpart. Execution of this Amendment at different times and places by the parties shall not affect the validity thereof so long as all the parties hereto execute a counterpart of this Amendment.

EXECUTED AND EFFECTIVE as of the day and date first above written.

**SWS EQUIPMENT, LLC. DBA SOLID WASTE SYSTEMS,
INC A WASHINGTON LIMITED LIABILITY COMPANY**

**STATE OF WASHINGTON
DEPARTMENT OF ENTERPRISE SERVICES**

By: Tracy Ball
 Name: Tracy Ball
 Title: CAO
 Date: August 2, 2022

By: Kelli Carmony
 Name: Kelli Carmony
 Title: Procurement Supervisor
 Date: August 3, 2022